

VAN

BRAKES CERTIFIED TO EEC REQUIREMENTS - UNLADEN WEIGHT DISTRIBUTION STANDARD PRODUCTION MODEL

| MODEL | ENGINE | | DRIVELINE | AXLE RATIO | UNLADEN KERB WEIGHT* (kg) | | | GROSS VEHICLE MASS (kg) | | | GTM** (kg) |
|------------------------------|--------|-----|-----------|------------|---------------------------|------|-------|-------------------------|------|-------|------------|
| | kW | PS | | | FRONT | REAR | TOTAL | FRONT | REAR | TOTAL | |
| Short Wheel Base | | | | | | | | | | | |
| Low Roof - Single Rear Wheel | | | | | | | | | | | |
| 260 | 74 | 100 | FWD | 4.36 | 1121 | 607 | 1728 | 1351 | 1274 | 2625 | 4625 |
| 260 | 92 | 125 | FWD | 4.36 | 1121 | 607 | 1728 | 1351 | 1274 | 2625 | 4625 |
| 260 | 103 | 140 | FWD | 4.36 | 1121 | 607 | 1728 | 1351 | 1274 | 2625 | 4625 |
| 280 | 74 | 100 | FWD | 4.36 | 1121 | 607 | 1728 | 1378 | 1447 | 2825 | 4825 |
| 280 | 92 | 125 | FWD | 4.36 | 1121 | 607 | 1728 | 1378 | 1447 | 2825 | 4825 |
| 280 | 103 | 140 | FWD | 4.36 | 1121 | 607 | 1728 | 1378 | 1447 | 2825 | 4825 |
| 300 | 74 | 100 | FWD | 4.36 | 1121 | 607 | 1728 | 1404 | 1620 | 3025 | 5025 |
| 300 | 92 | 125 | FWD | 4.36 | 1121 | 607 | 1728 | 1404 | 1620 | 3025 | 5025 |
| 300 | 103 | 140 | FWD | 4.36 | 1121 | 607 | 1728 | 1404 | 1620 | 3025 | 5025 |
| 330 | 74 | 100 | FWD | 4.93 | 1134 | 631 | 1765 | 1452 | 1873 | 3325 | 5325 |
| 330 | 92 | 125 | FWD | 4.93 | 1134 | 631 | 1765 | 1452 | 1873 | 3325 | 5325 |
| 330 | 103 | 140 | FWD | 4.93 | 1134 | 631 | 1765 | 1452 | 1873 | 3325 | 5325 |
| 300 | 74 | 100 | RWD | 3.58 | 1168 | 792 | 1960 | 1411 | 1614 | 3025 | 5025 |
| 300 | 74 | 100 | RWD | 3.91 | 1168 | 792 | 1960 | 1411 | 1614 | 3025 | 5025 |
| 300 | 92 | 125 | RWD | 3.31 | 1168 | 792 | 1960 | 1411 | 1614 | 3025 | 5025 |
| 300 | 92 | 125 | RWD | 3.91 | 1168 | 792 | 1960 | 1411 | 1614 | 3025 | 5025 |
| 330 | 74 | 100 | RWD | 3.58 | 1170 | 792 | 1962 | 1453 | 1872 | 3325 | 5325 |
| 330 | 74 | 100 | RWD | 3.91 | 1170 | 792 | 1962 | 1453 | 1872 | 3325 | 5325 |
| 330 | 92 | 125 | RWD | 3.31 | 1170 | 792 | 1962 | 1453 | 1872 | 3325 | 5325 |
| 330 | 92 | 125 | RWD | 3.58 | 1170 | 792 | 1962 | 1453 | 1872 | 3325 | 5325 |
| 330 | 92 | 125 | RWD | 3.91 | 1170 | 792 | 1962 | 1453 | 1872 | 3325 | 5325 |
| 330 | 99 | 135 | RWD | 3.58 | 1170 | 792 | 1962 | 1453 | 1872 | 3325 | 5325 |
| 330 | 114 | 155 | RWD | 3.31 | 1167 | 815 | 1982 | 1447 | 1878 | 3325 | 5325 |
| 330 | 114 | 155 | RWD | 3.91 | 1167 | 815 | 1982 | 1447 | 1878 | 3325 | 5325 |
| 260 | 74 | 100 | FWD | 4.36 | 1121 | 607 | 1728 | 1351 | 1274 | 2625 | 3500 |
| 260 | 92 | 125 | FWD | 4.36 | 1121 | 607 | 1728 | 1351 | 1274 | 2625 | 3500 |
| 260 | 103 | 140 | FWD | 4.36 | 1121 | 607 | 1728 | 1351 | 1274 | 2625 | 3500 |
| 280 | 74 | 100 | FWD | 4.36 | 1121 | 607 | 1728 | 1378 | 1447 | 2825 | 3500 |
| 280 | 92 | 125 | FWD | 4.36 | 1121 | 607 | 1728 | 1378 | 1447 | 2825 | 3500 |
| 280 | 103 | 140 | FWD | 4.36 | 1121 | 607 | 1728 | 1378 | 1447 | 2825 | 3500 |
| 300 | 74 | 100 | FWD | 4.36 | 1121 | 607 | 1728 | 1400 | 1590 | 2990 | 4990 |
| 300 | 74 | 100 | FWD | 4.36 | 1121 | 607 | 1728 | 1404 | 1620 | 3025 | 3500 |
| 300 | 92 | 125 | FWD | 4.36 | 1121 | 607 | 1728 | 1400 | 1590 | 2990 | 4990 |
| 300 | 92 | 125 | FWD | 4.36 | 1121 | 607 | 1728 | 1404 | 1620 | 3025 | 3500 |
| 300 | 92 | 125 | FWD | 4.93 | 1121 | 607 | 1728 | 1404 | 1620 | 3025 | 3025 |
| 300 | 103 | 140 | FWD | 4.36 | 1121 | 607 | 1728 | 1400 | 1590 | 2990 | 4990 |
| 300 | 103 | 140 | FWD | 4.36 | 1121 | 607 | 1728 | 1404 | 1620 | 3025 | 3500 |
| 250 | 74 | 100 | FWD | 4.36 | 1121 | 607 | 1728 | 1325 | 1175 | 2500 | 4500 |
| 250 | 74 | 100 | FWD | 4.36 | 1121 | 607 | 1728 | 1325 | 1175 | 2500 | 3500 |
| 250 | 92 | 125 | FWD | 4.36 | 1121 | 607 | 1728 | 1325 | 1175 | 2500 | 4500 |
| 250 | 92 | 125 | FWD | 4.36 | 1121 | 607 | 1728 | 1325 | 1175 | 2500 | 3500 |
| 250 | 103 | 140 | FWD | 4.36 | 1121 | 607 | 1728 | 1325 | 1175 | 2500 | 4500 |
| 250 | 103 | 140 | FWD | 4.36 | 1121 | 607 | 1728 | 1325 | 1175 | 2500 | 3500 |
| 330 | 92 | 125 | AWD | 3.91 | 1234 | 803 | 2037 | 1507 | 1817 | 3325 | 5325 |
| 300 | 92 | 125 | AWD | 3.91 | 1234 | 803 | 2037 | 1467 | 1557 | 3025 | 5025 |
| 300 | 92 | 125 | AWD | 3.91 | 1271 | 875 | 2145 | 1468 | 1557 | 3025 | 5025 |
| 330 | 92 | 125 | AWD | 3.91 | 1271 | 875 | 2145 | 1466 | 1859 | 3325 | 5325 |
| 260 | 74 | 100 | FWD | 4.36 | 1158 | 678 | 1836 | 1366 | 1259 | 2625 | 4625 |
| 260 | 74 | 100 | FWD | 4.36 | 1158 | 678 | 1836 | 1366 | 1259 | 2625 | 3500 |
| 260 | 92 | 125 | FWD | 4.36 | 1158 | 678 | 1836 | 1366 | 1259 | 2625 | 4625 |
| 260 | 92 | 125 | FWD | 4.36 | 1158 | 678 | 1836 | 1366 | 1259 | 2625 | 3500 |
| 260 | 103 | 140 | FWD | 4.36 | 1158 | 678 | 1836 | 1366 | 1259 | 2625 | 4625 |
| 260 | 103 | 140 | FWD | 4.36 | 1158 | 678 | 1836 | 1366 | 1259 | 2625 | 3500 |
| 280 | 74 | 100 | FWD | 4.36 | 1158 | 678 | 1836 | 1364 | 1461 | 2825 | 4825 |
| 280 | 74 | 100 | FWD | 4.36 | 1158 | 678 | 1836 | 1364 | 1461 | 2825 | 3500 |
| 280 | 92 | 125 | FWD | 4.36 | 1158 | 678 | 1836 | 1364 | 1461 | 2825 | 4825 |
| 280 | 92 | 125 | FWD | 4.36 | 1158 | 678 | 1836 | 1364 | 1461 | 2825 | 3500 |
| 280 | 103 | 140 | FWD | 4.36 | 1158 | 678 | 1836 | 1364 | 1461 | 2825 | 4825 |
| 280 | 103 | 140 | FWD | 4.36 | 1158 | 678 | 1836 | 1364 | 1461 | 2825 | 3500 |
| 300 | 74 | 100 | FWD | 4.36 | 1158 | 678 | 1836 | 1362 | 1663 | 3025 | 5025 |
| 300 | 74 | 100 | FWD | 4.36 | 1158 | 678 | 1836 | 1362 | 1663 | 3025 | 3500 |
| 300 | 92 | 125 | FWD | 4.36 | 1158 | 678 | 1836 | 1362 | 1663 | 3025 | 5025 |
| 300 | 92 | 125 | FWD | 4.36 | 1158 | 678 | 1836 | 1362 | 1663 | 3025 | 3500 |
| 300 | 103 | 140 | FWD | 4.36 | 1158 | 678 | 1836 | 1362 | 1663 | 3025 | 5025 |
| 300 | 103 | 140 | FWD | 4.36 | 1158 | 678 | 1836 | 1362 | 1663 | 3025 | 3500 |
| 330 | 92 | 125 | FWD | 4.93 | 1171 | 703 | 1874 | 1372 | 1953 | 3325 | 5325 |
| 330 | 103 | 140 | FWD | 4.93 | 1171 | 703 | 1874 | 1372 | 1953 | 3325 | 5325 |
| 300 | 74 | 100 | RWD | 3.58 | 1205 | 864 | 2069 | 1400 | 1625 | 3025 | 5025 |
| 300 | 74 | 100 | RWD | 3.91 | 1205 | 864 | 2069 | 1400 | 1625 | 3025 | 5025 |

VAN

BRAKES CERTIFIED TO EEC REQUIREMENTS - UNLADEN WEIGHT DISTRIBUTION STANDARD PRODUCTION MODEL

| MODEL | ENGINE | | DRIVELINE | AXLE RATIO | UNLADEN KERB WEIGHT* (kg) | | | GROSS VEHICLE MASS (kg) | | | GTM** (kg) |
|---------------------------------|--------|-----|-----------|------------|---------------------------|------|-------|-------------------------|------|-------|------------|
| | kW | PS | | | FRONT | REAR | TOTAL | FRONT | REAR | TOTAL | |
| 300 | 92 | 125 | RWD | 3.31 | 1205 | 864 | 2069 | 1400 | 1625 | 3025 | 5025 |
| 300 | 92 | 125 | RWD | 3.91 | 1205 | 864 | 2069 | 1400 | 1625 | 3025 | 5025 |
| 330 | 74 | 100 | RWD | 3.58 | 1207 | 864 | 2070 | 1399 | 1927 | 3325 | 5325 |
| 330 | 74 | 100 | RWD | 3.91 | 1207 | 864 | 2070 | 1399 | 1927 | 3325 | 5325 |
| 330 | 92 | 125 | RWD | 3.31 | 1207 | 864 | 2070 | 1399 | 1927 | 3325 | 5325 |
| 330 | 92 | 125 | RWD | 3.58 | 1207 | 864 | 2070 | 1399 | 1927 | 3325 | 5325 |
| 330 | 92 | 125 | RWD | 3.91 | 1207 | 864 | 2070 | 1399 | 1927 | 3325 | 5325 |
| 330 | 99 | 135 | RWD | 3.58 | 1207 | 864 | 2070 | 1399 | 1927 | 3325 | 5325 |
| 330 | 114 | 155 | RWD | 3.31 | 1204 | 887 | 2091 | 1396 | 1929 | 3325 | 5325 |
| 330 | 114 | 155 | RWD | 3.91 | 1204 | 887 | 2091 | 1396 | 1929 | 3325 | 5325 |
| 330 | 74 | 100 | FWD | 4.36 | 1132 | 631 | 1763 | 1377 | 1464 | 2840 | 3500 |
| 260 | 103 | 140 | FWD | 4.36 | 1121 | 607 | 1728 | 1351 | 1274 | 2625 | 4625 |
| 260 | 103 | 140 | FWD | 4.36 | 1121 | 607 | 1728 | 1351 | 1274 | 2625 | 3500 |
| 260 | 103 | 140 | FWD | 4.36 | 1158 | 678 | 1836 | 1367 | 1258 | 2625 | 4625 |
| 260 | 103 | 140 | FWD | 4.36 | 1158 | 678 | 1836 | 1367 | 1258 | 2625 | 3500 |
| Medium Roof - Single Rear Wheel | | | | | | | | | | | |
| 300 | 74 | 100 | RWD | 3.58 | 1172 | 812 | 1984 | 1412 | 1612 | 3025 | 5025 |
| 300 | 74 | 100 | RWD | 3.91 | 1172 | 812 | 1984 | 1412 | 1612 | 3025 | 5025 |
| 300 | 92 | 125 | RWD | 3.31 | 1172 | 812 | 1984 | 1412 | 1612 | 3025 | 5025 |
| 300 | 92 | 125 | RWD | 3.91 | 1172 | 812 | 1984 | 1412 | 1612 | 3025 | 5025 |
| 330 | 74 | 100 | RWD | 3.58 | 1174 | 812 | 1986 | 1454 | 1871 | 3325 | 5325 |
| 330 | 74 | 100 | RWD | 3.91 | 1174 | 812 | 1986 | 1454 | 1871 | 3325 | 5325 |
| 330 | 92 | 125 | RWD | 3.31 | 1174 | 812 | 1986 | 1454 | 1871 | 3325 | 5325 |
| 330 | 92 | 125 | RWD | 3.58 | 1174 | 812 | 1986 | 1454 | 1871 | 3325 | 5325 |
| 330 | 92 | 125 | RWD | 3.91 | 1174 | 812 | 1986 | 1454 | 1871 | 3325 | 5325 |
| 330 | 99 | 135 | RWD | 3.58 | 1174 | 812 | 1986 | 1454 | 1871 | 3325 | 5325 |
| 330 | 114 | 155 | RWD | 3.31 | 1171 | 835 | 2006 | 1449 | 1877 | 3325 | 5325 |
| 330 | 114 | 155 | RWD | 3.91 | 1171 | 835 | 2006 | 1449 | 1877 | 3325 | 5325 |
| 260 | 74 | 100 | FWD | 4.36 | 1125 | 626 | 1752 | 1352 | 1273 | 2625 | 3500 |
| 260 | 92 | 125 | FWD | 4.36 | 1125 | 626 | 1752 | 1352 | 1273 | 2625 | 3500 |
| 260 | 103 | 140 | FWD | 4.36 | 1125 | 626 | 1752 | 1352 | 1273 | 2625 | 3500 |
| 280 | 74 | 100 | FWD | 4.36 | 1125 | 626 | 1752 | 1379 | 1446 | 2825 | 3500 |
| 280 | 92 | 125 | FWD | 4.36 | 1125 | 626 | 1752 | 1379 | 1446 | 2825 | 3500 |
| 280 | 103 | 140 | FWD | 4.36 | 1125 | 626 | 1752 | 1379 | 1446 | 2825 | 3500 |
| 300 | 74 | 100 | FWD | 4.36 | 1125 | 626 | 1752 | 1401 | 1589 | 2990 | 4990 |
| 300 | 74 | 100 | FWD | 4.36 | 1125 | 626 | 1752 | 1405 | 1619 | 3025 | 3500 |
| 300 | 92 | 125 | FWD | 4.36 | 1125 | 626 | 1752 | 1401 | 1589 | 2990 | 4990 |
| 300 | 92 | 125 | FWD | 4.36 | 1125 | 626 | 1752 | 1405 | 1619 | 3025 | 3500 |
| 300 | 103 | 140 | FWD | 4.36 | 1125 | 626 | 1752 | 1401 | 1589 | 2990 | 4990 |
| 300 | 103 | 140 | FWD | 4.36 | 1125 | 626 | 1752 | 1405 | 1619 | 3025 | 3500 |
| 250 | 74 | 100 | FWD | 4.36 | 1125 | 626 | 1752 | 1326 | 1173 | 2500 | 4500 |
| 250 | 74 | 100 | FWD | 4.36 | 1125 | 626 | 1752 | 1326 | 1173 | 2500 | 3500 |
| 250 | 92 | 125 | FWD | 4.36 | 1125 | 626 | 1752 | 1326 | 1173 | 2500 | 4500 |
| 250 | 92 | 125 | FWD | 4.36 | 1125 | 626 | 1752 | 1326 | 1173 | 2500 | 3500 |
| 250 | 103 | 140 | FWD | 4.36 | 1125 | 626 | 1752 | 1326 | 1173 | 2500 | 4500 |
| 250 | 103 | 140 | FWD | 4.36 | 1125 | 626 | 1752 | 1326 | 1173 | 2500 | 3500 |
| 330 | 92 | 125 | AWD | 3.91 | 1238 | 823 | 2061 | 1508 | 1816 | 3325 | 5325 |
| 300 | 92 | 125 | AWD | 3.91 | 1238 | 823 | 2061 | 1468 | 1556 | 3025 | 5025 |
| 300 | 92 | 125 | AWD | 3.91 | 1275 | 894 | 2169 | 1472 | 1553 | 3025 | 5025 |
| 330 | 92 | 125 | AWD | 3.91 | 1275 | 894 | 2169 | 1470 | 1855 | 3325 | 5325 |
| 260 | 74 | 100 | FWD | 4.36 | 1162 | 698 | 1860 | 1370 | 1255 | 2625 | 4625 |
| 260 | 74 | 100 | FWD | 4.36 | 1162 | 698 | 1860 | 1370 | 1255 | 2625 | 3500 |
| 260 | 92 | 125 | FWD | 4.36 | 1162 | 698 | 1860 | 1370 | 1255 | 2625 | 4625 |
| 260 | 92 | 125 | FWD | 4.36 | 1162 | 698 | 1860 | 1370 | 1255 | 2625 | 3500 |
| 260 | 103 | 140 | FWD | 4.36 | 1162 | 698 | 1860 | 1370 | 1255 | 2625 | 4625 |
| 260 | 103 | 140 | FWD | 4.36 | 1162 | 698 | 1860 | 1370 | 1255 | 2625 | 3500 |
| 280 | 74 | 100 | FWD | 4.36 | 1162 | 698 | 1860 | 1368 | 1457 | 2825 | 4825 |
| 280 | 74 | 100 | FWD | 4.36 | 1162 | 698 | 1860 | 1368 | 1457 | 2825 | 3500 |
| 280 | 92 | 125 | FWD | 4.36 | 1162 | 698 | 1860 | 1368 | 1457 | 2825 | 4825 |
| 280 | 92 | 125 | FWD | 4.36 | 1162 | 698 | 1860 | 1368 | 1457 | 2825 | 3500 |
| 280 | 103 | 140 | FWD | 4.36 | 1162 | 698 | 1860 | 1368 | 1457 | 2825 | 4825 |
| 280 | 103 | 140 | FWD | 4.36 | 1162 | 698 | 1860 | 1368 | 1457 | 2825 | 3500 |
| 300 | 74 | 100 | FWD | 4.36 | 1162 | 698 | 1860 | 1366 | 1659 | 3025 | 5025 |
| 300 | 74 | 100 | FWD | 4.36 | 1162 | 698 | 1860 | 1366 | 1659 | 3025 | 3500 |
| 300 | 92 | 125 | FWD | 4.36 | 1162 | 698 | 1860 | 1366 | 1659 | 3025 | 5025 |
| 300 | 92 | 125 | FWD | 4.36 | 1162 | 698 | 1860 | 1366 | 1659 | 3025 | 3500 |
| 300 | 103 | 140 | FWD | 4.36 | 1162 | 698 | 1860 | 1366 | 1659 | 3025 | 5025 |
| 300 | 103 | 140 | FWD | 4.36 | 1162 | 698 | 1860 | 1366 | 1659 | 3025 | 3500 |
| 330 | 92 | 125 | FWD | 4.93 | 1175 | 723 | 1898 | 1377 | 1948 | 3325 | 5325 |
| 330 | 103 | 140 | FWD | 4.93 | 1175 | 723 | 1898 | 1377 | 1948 | 3325 | 5325 |
| 300 | 74 | 100 | RWD | 3.58 | 1209 | 884 | 2093 | 1404 | 1620 | 3025 | 5025 |

VAN

BRAKES CERTIFIED TO EEC REQUIREMENTS - UNLADEN WEIGHT DISTRIBUTION STANDARD PRODUCTION MODEL

| MODEL | ENGINE | | DRIVELINE | AXLE RATIO | UNLADEN KERB WEIGHT* (kg) | | | GROSS VEHICLE MASS (kg) | | | GTM** (kg) |
|--|--------|-----|-----------|------------|---------------------------|------|-------|-------------------------|------|-------|------------|
| | kW | PS | | | FRONT | REAR | TOTAL | FRONT | REAR | TOTAL | |
| 300 | 74 | 100 | RWD | 3.91 | 1209 | 884 | 2093 | 1404 | 1620 | 3025 | 5025 |
| 300 | 92 | 125 | RWD | 3.31 | 1209 | 884 | 2093 | 1404 | 1620 | 3025 | 5025 |
| 300 | 92 | 125 | RWD | 3.91 | 1209 | 884 | 2093 | 1404 | 1620 | 3025 | 5025 |
| 330 | 74 | 100 | RWD | 3.58 | 1211 | 884 | 2095 | 1403 | 1921 | 3325 | 5325 |
| 330 | 74 | 100 | RWD | 3.91 | 1211 | 884 | 2095 | 1403 | 1921 | 3325 | 5325 |
| 330 | 92 | 125 | RWD | 3.31 | 1211 | 884 | 2095 | 1403 | 1921 | 3325 | 5325 |
| 330 | 92 | 125 | RWD | 3.58 | 1211 | 884 | 2095 | 1403 | 1921 | 3325 | 5325 |
| 330 | 92 | 125 | RWD | 3.91 | 1211 | 884 | 2095 | 1403 | 1921 | 3325 | 5325 |
| 330 | 99 | 135 | RWD | 3.58 | 1211 | 884 | 2095 | 1403 | 1921 | 3325 | 5325 |
| 330 | 114 | 155 | RWD | 3.31 | 1208 | 907 | 2115 | 1401 | 1924 | 3325 | 5325 |
| 330 | 114 | 155 | | 3.91 | 1208 | 907 | 2115 | 1401 | 1924 | 3325 | 5325 |
| Medium Wheel Base | | | | | | | | | | | |
| Low Roof - Single Rear Wheel | | | | | | | | | | | |
| 280 | 74 | 100 | FWD | 4.36 | 1168 | 630 | 1797 | 1460 | 1366 | 2825 | 5225 |
| 280 | 92 | 125 | FWD | 4.36 | 1168 | 630 | 1797 | 1460 | 1366 | 2825 | 5225 |
| 280 | 103 | 140 | FWD | 4.36 | 1168 | 630 | 1797 | 1460 | 1366 | 2825 | 5225 |
| 300 | 74 | 100 | FWD | 4.36 | 1168 | 630 | 1797 | 1494 | 1531 | 3025 | 5225 |
| 300 | 92 | 125 | FWD | 4.36 | 1168 | 630 | 1797 | 1494 | 1531 | 3025 | 5225 |
| 300 | 103 | 140 | FWD | 4.36 | 1168 | 630 | 1797 | 1494 | 1531 | 3025 | 5225 |
| 330 | 74 | 100 | FWD | 4.93 | 1181 | 654 | 1835 | 1553 | 1772 | 3325 | 5500 |
| 330 | 92 | 125 | FWD | 4.93 | 1181 | 654 | 1835 | 1553 | 1772 | 3325 | 5500 |
| 330 | 103 | 140 | FWD | 4.93 | 1181 | 654 | 1835 | 1553 | 1772 | 3325 | 5500 |
| 350 | 74 | 100 | FWD | 4.93 | 1181 | 654 | 1835 | 1583 | 1917 | 3500 | 5500 |
| 350 | 92 | 125 | FWD | 4.93 | 1181 | 654 | 1835 | 1583 | 1917 | 3500 | 5500 |
| 350 | 103 | 140 | FWD | 4.93 | 1181 | 654 | 1835 | 1583 | 1917 | 3500 | 5500 |
| 280 | 74 | 100 | FWD | 4.36 | 1168 | 630 | 1797 | 1460 | 1366 | 2825 | 3500 |
| 280 | 92 | 125 | FWD | 4.36 | 1168 | 630 | 1797 | 1460 | 1366 | 2825 | 3500 |
| 280 | 103 | 140 | FWD | 4.36 | 1168 | 630 | 1797 | 1460 | 1366 | 2825 | 3500 |
| 300 | 74 | 100 | FWD | 4.36 | 1168 | 630 | 1797 | 1488 | 1502 | 2990 | 5225 |
| 300 | 92 | 125 | FWD | 4.36 | 1168 | 630 | 1797 | 1488 | 1502 | 2990 | 5225 |
| 300 | 103 | 140 | FWD | 4.36 | 1168 | 630 | 1797 | 1488 | 1502 | 2990 | 5225 |
| 350 | 74 | 100 | FWD | 4.93 | 1181 | 654 | 1835 | 1582 | 1908 | 3490 | 5500 |
| 350 | 74 | 100 | FWD | 4.93 | 1181 | 654 | 1835 | 1592 | 1958 | 3550 | 5500 |
| 350 | 74 | 100 | FWD | 4.93 | 1181 | 654 | 1835 | 1592 | 1958 | 3550 | 5500 |
| 350 | 74 | 100 | FWD | 4.93 | 1181 | 654 | 1835 | 1592 | 1958 | 3550 | 5500 |
| 350 | 74 | 100 | FWD | 4.93 | 1181 | 654 | 1835 | 1592 | 1958 | 3550 | 5500 |
| 350 | 92 | 125 | FWD | 4.93 | 1181 | 654 | 1835 | 1582 | 1908 | 3490 | 5500 |
| 350 | 92 | 125 | FWD | 4.93 | 1181 | 654 | 1835 | 1592 | 1958 | 3550 | 5500 |
| 350 | 92 | 125 | FWD | 4.93 | 1181 | 654 | 1835 | 1592 | 1958 | 3550 | 5500 |
| 350 | 103 | 140 | FWD | 4.93 | 1181 | 654 | 1835 | 1582 | 1908 | 3490 | 5500 |
| 350 | 103 | 140 | FWD | 4.93 | 1181 | 654 | 1835 | 1592 | 1958 | 3550 | 5500 |
| 280 | 74 | 100 | FWD | 4.36 | 1209 | 697 | 1906 | 1472 | 1353 | 2825 | 5225 |
| 280 | 74 | 100 | FWD | 4.36 | 1209 | 697 | 1906 | 1472 | 1353 | 2825 | 3500 |
| 280 | 92 | 125 | FWD | 4.36 | 1209 | 697 | 1906 | 1472 | 1353 | 2825 | 5225 |
| 280 | 92 | 125 | FWD | 4.36 | 1209 | 697 | 1906 | 1472 | 1353 | 2825 | 3500 |
| 280 | 103 | 140 | FWD | 4.36 | 1209 | 697 | 1906 | 1472 | 1353 | 2825 | 5225 |
| 280 | 103 | 140 | FWD | 4.36 | 1209 | 697 | 1906 | 1472 | 1353 | 2825 | 3500 |
| 300 | 74 | 100 | FWD | 4.36 | 1209 | 697 | 1906 | 1481 | 1544 | 3025 | 5225 |
| 300 | 92 | 125 | FWD | 4.36 | 1209 | 697 | 1906 | 1481 | 1544 | 3025 | 5225 |
| 300 | 103 | 140 | FWD | 4.36 | 1209 | 697 | 1906 | 1481 | 1544 | 3025 | 5225 |
| 330 | 92 | 125 | FWD | 4.93 | 1222 | 721 | 1944 | 1506 | 1818 | 3325 | 5500 |
| 330 | 103 | 140 | FWD | 4.93 | 1222 | 721 | 1944 | 1506 | 1818 | 3325 | 5500 |
| 350 | 92 | 125 | FWD | 4.93 | 1222 | 721 | 1944 | 1515 | 1985 | 3500 | 5500 |
| 350 | 92 | 125 | FWD | 4.93 | 1222 | 721 | 1944 | 1517 | 2033 | 3550 | 5500 |
| 350 | 103 | 140 | FWD | 4.93 | 1222 | 721 | 1944 | 1515 | 1985 | 3500 | 5500 |
| 350 | 103 | 140 | FWD | 4.93 | 1222 | 721 | 1944 | 1517 | 2033 | 3550 | 5500 |
| Medium Roof - Single Rear Wheel | | | | | | | | | | | |
| 280 | 74 | 100 | FWD | 4.36 | 1173 | 650 | 1822 | 1461 | 1365 | 2825 | 5225 |
| 280 | 92 | 125 | FWD | 4.36 | 1173 | 650 | 1822 | 1461 | 1365 | 2825 | 5225 |
| 280 | 103 | 140 | FWD | 4.36 | 1173 | 650 | 1822 | 1461 | 1365 | 2825 | 5225 |
| 300 | 74 | 100 | FWD | 4.36 | 1173 | 650 | 1822 | 1495 | 1530 | 3025 | 5225 |
| 300 | 92 | 125 | FWD | 4.36 | 1173 | 650 | 1822 | 1495 | 1530 | 3025 | 5225 |
| 300 | 103 | 140 | FWD | 4.36 | 1173 | 650 | 1822 | 1495 | 1530 | 3025 | 5225 |
| 330 | 74 | 100 | FWD | 4.93 | 1186 | 674 | 1860 | 1554 | 1771 | 3325 | 5500 |
| 330 | 92 | 125 | FWD | 4.93 | 1186 | 674 | 1860 | 1554 | 1771 | 3325 | 5500 |
| 330 | 103 | 140 | FWD | 4.93 | 1186 | 674 | 1860 | 1554 | 1771 | 3325 | 5500 |
| 350 | 74 | 100 | FWD | 4.93 | 1186 | 674 | 1860 | 1584 | 1916 | 3500 | 5500 |
| 350 | 92 | 125 | FWD | 4.93 | 1186 | 674 | 1860 | 1584 | 1916 | 3500 | 5500 |
| 350 | 103 | 140 | FWD | 4.93 | 1186 | 674 | 1860 | 1584 | 1916 | 3500 | 5500 |
| 300 | 74 | 100 | RWD | 3.58 | 1215 | 806 | 2021 | 1494 | 1531 | 3025 | 5500 |
| 300 | 74 | 100 | RWD | 3.91 | 1215 | 806 | 2021 | 1494 | 1531 | 3025 | 5825 |

VAN

BRAKES CERTIFIED TO EEC REQUIREMENTS - UNLADEN WEIGHT DISTRIBUTION STANDARD PRODUCTION MODEL

| MODEL | ENGINE | | DRIVELINE | AXLE RATIO | UNLADEN KERB WEIGHT* (kg) | | | GROSS VEHICLE MASS (kg) | | | GTM** (kg) |
|-------|--------|-----|-----------|------------|---------------------------|------|-------|-------------------------|------|-------|------------|
| | kW | PS | | | FRONT | REAR | TOTAL | FRONT | REAR | TOTAL | |
| 300 | 92 | 125 | RWD | 3.31 | 1215 | 806 | 2021 | 1494 | 1531 | 3025 | 5500 |
| 300 | 92 | 125 | RWD | 3.91 | 1215 | 806 | 2021 | 1494 | 1531 | 3025 | 5825 |
| 330 | 74 | 100 | RWD | 3.58 | 1217 | 806 | 2023 | 1548 | 1777 | 3325 | 5500 |
| 330 | 74 | 100 | RWD | 3.91 | 1217 | 806 | 2023 | 1548 | 1777 | 3325 | 6000 |
| 330 | 92 | 125 | RWD | 3.31 | 1217 | 806 | 2023 | 1548 | 1777 | 3325 | 5500 |
| 330 | 92 | 125 | RWD | 3.91 | 1217 | 806 | 2023 | 1548 | 1777 | 3325 | 6000 |
| 330 | 114 | 155 | RWD | 3.31 | 1214 | 829 | 2043 | 1541 | 1784 | 3325 | 5500 |
| 330 | 114 | 155 | RWD | 3.91 | 1214 | 829 | 2043 | 1541 | 1784 | 3325 | 6000 |
| 350 | 74 | 100 | RWD | 3.58 | 1217 | 806 | 2023 | 1596 | 1904 | 3500 | 5500 |
| 350 | 74 | 100 | RWD | 3.58 | 1223 | 806 | 2029 | 1601 | 1899 | 3500 | 5500 |
| 350 | 74 | 100 | RWD | 3.91 | 1217 | 806 | 2023 | 1596 | 1904 | 3500 | 6000 |
| 350 | 74 | 100 | RWD | 3.91 | 1223 | 806 | 2029 | 1601 | 1899 | 3500 | 6000 |
| 350 | 92 | 125 | RWD | 3.31 | 1217 | 806 | 2023 | 1596 | 1904 | 3500 | 5500 |
| 350 | 92 | 125 | RWD | 3.31 | 1223 | 806 | 2029 | 1601 | 1899 | 3500 | 5500 |
| 350 | 92 | 125 | RWD | 3.91 | 1217 | 806 | 2023 | 1596 | 1904 | 3500 | 6000 |
| 350 | 92 | 125 | RWD | 3.91 | 1223 | 806 | 2029 | 1601 | 1899 | 3500 | 6000 |
| 350 | 99 | 135 | RWD | 3.58 | 1217 | 806 | 2023 | 1596 | 1904 | 3500 | 5500 |
| 350 | 99 | 135 | RWD | 3.58 | 1223 | 806 | 2029 | 1601 | 1899 | 3500 | 5500 |
| 350 | 114 | 155 | RWD | 3.31 | 1214 | 829 | 2043 | 1590 | 1910 | 3500 | 5500 |
| 350 | 114 | 155 | RWD | 3.31 | 1220 | 829 | 2049 | 1595 | 1906 | 3500 | 5500 |
| 350 | 114 | 155 | RWD | 3.91 | 1214 | 829 | 2043 | 1590 | 1910 | 3500 | 6300 |
| 350 | 114 | 155 | RWD | 3.91 | 1220 | 829 | 2049 | 1595 | 1906 | 3500 | 6300 |
| 280 | 74 | 100 | FWD | 4.36 | 1173 | 650 | 1822 | 1461 | 1365 | 2825 | 3500 |
| 280 | 92 | 125 | FWD | 4.36 | 1173 | 650 | 1822 | 1461 | 1365 | 2825 | 3500 |
| 280 | 103 | 140 | FWD | 4.36 | 1173 | 650 | 1822 | 1461 | 1365 | 2825 | 3500 |
| 300 | 74 | 100 | FWD | 4.36 | 1173 | 650 | 1822 | 1489 | 1501 | 2990 | 5225 |
| 300 | 92 | 125 | FWD | 4.36 | 1173 | 650 | 1822 | 1489 | 1501 | 2990 | 5225 |
| 300 | 92 | 125 | FWD | 4.93 | 1173 | 650 | 1822 | 1495 | 1530 | 3025 | 3025 |
| 300 | 103 | 140 | FWD | 4.36 | 1173 | 650 | 1822 | 1489 | 1501 | 2990 | 5225 |
| 350 | 74 | 100 | FWD | 4.93 | 1186 | 674 | 1860 | 1583 | 1908 | 3490 | 5500 |
| 350 | 74 | 100 | FWD | 4.93 | 1186 | 674 | 1860 | 1593 | 1957 | 3550 | 5500 |
| 350 | 74 | 100 | FWD | 4.93 | 1186 | 674 | 1860 | 1593 | 1957 | 3550 | 5500 |
| 350 | 74 | 100 | FWD | 4.93 | 1186 | 674 | 1860 | 1583 | 1908 | 3490 | 5500 |
| 350 | 74 | 100 | FWD | 4.93 | 1186 | 674 | 1860 | 1593 | 1957 | 3550 | 5500 |
| 350 | 92 | 125 | FWD | 4.93 | 1186 | 674 | 1860 | 1583 | 1908 | 3490 | 5500 |
| 350 | 92 | 125 | FWD | 4.93 | 1186 | 674 | 1860 | 1593 | 1957 | 3550 | 5500 |
| 350 | 92 | 125 | FWD | 4.93 | 1186 | 674 | 1860 | 1593 | 1957 | 3550 | 5500 |
| 350 | 103 | 140 | FWD | 4.93 | 1186 | 674 | 1860 | 1583 | 1908 | 3490 | 5500 |
| 350 | 103 | 140 | FWD | 4.93 | 1186 | 674 | 1860 | 1593 | 1957 | 3550 | 5500 |
| 350 | 74 | 100 | RWD | 3.58 | 1217 | 806 | 2023 | 1594 | 1896 | 3490 | 5500 |
| 350 | 74 | 100 | RWD | 3.58 | 1223 | 806 | 2029 | 1599 | 1891 | 3490 | 5500 |
| 350 | 74 | 100 | RWD | 3.91 | 1217 | 806 | 2023 | 1594 | 1896 | 3490 | 6000 |
| 350 | 74 | 100 | RWD | 3.91 | 1223 | 806 | 2029 | 1599 | 1891 | 3490 | 6000 |
| 350 | 92 | 125 | RWD | 3.31 | 1217 | 806 | 2023 | 1594 | 1896 | 3490 | 5500 |
| 350 | 92 | 125 | RWD | 3.31 | 1223 | 806 | 2029 | 1599 | 1891 | 3490 | 5500 |
| 350 | 92 | 125 | RWD | 3.31 | 1217 | 806 | 2023 | 1605 | 1945 | 3550 | 5500 |
| 350 | 92 | 125 | RWD | 3.31 | 1217 | 806 | 2023 | 1610 | 1940 | 3550 | 6000 |
| 350 | 92 | 125 | RWD | 3.91 | 1223 | 806 | 2029 | 1610 | 1940 | 3550 | 6000 |
| 350 | 92 | 125 | RWD | 3.91 | 1217 | 806 | 2023 | 1605 | 1945 | 3550 | 6000 |
| 350 | 92 | 125 | RWD | 3.91 | 1223 | 806 | 2029 | 1610 | 1940 | 3550 | 6000 |
| 350 | 99 | 135 | RWD | 3.58 | 1217 | 806 | 2023 | 1594 | 1896 | 3490 | 5500 |
| 350 | 99 | 135 | RWD | 3.58 | 1223 | 806 | 2029 | 1599 | 1891 | 3490 | 5500 |
| 350 | 99 | 135 | RWD | 3.58 | 1217 | 806 | 2023 | 1605 | 1945 | 3550 | 5500 |
| 350 | 99 | 135 | RWD | 3.58 | 1223 | 806 | 2029 | 1610 | 1940 | 3550 | 5500 |
| 350 | 114 | 155 | RWD | 3.31 | 1214 | 829 | 2043 | 1588 | 1902 | 3490 | 5500 |
| 350 | 114 | 155 | RWD | 3.31 | 1220 | 829 | 2049 | 1593 | 1898 | 3490 | 5500 |
| 350 | 114 | 155 | RWD | 3.31 | 1214 | 829 | 2043 | 1598 | 1951 | 3550 | 5500 |
| 350 | 114 | 155 | RWD | 3.31 | 1220 | 829 | 2049 | 1603 | 1947 | 3550 | 5500 |
| 350 | 114 | 155 | RWD | 3.91 | 1214 | 829 | 2043 | 1588 | 1902 | 3490 | 6290 |
| 350 | 114 | 155 | RWD | 3.91 | 1220 | 829 | 2049 | 1593 | 1898 | 3490 | 6290 |
| 350 | 114 | 155 | RWD | 3.91 | 1214 | 829 | 2043 | 1598 | 1951 | 3550 | 6300 |
| 350 | 114 | 155 | RWD | 3.91 | 1220 | 829 | 2049 | 1603 | 1947 | 3550 | 6300 |
| 350 | 114 | 155 | RWD | 3.31 | 1238 | 846 | 2084 | 1667 | 2183 | 3850 | 5500 |
| 350 | 114 | 155 | RWD | 3.31 | 1244 | 846 | 2090 | 1672 | 2178 | 3850 | 5500 |
| 350 | 114 | 155 | RWD | 3.91 | 1238 | 846 | 2084 | 1667 | 2183 | 3850 | 6300 |
| 350 | 114 | 155 | RWD | 3.91 | 1244 | 846 | 2090 | 1672 | 2178 | 3850 | 6300 |
| 330 | 92 | 125 | AWD | 3.91 | 1281 | 817 | 2097 | 1599 | 1727 | 3325 | 6000 |
| 350 | 92 | 125 | AWD | 3.91 | 1281 | 817 | 2097 | 1627 | 1863 | 3490 | 6290 |
| 350 | 92 | 125 | AWD | 3.91 | 1287 | 817 | 2103 | 1632 | 1858 | 3490 | 6290 |
| 350 | 92 | 125 | AWD | 3.91 | 1281 | 817 | 2097 | 1629 | 1871 | 3500 | 6300 |
| 350 | 92 | 125 | AWD | 3.91 | 1287 | 817 | 2103 | 1634 | 1866 | 3500 | 6300 |

VAN

BRAKES CERTIFIED TO EEC REQUIREMENTS - UNLADEN WEIGHT DISTRIBUTION STANDARD PRODUCTION MODEL

| MODEL | ENGINE | | DRIVELINE | AXLE RATIO | UNLADEN KERB WEIGHT* (kg) | | | GROSS VEHICLE MASS (kg) | | | GTM** (kg) |
|-------|--------|-----|-----------|------------|---------------------------|------|-------|-------------------------|------|-------|------------|
| | kW | PS | | | FRONT | REAR | TOTAL | FRONT | REAR | TOTAL | |
| 350 | 92 | 125 | AWD | 3.91 | 1281 | 817 | 2097 | 1638 | 1913 | 3550 | 6300 |
| 350 | 92 | 125 | AWD | 3.91 | 1287 | 817 | 2103 | 1643 | 1908 | 3550 | 6300 |
| 330 | 92 | 125 | AWD | 3.91 | 1323 | 883 | 2206 | 1581 | 1744 | 3325 | 6000 |
| 350 | 92 | 125 | AWD | 3.91 | 1323 | 883 | 2206 | 1589 | 1901 | 3490 | 6290 |
| 350 | 92 | 125 | AWD | 3.91 | 1328 | 883 | 2212 | 1594 | 1896 | 3490 | 6290 |
| 350 | 92 | 125 | AWD | 3.91 | 1323 | 883 | 2206 | 1589 | 1911 | 3500 | 6300 |
| 350 | 92 | 125 | AWD | 3.91 | 1328 | 883 | 2212 | 1595 | 1905 | 3500 | 6300 |
| 350 | 92 | 125 | AWD | 3.91 | 1323 | 883 | 2206 | 1591 | 1959 | 3550 | 6300 |
| 350 | 92 | 125 | AWD | 3.91 | 1328 | 883 | 2212 | 1597 | 1953 | 3550 | 6300 |
| 350 | 92 | 125 | RWD | 3.91 | 1256 | 827 | 2083 | 1685 | 2165 | 3850 | 6000 |
| 350 | 92 | 125 | RWD | 3.91 | 1262 | 827 | 2089 | 1690 | 2160 | 3850 | 6000 |
| 350 | 74 | 100 | FWD | 4.93 | 1023 | 514 | 1537 | 1479 | 2021 | 3500 | 4500 |
| 350 | 92 | 125 | FWD | 4.93 | 1023 | 514 | 1537 | 1479 | 2021 | 3500 | 4500 |
| 350 | 103 | 140 | FWD | 4.93 | 1023 | 514 | 1537 | 1479 | 2021 | 3500 | 4500 |
| 280 | 74 | 100 | FWD | 4.36 | 1215 | 717 | 1931 | 1476 | 1349 | 2825 | 5225 |
| 280 | 74 | 100 | FWD | 4.36 | 1215 | 717 | 1931 | 1476 | 1349 | 2825 | 3500 |
| 280 | 92 | 125 | FWD | 4.36 | 1215 | 717 | 1931 | 1476 | 1349 | 2825 | 5225 |
| 280 | 92 | 125 | FWD | 4.36 | 1215 | 717 | 1931 | 1476 | 1349 | 2825 | 3500 |
| 280 | 103 | 140 | FWD | 4.36 | 1215 | 717 | 1931 | 1476 | 1349 | 2825 | 5225 |
| 280 | 103 | 140 | FWD | 4.36 | 1215 | 717 | 1931 | 1476 | 1349 | 2825 | 3500 |
| 300 | 74 | 100 | FWD | 4.36 | 1215 | 717 | 1931 | 1485 | 1540 | 3025 | 5225 |
| 300 | 92 | 125 | FWD | 4.36 | 1215 | 717 | 1931 | 1485 | 1540 | 3025 | 5225 |
| 300 | 103 | 140 | FWD | 4.36 | 1215 | 717 | 1931 | 1485 | 1540 | 3025 | 5225 |
| 330 | 92 | 125 | FWD | 4.93 | 1228 | 741 | 1969 | 1510 | 1814 | 3325 | 5500 |
| 330 | 103 | 140 | FWD | 4.93 | 1228 | 741 | 1969 | 1510 | 1814 | 3325 | 5500 |
| 350 | 92 | 125 | FWD | 4.93 | 1228 | 741 | 1969 | 1519 | 1981 | 3500 | 5500 |
| 350 | 92 | 125 | FWD | 4.93 | 1228 | 741 | 1969 | 1521 | 2029 | 3550 | 5500 |
| 350 | 103 | 140 | FWD | 4.93 | 1228 | 741 | 1969 | 1519 | 1981 | 3500 | 5500 |
| 350 | 103 | 140 | FWD | 4.93 | 1228 | 741 | 1969 | 1521 | 2029 | 3550 | 5500 |
| 300 | 74 | 100 | RWD | 3.58 | 1257 | 873 | 2129 | 1507 | 1519 | 3025 | 5500 |
| 300 | 74 | 100 | RWD | 3.91 | 1257 | 873 | 2129 | 1507 | 1519 | 3025 | 5825 |
| 300 | 92 | 125 | RWD | 3.31 | 1257 | 873 | 2129 | 1507 | 1519 | 3025 | 5500 |
| 300 | 92 | 125 | RWD | 3.91 | 1257 | 873 | 2129 | 1507 | 1519 | 3025 | 5825 |
| 330 | 74 | 100 | RWD | 3.58 | 1259 | 873 | 2131 | 1523 | 1803 | 3325 | 5500 |
| 330 | 74 | 100 | RWD | 3.91 | 1259 | 873 | 2131 | 1523 | 1803 | 3325 | 6000 |
| 330 | 92 | 125 | RWD | 3.31 | 1259 | 873 | 2131 | 1523 | 1803 | 3325 | 5500 |
| 330 | 92 | 125 | RWD | 3.91 | 1259 | 873 | 2131 | 1523 | 1803 | 3325 | 6000 |
| 330 | 114 | 155 | RWD | 3.31 | 1256 | 896 | 2152 | 1519 | 1806 | 3325 | 5500 |
| 330 | 114 | 155 | RWD | 3.91 | 1256 | 896 | 2152 | 1519 | 1806 | 3325 | 6000 |
| 350 | 74 | 100 | RWD | 3.58 | 1259 | 873 | 2131 | 1553 | 1937 | 3490 | 5500 |
| 350 | 74 | 100 | RWD | 3.58 | 1264 | 873 | 2137 | 1558 | 1931 | 3490 | 5500 |
| 350 | 74 | 100 | RWD | 3.58 | 1259 | 873 | 2131 | 1553 | 1947 | 3500 | 5500 |
| 350 | 74 | 100 | RWD | 3.58 | 1264 | 873 | 2137 | 1559 | 1941 | 3500 | 5500 |
| 350 | 74 | 100 | RWD | 3.91 | 1259 | 873 | 2131 | 1553 | 1937 | 3490 | 6000 |
| 350 | 74 | 100 | RWD | 3.91 | 1264 | 873 | 2137 | 1558 | 1931 | 3490 | 6000 |
| 350 | 74 | 100 | RWD | 3.91 | 1259 | 873 | 2131 | 1553 | 1947 | 3500 | 6000 |
| 350 | 74 | 100 | RWD | 3.91 | 1264 | 873 | 2137 | 1559 | 1941 | 3500 | 6000 |
| 350 | 92 | 125 | RWD | 3.31 | 1259 | 873 | 2131 | 1553 | 1937 | 3490 | 5500 |
| 350 | 92 | 125 | RWD | 3.31 | 1264 | 873 | 2137 | 1558 | 1931 | 3490 | 5500 |
| 350 | 92 | 125 | RWD | 3.31 | 1259 | 873 | 2131 | 1553 | 1947 | 3500 | 5500 |
| 350 | 92 | 125 | RWD | 3.31 | 1264 | 873 | 2137 | 1559 | 1941 | 3500 | 5500 |
| 350 | 92 | 125 | RWD | 3.31 | 1259 | 873 | 2131 | 1556 | 1994 | 3550 | 5500 |
| 350 | 92 | 125 | RWD | 3.31 | 1264 | 873 | 2137 | 1561 | 1989 | 3550 | 5500 |
| 350 | 92 | 125 | RWD | 3.91 | 1259 | 873 | 2131 | 1553 | 1937 | 3490 | 6000 |
| 350 | 92 | 125 | RWD | 3.91 | 1264 | 873 | 2137 | 1558 | 1931 | 3490 | 6000 |
| 350 | 92 | 125 | RWD | 3.91 | 1259 | 873 | 2131 | 1553 | 1947 | 3500 | 6000 |
| 350 | 92 | 125 | RWD | 3.91 | 1264 | 873 | 2137 | 1559 | 1941 | 3500 | 6000 |
| 350 | 92 | 125 | RWD | 3.91 | 1259 | 873 | 2131 | 1556 | 1994 | 3550 | 6000 |
| 350 | 92 | 125 | RWD | 3.91 | 1264 | 873 | 2137 | 1561 | 1989 | 3550 | 6000 |
| 350 | 99 | 135 | RWD | 3.58 | 1259 | 873 | 2131 | 1553 | 1947 | 3500 | 5500 |
| 350 | 99 | 135 | RWD | 3.58 | 1264 | 873 | 2137 | 1559 | 1941 | 3500 | 5500 |
| 350 | 99 | 135 | RWD | 3.58 | 1259 | 873 | 2131 | 1553 | 1937 | 3490 | 5500 |
| 350 | 99 | 135 | RWD | 3.58 | 1264 | 873 | 2137 | 1558 | 1931 | 3490 | 5500 |
| 350 | 99 | 135 | RWD | 3.58 | 1259 | 873 | 2131 | 1556 | 1994 | 3550 | 5500 |
| 350 | 99 | 135 | RWD | 3.58 | 1264 | 873 | 2137 | 1561 | 1989 | 3550 | 5500 |
| 350 | 114 | 155 | RWD | 3.31 | 1256 | 896 | 2152 | 1549 | 1941 | 3490 | 5500 |
| 350 | 114 | 155 | RWD | 3.31 | 1262 | 896 | 2158 | 1555 | 1936 | 3490 | 5500 |
| 350 | 114 | 155 | RWD | 3.31 | 1256 | 896 | 2152 | 1549 | 1951 | 3500 | 5500 |
| 350 | 114 | 155 | RWD | 3.31 | 1262 | 896 | 2158 | 1555 | 1945 | 3500 | 5500 |
| 350 | 114 | 155 | RWD | 3.31 | 1256 | 896 | 2152 | 1552 | 1998 | 3550 | 5500 |
| 350 | 114 | 155 | RWD | 3.31 | 1262 | 896 | 2158 | 1557 | 1993 | 3550 | 5500 |
| 350 | 114 | 155 | RWD | 3.91 | 1256 | 896 | 2152 | 1549 | 1941 | 3490 | 6290 |

VAN

BRAKES CERTIFIED TO EEC REQUIREMENTS - UNLADEN WEIGHT DISTRIBUTION STANDARD PRODUCTION MODEL

| MODEL | ENGINE | | DRIVELINE | AXLE RATIO | UNLADEN KERB WEIGHT* (kg) | | | GROSS VEHICLE MASS (kg) | | | GTM** (kg) |
|-------------------------------|--------|-----|-----------|------------|---------------------------|------|-------|-------------------------|------|-------|------------|
| | kW | PS | | | FRONT | REAR | TOTAL | FRONT | REAR | TOTAL | |
| 350 | 114 | 155 | RWD | 3.91 | 1262 | 896 | 2158 | 1555 | 1936 | 3490 | 6290 |
| 350 | 114 | 155 | RWD | 3.91 | 1256 | 896 | 2152 | 1549 | 1951 | 3500 | 6300 |
| 350 | 114 | 155 | RWD | 3.91 | 1262 | 896 | 2158 | 1555 | 1945 | 3500 | 6300 |
| 350 | 114 | 155 | RWD | 3.91 | 1256 | 896 | 2152 | 1552 | 1998 | 3550 | 6300 |
| 350 | 114 | 155 | RWD | 3.91 | 1262 | 896 | 2158 | 1557 | 1993 | 3550 | 6300 |
| High Roof - Single Rear Wheel | | | | | | | | | | | |
| 280 | 74 | 100 | FWD | 4.36 | 1178 | 667 | 1845 | 1461 | 1364 | 2825 | 5225 |
| 280 | 92 | 125 | FWD | 4.36 | 1178 | 667 | 1845 | 1461 | 1364 | 2825 | 5225 |
| 280 | 103 | 140 | FWD | 4.36 | 1178 | 667 | 1845 | 1461 | 1364 | 2825 | 5225 |
| 300 | 74 | 100 | FWD | 4.36 | 1178 | 667 | 1845 | 1496 | 1529 | 3025 | 5225 |
| 300 | 92 | 125 | FWD | 4.36 | 1178 | 667 | 1845 | 1496 | 1529 | 3025 | 5225 |
| 300 | 103 | 140 | FWD | 4.36 | 1178 | 667 | 1845 | 1496 | 1529 | 3025 | 5225 |
| 330 | 74 | 100 | FWD | 4.93 | 1191 | 692 | 1883 | 1555 | 1770 | 3325 | 5500 |
| 330 | 92 | 125 | FWD | 4.93 | 1191 | 692 | 1883 | 1555 | 1770 | 3325 | 5500 |
| 330 | 103 | 140 | FWD | 4.93 | 1191 | 692 | 1883 | 1555 | 1770 | 3325 | 5500 |
| 350 | 74 | 100 | FWD | 4.93 | 1191 | 692 | 1883 | 1585 | 1914 | 3500 | 5500 |
| 350 | 92 | 125 | FWD | 4.93 | 1191 | 692 | 1883 | 1585 | 1914 | 3500 | 5500 |
| 350 | 103 | 140 | FWD | 4.93 | 1191 | 692 | 1883 | 1585 | 1914 | 3500 | 5500 |
| 300 | 74 | 100 | RWD | 3.58 | 1220 | 824 | 2043 | 1495 | 1530 | 3025 | 5500 |
| 300 | 74 | 100 | RWD | 3.91 | 1220 | 824 | 2043 | 1495 | 1530 | 3025 | 5825 |
| 300 | 92 | 125 | RWD | 3.31 | 1220 | 824 | 2043 | 1495 | 1530 | 3025 | 5500 |
| 300 | 92 | 125 | RWD | 3.91 | 1220 | 824 | 2043 | 1495 | 1530 | 3025 | 5825 |
| 330 | 74 | 100 | RWD | 3.58 | 1222 | 824 | 2045 | 1548 | 1777 | 3325 | 5500 |
| 330 | 74 | 100 | RWD | 3.91 | 1222 | 824 | 2045 | 1548 | 1777 | 3325 | 6000 |
| 330 | 92 | 125 | RWD | 3.31 | 1222 | 824 | 2045 | 1548 | 1777 | 3325 | 5500 |
| 330 | 92 | 125 | RWD | 3.91 | 1222 | 824 | 2045 | 1548 | 1777 | 3325 | 6000 |
| 330 | 114 | 155 | RWD | 3.31 | 1219 | 847 | 2065 | 1542 | 1783 | 3325 | 5500 |
| 330 | 114 | 155 | RWD | 3.91 | 1219 | 847 | 2065 | 1542 | 1783 | 3325 | 6000 |
| 350 | 74 | 100 | RWD | 3.58 | 1222 | 824 | 2045 | 1597 | 1903 | 3500 | 5500 |
| 350 | 74 | 100 | RWD | 3.58 | 1227 | 824 | 2051 | 1602 | 1899 | 3500 | 5500 |
| 350 | 74 | 100 | RWD | 3.91 | 1222 | 824 | 2045 | 1597 | 1903 | 3500 | 6000 |
| 350 | 74 | 100 | RWD | 3.91 | 1227 | 824 | 2051 | 1602 | 1899 | 3500 | 6000 |
| 350 | 92 | 125 | RWD | 3.31 | 1222 | 824 | 2045 | 1597 | 1903 | 3500 | 5500 |
| 350 | 92 | 125 | RWD | 3.31 | 1227 | 824 | 2051 | 1602 | 1899 | 3500 | 5500 |
| 350 | 92 | 125 | RWD | 3.91 | 1222 | 824 | 2045 | 1597 | 1903 | 3500 | 6000 |
| 350 | 92 | 125 | RWD | 3.91 | 1227 | 824 | 2051 | 1602 | 1899 | 3500 | 6000 |
| 350 | 99 | 135 | RWD | 3.58 | 1222 | 824 | 2045 | 1597 | 1903 | 3500 | 5500 |
| 350 | 99 | 135 | RWD | 3.58 | 1227 | 824 | 2051 | 1602 | 1899 | 3500 | 5500 |
| 350 | 114 | 155 | RWD | 3.31 | 1219 | 847 | 2065 | 1590 | 1909 | 3500 | 5500 |
| 350 | 114 | 155 | RWD | 3.31 | 1224 | 847 | 2071 | 1595 | 1905 | 3500 | 5500 |
| 350 | 114 | 155 | RWD | 3.91 | 1219 | 847 | 2065 | 1590 | 1909 | 3500 | 6300 |
| 350 | 114 | 155 | RWD | 3.91 | 1224 | 847 | 2071 | 1595 | 1905 | 3500 | 6300 |
| 280 | 74 | 100 | FWD | 4.36 | 1178 | 667 | 1845 | 1461 | 1364 | 2825 | 3500 |
| 280 | 92 | 125 | FWD | 4.36 | 1178 | 667 | 1845 | 1461 | 1364 | 2825 | 3500 |
| 280 | 103 | 140 | FWD | 4.36 | 1178 | 667 | 1845 | 1461 | 1364 | 2825 | 3500 |
| 300 | 74 | 100 | FWD | 4.36 | 1178 | 667 | 1845 | 1490 | 1500 | 2990 | 5225 |
| 300 | 92 | 125 | FWD | 4.36 | 1178 | 667 | 1845 | 1490 | 1500 | 2990 | 5225 |
| 300 | 103 | 140 | FWD | 4.36 | 1178 | 667 | 1845 | 1490 | 1500 | 2990 | 5225 |
| 350 | 74 | 100 | FWD | 4.93 | 1191 | 692 | 1883 | 1583 | 1906 | 3490 | 5500 |
| 350 | 74 | 100 | FWD | 4.93 | 1191 | 692 | 1883 | 1594 | 1956 | 3550 | 5500 |
| 350 | 74 | 100 | FWD | 4.93 | 1191 | 692 | 1883 | 1594 | 1956 | 3550 | 5500 |
| 350 | 74 | 100 | FWD | 4.93 | 1191 | 692 | 1883 | 1583 | 1906 | 3490 | 5500 |
| 350 | 74 | 100 | FWD | 4.93 | 1191 | 692 | 1883 | 1594 | 1956 | 3550 | 5500 |
| 350 | 92 | 125 | FWD | 4.93 | 1191 | 692 | 1883 | 1583 | 1906 | 3490 | 5500 |
| 350 | 92 | 125 | FWD | 4.93 | 1191 | 692 | 1883 | 1594 | 1956 | 3550 | 5500 |
| 350 | 92 | 125 | FWD | 4.93 | 1191 | 692 | 1883 | 1594 | 1956 | 3550 | 5500 |
| 350 | 103 | 140 | FWD | 4.93 | 1191 | 692 | 1883 | 1583 | 1906 | 3490 | 5500 |
| 350 | 103 | 140 | FWD | 4.93 | 1191 | 692 | 1883 | 1594 | 1956 | 3550 | 5500 |
| 350 | 74 | 100 | RWD | 3.58 | 1222 | 824 | 2045 | 1595 | 1894 | 3490 | 5500 |
| 350 | 74 | 100 | RWD | 3.58 | 1227 | 824 | 2051 | 1600 | 1890 | 3490 | 5500 |
| 350 | 74 | 100 | RWD | 3.91 | 1222 | 824 | 2045 | 1595 | 1894 | 3490 | 6000 |
| 350 | 74 | 100 | RWD | 3.91 | 1227 | 824 | 2051 | 1600 | 1890 | 3490 | 6000 |
| 350 | 92 | 125 | RWD | 3.31 | 1222 | 824 | 2045 | 1595 | 1894 | 3490 | 5500 |
| 350 | 92 | 125 | RWD | 3.31 | 1227 | 824 | 2051 | 1600 | 1890 | 3490 | 5500 |
| 350 | 92 | 125 | RWD | 3.31 | 1222 | 824 | 2045 | 1606 | 1944 | 3550 | 5500 |
| 350 | 92 | 125 | RWD | 3.31 | 1227 | 824 | 2051 | 1611 | 1940 | 3550 | 5500 |
| 350 | 92 | 125 | RWD | 3.91 | 1222 | 824 | 2045 | 1595 | 1894 | 3490 | 6000 |
| 350 | 92 | 125 | RWD | 3.91 | 1227 | 824 | 2051 | 1600 | 1890 | 3490 | 6000 |
| 350 | 92 | 125 | RWD | 3.91 | 1222 | 824 | 2045 | 1606 | 1944 | 3550 | 6000 |
| 350 | 92 | 125 | RWD | 3.91 | 1227 | 824 | 2051 | 1611 | 1940 | 3550 | 6000 |
| 350 | 99 | 135 | RWD | 3.58 | 1222 | 824 | 2045 | 1595 | 1894 | 3490 | 5500 |

VAN

BRAKES CERTIFIED TO EEC REQUIREMENTS - UNLADEN WEIGHT DISTRIBUTION STANDARD PRODUCTION MODEL

| MODEL | ENGINE | | DRIVELINE | AXLE RATIO | UNLADEN KERB WEIGHT* (kg) | | | GROSS VEHICLE MASS (kg) | | | GTM** (kg) |
|-------|--------|-----|-----------|------------|---------------------------|------|-------|-------------------------|------|-------|------------|
| | kW | PS | | | FRONT | REAR | TOTAL | FRONT | REAR | TOTAL | |
| 350 | 99 | 135 | RWD | 3.58 | 1227 | 824 | 2051 | 1600 | 1890 | 3490 | 5500 |
| 350 | 99 | 135 | RWD | 3.58 | 1222 | 824 | 2045 | 1606 | 1944 | 3550 | 5500 |
| 350 | 99 | 135 | RWD | 3.58 | 1227 | 824 | 2051 | 1611 | 1940 | 3550 | 5500 |
| 350 | 114 | 155 | RWD | 3.31 | 1219 | 847 | 2065 | 1589 | 1901 | 3490 | 5500 |
| 350 | 114 | 155 | RWD | 3.31 | 1224 | 847 | 2071 | 1594 | 1896 | 3490 | 5500 |
| 350 | 114 | 155 | RWD | 3.31 | 1219 | 847 | 2065 | 1599 | 1951 | 3550 | 5500 |
| 350 | 114 | 155 | RWD | 3.31 | 1224 | 847 | 2071 | 1604 | 1946 | 3550 | 5500 |
| 350 | 114 | 155 | RWD | 3.91 | 1219 | 847 | 2065 | 1589 | 1901 | 3490 | 6290 |
| 350 | 114 | 155 | RWD | 3.91 | 1224 | 847 | 2071 | 1594 | 1896 | 3490 | 6290 |
| 350 | 114 | 155 | RWD | 3.91 | 1219 | 847 | 2065 | 1599 | 1951 | 3550 | 6300 |
| 350 | 114 | 155 | RWD | 3.91 | 1224 | 847 | 2071 | 1604 | 1946 | 3550 | 6300 |
| 350 | 114 | 155 | RWD | 3.31 | 1243 | 864 | 2106 | 1668 | 2182 | 3850 | 5500 |
| 350 | 114 | 155 | RWD | 3.31 | 1249 | 864 | 2112 | 1673 | 2177 | 3850 | 5500 |
| 350 | 114 | 155 | RWD | 3.91 | 1243 | 864 | 2106 | 1668 | 2182 | 3850 | 6300 |
| 350 | 114 | 155 | RWD | 3.91 | 1249 | 864 | 2112 | 1673 | 2177 | 3850 | 6300 |
| 330 | 92 | 125 | AWD | 3.91 | 1286 | 834 | 2120 | 1599 | 1725 | 3325 | 6000 |
| 350 | 92 | 125 | AWD | 3.91 | 1286 | 834 | 2120 | 1628 | 1862 | 3490 | 6290 |
| 350 | 92 | 125 | AWD | 3.91 | 1291 | 834 | 2126 | 1633 | 1857 | 3490 | 6290 |
| 350 | 92 | 125 | AWD | 3.91 | 1286 | 834 | 2120 | 1630 | 1870 | 3500 | 6300 |
| 350 | 92 | 125 | AWD | 3.91 | 1291 | 834 | 2126 | 1635 | 1865 | 3500 | 6300 |
| 350 | 92 | 125 | AWD | 3.91 | 1286 | 834 | 2120 | 1639 | 1911 | 3550 | 6300 |
| 350 | 92 | 125 | AWD | 3.91 | 1291 | 834 | 2126 | 1643 | 1906 | 3550 | 6300 |
| 330 | 92 | 125 | AWD | 3.91 | 1327 | 901 | 2228 | 1585 | 1740 | 3325 | 6000 |
| 350 | 92 | 125 | AWD | 3.91 | 1327 | 901 | 2228 | 1592 | 1898 | 3490 | 6290 |
| 350 | 92 | 125 | AWD | 3.91 | 1333 | 901 | 2234 | 1598 | 1892 | 3490 | 6290 |
| 350 | 92 | 125 | AWD | 3.91 | 1327 | 901 | 2228 | 1593 | 1908 | 3500 | 6300 |
| 350 | 92 | 125 | AWD | 3.91 | 1333 | 901 | 2234 | 1598 | 1902 | 3500 | 6300 |
| 350 | 92 | 125 | AWD | 3.91 | 1327 | 901 | 2228 | 1595 | 1955 | 3550 | 6300 |
| 350 | 92 | 125 | AWD | 3.91 | 1333 | 901 | 2234 | 1601 | 1950 | 3550 | 6300 |
| 280 | 74 | 100 | FWD | 4.36 | 1219 | 734 | 1953 | 1479 | 1346 | 2825 | 5225 |
| 280 | 74 | 100 | FWD | 4.36 | 1219 | 734 | 1953 | 1479 | 1346 | 2825 | 3500 |
| 280 | 92 | 125 | FWD | 4.36 | 1219 | 734 | 1953 | 1479 | 1346 | 2825 | 5225 |
| 280 | 92 | 125 | FWD | 4.36 | 1219 | 734 | 1953 | 1479 | 1346 | 2825 | 3500 |
| 280 | 103 | 140 | FWD | 4.36 | 1219 | 734 | 1953 | 1479 | 1346 | 2825 | 5225 |
| 280 | 103 | 140 | FWD | 4.36 | 1219 | 734 | 1953 | 1479 | 1346 | 2825 | 3500 |
| 300 | 74 | 100 | FWD | 4.36 | 1219 | 734 | 1953 | 1489 | 1537 | 3025 | 5225 |
| 300 | 92 | 125 | FWD | 4.36 | 1219 | 734 | 1953 | 1489 | 1537 | 3025 | 5225 |
| 300 | 103 | 140 | FWD | 4.36 | 1219 | 734 | 1953 | 1489 | 1537 | 3025 | 5225 |
| 330 | 92 | 125 | FWD | 4.93 | 1232 | 759 | 1991 | 1514 | 1811 | 3325 | 5500 |
| 330 | 103 | 140 | FWD | 4.93 | 1232 | 759 | 1991 | 1514 | 1811 | 3325 | 5500 |
| 350 | 92 | 125 | FWD | 4.93 | 1232 | 759 | 1991 | 1522 | 1978 | 3500 | 5500 |
| 350 | 92 | 125 | FWD | 4.93 | 1232 | 759 | 1991 | 1525 | 2026 | 3550 | 5500 |
| 350 | 103 | 140 | FWD | 4.93 | 1232 | 759 | 1991 | 1522 | 1978 | 3500 | 5500 |
| 350 | 103 | 140 | FWD | 4.93 | 1232 | 759 | 1991 | 1525 | 2026 | 3550 | 5500 |
| 300 | 74 | 100 | RWD | 3.58 | 1261 | 890 | 2152 | 1510 | 1514 | 3025 | 5500 |
| 300 | 74 | 100 | RWD | 3.91 | 1261 | 890 | 2152 | 1510 | 1514 | 3025 | 5825 |
| 300 | 92 | 125 | RWD | 3.31 | 1261 | 890 | 2152 | 1510 | 1514 | 3025 | 5500 |
| 300 | 92 | 125 | RWD | 3.91 | 1261 | 890 | 2152 | 1510 | 1514 | 3025 | 5825 |
| 330 | 74 | 100 | RWD | 3.58 | 1263 | 890 | 2154 | 1526 | 1798 | 3325 | 5500 |
| 330 | 74 | 100 | RWD | 3.91 | 1263 | 890 | 2154 | 1526 | 1798 | 3325 | 6000 |
| 330 | 92 | 125 | RWD | 3.31 | 1263 | 890 | 2154 | 1526 | 1798 | 3325 | 5500 |
| 330 | 92 | 125 | RWD | 3.91 | 1263 | 890 | 2154 | 1526 | 1798 | 3325 | 6000 |
| 330 | 114 | 155 | RWD | 3.31 | 1260 | 914 | 2174 | 1522 | 1803 | 3325 | 5500 |
| 330 | 114 | 155 | RWD | 3.91 | 1260 | 914 | 2174 | 1522 | 1803 | 3325 | 6000 |
| 350 | 74 | 100 | RWD | 3.58 | 1263 | 890 | 2154 | 1556 | 1934 | 3490 | 5500 |
| 350 | 74 | 100 | RWD | 3.58 | 1269 | 890 | 2160 | 1562 | 1928 | 3490 | 5500 |
| 350 | 74 | 100 | RWD | 3.58 | 1263 | 890 | 2154 | 1557 | 1943 | 3500 | 5500 |
| 350 | 74 | 100 | RWD | 3.58 | 1269 | 890 | 2160 | 1562 | 1938 | 3500 | 5500 |
| 350 | 74 | 100 | RWD | 3.91 | 1263 | 890 | 2154 | 1556 | 1934 | 3490 | 6000 |
| 350 | 74 | 100 | RWD | 3.91 | 1269 | 890 | 2160 | 1562 | 1928 | 3490 | 6000 |
| 350 | 74 | 100 | RWD | 3.91 | 1263 | 890 | 2154 | 1557 | 1943 | 3500 | 6000 |
| 350 | 74 | 100 | RWD | 3.91 | 1269 | 890 | 2160 | 1562 | 1938 | 3500 | 6000 |
| 350 | 92 | 125 | RWD | 3.31 | 1263 | 890 | 2154 | 1556 | 1934 | 3490 | 5500 |
| 350 | 92 | 125 | RWD | 3.31 | 1269 | 890 | 2160 | 1562 | 1928 | 3490 | 5500 |
| 350 | 92 | 125 | RWD | 3.31 | 1263 | 890 | 2154 | 1557 | 1943 | 3500 | 5500 |
| 350 | 92 | 125 | RWD | 3.31 | 1269 | 890 | 2160 | 1562 | 1938 | 3500 | 5500 |
| 350 | 92 | 125 | RWD | 3.31 | 1263 | 890 | 2154 | 1559 | 1991 | 3550 | 5500 |
| 350 | 92 | 125 | RWD | 3.31 | 1269 | 890 | 2160 | 1565 | 1985 | 3550 | 5500 |
| 350 | 92 | 125 | RWD | 3.91 | 1263 | 890 | 2154 | 1556 | 1934 | 3490 | 6000 |
| 350 | 92 | 125 | RWD | 3.91 | 1269 | 890 | 2160 | 1562 | 1928 | 3490 | 6000 |
| 350 | 92 | 125 | RWD | 3.91 | 1263 | 890 | 2154 | 1557 | 1943 | 3500 | 6000 |
| 350 | 92 | 125 | RWD | 3.91 | 1269 | 890 | 2160 | 1562 | 1938 | 3500 | 6000 |

VAN

BRAKES CERTIFIED TO EEC REQUIREMENTS - UNLADEN WEIGHT DISTRIBUTION STANDARD PRODUCTION MODEL

| MODEL | ENGINE | | DRIVELINE | AXLE RATIO | UNLADEN KERB WEIGHT* (kg) | | | GROSS VEHICLE MASS (kg) | | | GTM** (kg) |
|---------------------------------|--------|-----|-----------|------------|---------------------------|------|-------|-------------------------|------|-------|------------|
| | kW | PS | | | FRONT | REAR | TOTAL | FRONT | REAR | TOTAL | |
| 350 | 92 | 125 | RWD | 3.91 | 1263 | 890 | 2154 | 1559 | 1991 | 3550 | 6000 |
| 350 | 92 | 125 | RWD | 3.91 | 1269 | 890 | 2160 | 1565 | 1985 | 3550 | 6000 |
| 350 | 99 | 135 | RWD | 3.58 | 1263 | 890 | 2154 | 1557 | 1943 | 3500 | 5500 |
| 350 | 99 | 135 | RWD | 3.58 | 1269 | 890 | 2160 | 1562 | 1938 | 3500 | 5500 |
| 350 | 99 | 135 | RWD | 3.58 | 1263 | 890 | 2154 | 1556 | 1934 | 3490 | 5500 |
| 350 | 99 | 135 | RWD | 3.58 | 1269 | 890 | 2160 | 1562 | 1928 | 3490 | 5500 |
| 350 | 99 | 135 | RWD | 3.58 | 1263 | 890 | 2154 | 1559 | 1991 | 3550 | 5500 |
| 350 | 99 | 135 | RWD | 3.58 | 1269 | 890 | 2160 | 1565 | 1985 | 3550 | 5500 |
| 350 | 114 | 155 | RWD | 3.31 | 1260 | 914 | 2174 | 1553 | 1937 | 3490 | 5500 |
| 350 | 114 | 155 | RWD | 3.31 | 1266 | 914 | 2180 | 1558 | 1932 | 3490 | 5500 |
| 350 | 114 | 155 | RWD | 3.31 | 1260 | 914 | 2174 | 1553 | 1947 | 3500 | 5500 |
| 350 | 114 | 155 | RWD | 3.31 | 1266 | 914 | 2180 | 1559 | 1942 | 3500 | 5500 |
| 350 | 114 | 155 | RWD | 3.31 | 1260 | 914 | 2174 | 1555 | 1994 | 3550 | 5500 |
| 350 | 114 | 155 | RWD | 3.31 | 1266 | 914 | 2180 | 1561 | 1989 | 3550 | 5500 |
| 350 | 114 | 155 | RWD | 3.91 | 1260 | 914 | 2174 | 1553 | 1937 | 3490 | 6290 |
| 350 | 114 | 155 | RWD | 3.91 | 1266 | 914 | 2180 | 1558 | 1932 | 3490 | 6290 |
| 350 | 114 | 155 | RWD | 3.91 | 1260 | 914 | 2174 | 1553 | 1947 | 3500 | 6300 |
| 350 | 114 | 155 | RWD | 3.91 | 1266 | 914 | 2180 | 1559 | 1942 | 3500 | 6300 |
| 350 | 114 | 155 | RWD | 3.91 | 1260 | 914 | 2174 | 1555 | 1994 | 3550 | 6300 |
| 350 | 114 | 155 | RWD | 3.91 | 1266 | 914 | 2180 | 1561 | 1989 | 3550 | 6300 |
| Long Wheel Base | | | | | | | | | | | |
| Medium Roof - Single Rear Wheel | | | | | | | | | | | |
| 300 | 74 | 100 | FWD | 4.36 | 1200 | 687 | 1886 | 1555 | 1470 | 3025 | 5225 |
| 300 | 92 | 125 | FWD | 4.36 | 1200 | 687 | 1886 | 1555 | 1470 | 3025 | 5225 |
| 300 | 103 | 140 | FWD | 4.36 | 1200 | 687 | 1886 | 1555 | 1470 | 3025 | 5225 |
| 330 | 74 | 100 | FWD | 4.93 | 1213 | 711 | 1924 | 1624 | 1701 | 3325 | 5500 |
| 330 | 92 | 125 | FWD | 4.93 | 1213 | 711 | 1924 | 1624 | 1701 | 3325 | 5500 |
| 330 | 103 | 140 | FWD | 4.93 | 1213 | 711 | 1924 | 1624 | 1701 | 3325 | 5500 |
| 350 | 74 | 100 | FWD | 4.93 | 1213 | 711 | 1924 | 1661 | 1839 | 3500 | 5500 |
| 350 | 92 | 125 | FWD | 4.93 | 1213 | 711 | 1924 | 1661 | 1839 | 3500 | 5500 |
| 350 | 103 | 140 | FWD | 4.93 | 1213 | 711 | 1924 | 1661 | 1839 | 3500 | 5500 |
| 300 | 74 | 100 | RWD | 3.58 | 1240 | 809 | 2049 | 1552 | 1473 | 3025 | 5500 |
| 300 | 74 | 100 | RWD | 3.91 | 1240 | 809 | 2049 | 1552 | 1473 | 3025 | 5825 |
| 300 | 92 | 125 | RWD | 3.31 | 1240 | 809 | 2049 | 1552 | 1473 | 3025 | 5500 |
| 300 | 92 | 125 | RWD | 3.91 | 1240 | 809 | 2049 | 1552 | 1473 | 3025 | 5825 |
| 330 | 74 | 100 | RWD | 3.58 | 1242 | 809 | 2051 | 1617 | 1708 | 3325 | 5500 |
| 330 | 74 | 100 | RWD | 3.91 | 1242 | 809 | 2051 | 1617 | 1708 | 3325 | 6000 |
| 330 | 92 | 125 | RWD | 3.31 | 1242 | 809 | 2051 | 1617 | 1708 | 3325 | 5500 |
| 330 | 92 | 125 | RWD | 3.91 | 1242 | 809 | 2051 | 1617 | 1708 | 3325 | 6000 |
| 330 | 114 | 155 | RWD | 3.31 | 1239 | 832 | 2071 | 1610 | 1715 | 3325 | 5500 |
| 330 | 114 | 155 | RWD | 3.91 | 1239 | 832 | 2071 | 1610 | 1715 | 3325 | 6000 |
| 350 | 74 | 100 | RWD | 3.58 | 1242 | 809 | 2051 | 1671 | 1829 | 3500 | 5500 |
| 350 | 74 | 100 | RWD | 3.58 | 1248 | 809 | 2057 | 1676 | 1825 | 3500 | 5500 |
| 350 | 74 | 100 | RWD | 3.91 | 1242 | 809 | 2051 | 1671 | 1829 | 3500 | 6000 |
| 350 | 74 | 100 | RWD | 3.91 | 1248 | 809 | 2057 | 1676 | 1825 | 3500 | 6000 |
| 350 | 92 | 125 | RWD | 3.31 | 1242 | 809 | 2051 | 1671 | 1829 | 3500 | 5500 |
| 350 | 92 | 125 | RWD | 3.31 | 1248 | 809 | 2057 | 1676 | 1825 | 3500 | 5500 |
| 350 | 92 | 125 | RWD | 3.58 | 1242 | 809 | 2051 | 1671 | 1829 | 3500 | 5500 |
| 350 | 92 | 125 | RWD | 3.58 | 1248 | 809 | 2057 | 1676 | 1825 | 3500 | 5500 |
| 350 | 92 | 125 | RWD | 3.91 | 1242 | 809 | 2051 | 1671 | 1829 | 3500 | 6000 |
| 350 | 92 | 125 | RWD | 3.91 | 1248 | 809 | 2057 | 1676 | 1825 | 3500 | 6000 |
| 350 | 99 | 135 | RWD | 3.58 | 1242 | 809 | 2051 | 1671 | 1829 | 3500 | 5500 |
| 350 | 99 | 135 | RWD | 3.58 | 1248 | 809 | 2057 | 1676 | 1825 | 3500 | 5500 |
| 350 | 114 | 155 | RWD | 3.31 | 1239 | 832 | 2071 | 1664 | 1836 | 3500 | 5500 |
| 350 | 114 | 155 | RWD | 3.31 | 1245 | 832 | 2077 | 1668 | 1831 | 3500 | 5500 |
| 350 | 114 | 155 | RWD | 3.91 | 1239 | 832 | 2071 | 1664 | 1836 | 3500 | 6300 |
| 350 | 114 | 155 | RWD | 3.91 | 1245 | 832 | 2077 | 1668 | 1831 | 3500 | 6300 |
| 350 | 74 | 100 | FWD | 4.93 | 1213 | 711 | 1924 | 1659 | 1831 | 3490 | 5500 |
| 350 | 74 | 100 | FWD | 4.93 | 1213 | 711 | 1924 | 1672 | 1878 | 3550 | 5500 |
| 350 | 74 | 100 | FWD | 4.93 | 1213 | 711 | 1924 | 1672 | 1878 | 3550 | 5500 |
| 350 | 74 | 100 | FWD | 4.93 | 1213 | 711 | 1924 | 1659 | 1831 | 3490 | 5500 |
| 350 | 74 | 100 | FWD | 4.93 | 1213 | 711 | 1924 | 1672 | 1878 | 3550 | 5500 |
| 350 | 92 | 125 | FWD | 4.93 | 1213 | 711 | 1924 | 1659 | 1831 | 3490 | 5500 |
| 350 | 92 | 125 | FWD | 4.93 | 1213 | 711 | 1924 | 1672 | 1878 | 3550 | 5500 |
| 350 | 92 | 125 | FWD | 4.93 | 1213 | 711 | 1924 | 1672 | 1878 | 3550 | 5500 |
| 350 | 103 | 140 | FWD | 4.93 | 1213 | 711 | 1924 | 1659 | 1831 | 3490 | 5500 |
| 350 | 103 | 140 | FWD | 4.93 | 1213 | 711 | 1924 | 1672 | 1878 | 3550 | 5500 |
| 350 | 74 | 100 | RWD | 3.58 | 1242 | 809 | 2051 | 1669 | 1821 | 3490 | 5500 |
| 350 | 74 | 100 | RWD | 3.58 | 1248 | 809 | 2057 | 1674 | 1817 | 3490 | 5500 |
| 350 | 74 | 100 | RWD | 3.91 | 1242 | 809 | 2051 | 1669 | 1821 | 3490 | 6000 |

VAN

BRAKES CERTIFIED TO EEC REQUIREMENTS - UNLADEN WEIGHT DISTRIBUTION STANDARD PRODUCTION MODEL

| MODEL | ENGINE | | DRIVELINE | AXLE RATIO | UNLADEN KERB WEIGHT* (kg) | | | GROSS VEHICLE MASS (kg) | | | GTM** (kg) |
|-------|--------|-----|-----------|------------|---------------------------|------|-------|-------------------------|------|-------|------------|
| | kW | PS | | | FRONT | REAR | TOTAL | FRONT | REAR | TOTAL | |
| 350 | 74 | 100 | RWD | 3.91 | 1248 | 809 | 2057 | 1674 | 1817 | 3490 | 6000 |
| 350 | 92 | 125 | RWD | 3.31 | 1242 | 809 | 2051 | 1669 | 1821 | 3490 | 5500 |
| 350 | 92 | 125 | RWD | 3.31 | 1248 | 809 | 2057 | 1674 | 1817 | 3490 | 5500 |
| 350 | 92 | 125 | RWD | 3.31 | 1242 | 809 | 2051 | 1682 | 1869 | 3550 | 5500 |
| 350 | 92 | 125 | RWD | 3.31 | 1248 | 809 | 2057 | 1686 | 1864 | 3550 | 5500 |
| 350 | 92 | 125 | RWD | 3.91 | 1242 | 809 | 2051 | 1669 | 1821 | 3490 | 6000 |
| 350 | 92 | 125 | RWD | 3.91 | 1248 | 809 | 2057 | 1674 | 1817 | 3490 | 6000 |
| 350 | 92 | 125 | RWD | 3.91 | 1242 | 809 | 2051 | 1682 | 1869 | 3550 | 6000 |
| 350 | 92 | 125 | RWD | 3.91 | 1248 | 809 | 2057 | 1686 | 1864 | 3550 | 6000 |
| 350 | 99 | 135 | RWD | 3.58 | 1242 | 809 | 2051 | 1669 | 1821 | 3490 | 5500 |
| 350 | 99 | 135 | RWD | 3.58 | 1248 | 809 | 2057 | 1674 | 1817 | 3490 | 5500 |
| 350 | 99 | 135 | RWD | 3.58 | 1242 | 809 | 2051 | 1682 | 1869 | 3550 | 5500 |
| 350 | 99 | 135 | RWD | 3.58 | 1248 | 809 | 2057 | 1686 | 1864 | 3550 | 5500 |
| 350 | 114 | 155 | RWD | 3.31 | 1239 | 832 | 2071 | 1662 | 1828 | 3490 | 5500 |
| 350 | 114 | 155 | RWD | 3.31 | 1245 | 832 | 2077 | 1666 | 1823 | 3490 | 5500 |
| 350 | 114 | 155 | RWD | 3.31 | 1239 | 832 | 2071 | 1674 | 1875 | 3550 | 5500 |
| 350 | 114 | 155 | RWD | 3.31 | 1245 | 832 | 2077 | 1679 | 1871 | 3550 | 5500 |
| 350 | 114 | 155 | RWD | 3.91 | 1239 | 832 | 2071 | 1662 | 1828 | 3490 | 6290 |
| 350 | 114 | 155 | RWD | 3.91 | 1245 | 832 | 2077 | 1666 | 1823 | 3490 | 6290 |
| 350 | 114 | 155 | RWD | 3.91 | 1239 | 832 | 2071 | 1674 | 1875 | 3550 | 6300 |
| 350 | 114 | 155 | RWD | 3.91 | 1245 | 832 | 2077 | 1679 | 1871 | 3550 | 6300 |
| 350 | 114 | 155 | RWD | 3.31 | 1269 | 849 | 2118 | 1759 | 2091 | 3850 | 5500 |
| 350 | 114 | 155 | RWD | 3.91 | 1269 | 849 | 2118 | 1759 | 2091 | 3850 | 6300 |
| 330 | 92 | 125 | AWD | 3.91 | 1306 | 820 | 2126 | 1665 | 1660 | 3325 | 6000 |
| 350 | 92 | 125 | AWD | 3.91 | 1306 | 820 | 2126 | 1700 | 1789 | 3490 | 6290 |
| 350 | 92 | 125 | AWD | 3.91 | 1312 | 820 | 2131 | 1705 | 1785 | 3490 | 6290 |
| 350 | 92 | 125 | AWD | 3.91 | 1306 | 820 | 2126 | 1702 | 1797 | 3500 | 6300 |
| 350 | 92 | 125 | AWD | 3.91 | 1312 | 820 | 2131 | 1707 | 1793 | 3500 | 6300 |
| 350 | 92 | 125 | AWD | 3.91 | 1306 | 820 | 2126 | 1713 | 1837 | 3550 | 6300 |
| 350 | 92 | 125 | AWD | 3.91 | 1312 | 820 | 2131 | 1718 | 1833 | 3550 | 6300 |
| 330 | 92 | 125 | AWD | 3.91 | 1353 | 882 | 2234 | 1672 | 1653 | 3325 | 6000 |
| 350 | 92 | 125 | AWD | 3.91 | 1353 | 882 | 2234 | 1689 | 1801 | 3490 | 6290 |
| 350 | 92 | 125 | AWD | 3.91 | 1358 | 882 | 2240 | 1694 | 1796 | 3490 | 6290 |
| 350 | 92 | 125 | AWD | 3.91 | 1353 | 882 | 2234 | 1690 | 1810 | 3500 | 6300 |
| 350 | 92 | 125 | AWD | 3.91 | 1358 | 882 | 2240 | 1695 | 1805 | 3500 | 6300 |
| 350 | 92 | 125 | AWD | 3.91 | 1353 | 882 | 2234 | 1695 | 1855 | 3550 | 6300 |
| 350 | 92 | 125 | AWD | 3.91 | 1358 | 882 | 2240 | 1700 | 1850 | 3550 | 6300 |
| 350 | 74 | 100 | FWD | 4.93 | 1065 | 568 | 1633 | 1576 | 1924 | 3500 | 4500 |
| 350 | 92 | 125 | FWD | 4.93 | 1065 | 568 | 1633 | 1576 | 1924 | 3500 | 4500 |
| 350 | 103 | 140 | FWD | 4.93 | 1065 | 568 | 1633 | 1576 | 1924 | 3500 | 4500 |
| 300 | 74 | 100 | FWD | 4.36 | 1246 | 749 | 1995 | 1570 | 1455 | 3025 | 5225 |
| 300 | 92 | 125 | FWD | 4.36 | 1246 | 749 | 1995 | 1570 | 1455 | 3025 | 5225 |
| 300 | 103 | 140 | FWD | 4.36 | 1246 | 749 | 1995 | 1570 | 1455 | 3025 | 5225 |
| 330 | 92 | 125 | FWD | 4.93 | 1259 | 773 | 2033 | 1609 | 1716 | 3325 | 5500 |
| 330 | 103 | 140 | FWD | 4.93 | 1259 | 773 | 2033 | 1609 | 1716 | 3325 | 5500 |
| 350 | 92 | 125 | FWD | 4.93 | 1259 | 773 | 2033 | 1627 | 1873 | 3500 | 5500 |
| 350 | 92 | 125 | FWD | 4.93 | 1259 | 773 | 2033 | 1632 | 1918 | 3550 | 5500 |
| 350 | 103 | 140 | FWD | 4.93 | 1259 | 773 | 2033 | 1632 | 1918 | 3550 | 5500 |
| 300 | 74 | 100 | RWD | 3.58 | 1287 | 871 | 2158 | 1582 | 1442 | 3025 | 5500 |
| 300 | 74 | 100 | RWD | 3.91 | 1287 | 871 | 2158 | 1582 | 1442 | 3025 | 5825 |
| 300 | 92 | 125 | RWD | 3.31 | 1287 | 871 | 2158 | 1582 | 1442 | 3025 | 5500 |
| 300 | 92 | 125 | RWD | 3.91 | 1287 | 871 | 2158 | 1582 | 1442 | 3025 | 5825 |
| 330 | 74 | 100 | RWD | 3.58 | 1289 | 871 | 2160 | 1614 | 1710 | 3325 | 5500 |
| 330 | 74 | 100 | RWD | 3.91 | 1289 | 871 | 2160 | 1614 | 1710 | 3325 | 6000 |
| 330 | 92 | 125 | RWD | 3.31 | 1289 | 871 | 2160 | 1614 | 1710 | 3325 | 5500 |
| 330 | 92 | 125 | RWD | 3.91 | 1289 | 871 | 2160 | 1614 | 1710 | 3325 | 6000 |
| 330 | 114 | 155 | RWD | 3.31 | 1286 | 894 | 2180 | 1609 | 1716 | 3325 | 5500 |
| 330 | 114 | 155 | RWD | 3.91 | 1286 | 894 | 2180 | 1609 | 1716 | 3325 | 6000 |
| 350 | 74 | 100 | RWD | 3.58 | 1289 | 871 | 2160 | 1652 | 1838 | 3490 | 5500 |
| 350 | 74 | 100 | RWD | 3.58 | 1294 | 871 | 2165 | 1657 | 1833 | 3490 | 5500 |
| 350 | 74 | 100 | RWD | 3.58 | 1289 | 871 | 2160 | 1653 | 1847 | 3500 | 5500 |
| 350 | 74 | 100 | RWD | 3.58 | 1294 | 871 | 2165 | 1658 | 1842 | 3500 | 5500 |
| 350 | 74 | 100 | RWD | 3.91 | 1289 | 871 | 2160 | 1652 | 1838 | 3490 | 6000 |
| 350 | 74 | 100 | RWD | 3.91 | 1294 | 871 | 2165 | 1657 | 1833 | 3490 | 6000 |
| 350 | 74 | 100 | RWD | 3.91 | 1289 | 871 | 2160 | 1653 | 1847 | 3500 | 6000 |
| 350 | 74 | 100 | RWD | 3.91 | 1294 | 871 | 2165 | 1658 | 1842 | 3500 | 6000 |
| 350 | 92 | 125 | RWD | 3.31 | 1289 | 871 | 2160 | 1652 | 1838 | 3490 | 5500 |
| 350 | 92 | 125 | RWD | 3.31 | 1294 | 871 | 2165 | 1657 | 1833 | 3490 | 5500 |
| 350 | 92 | 125 | RWD | 3.31 | 1289 | 871 | 2160 | 1653 | 1847 | 3500 | 5500 |
| 350 | 92 | 125 | RWD | 3.31 | 1294 | 871 | 2165 | 1658 | 1842 | 3500 | 5500 |
| 350 | 92 | 125 | RWD | 3.31 | 1289 | 871 | 2160 | 1652 | 1838 | 3490 | 5500 |
| 350 | 92 | 125 | RWD | 3.31 | 1294 | 871 | 2165 | 1657 | 1833 | 3490 | 5500 |
| 350 | 92 | 125 | RWD | 3.31 | 1289 | 871 | 2160 | 1653 | 1847 | 3500 | 5500 |
| 350 | 92 | 125 | RWD | 3.31 | 1294 | 871 | 2165 | 1658 | 1842 | 3500 | 5500 |

VAN

BRAKES CERTIFIED TO EEC REQUIREMENTS - UNLADEN WEIGHT DISTRIBUTION STANDARD PRODUCTION MODEL

| MODEL | ENGINE | | DRIVELINE | AXLE RATIO | UNLADEN KERB WEIGHT* (kg) | | | GROSS VEHICLE MASS (kg) | | | GTM** (kg) |
|-------------------------------|--------|-----|-----------|------------|---------------------------|------|-------|-------------------------|------|-------|------------|
| | kW | PS | | | FRONT | REAR | TOTAL | FRONT | REAR | TOTAL | |
| 350 | 92 | 125 | RWD | 3.31 | 1294 | 871 | 2165 | 1663 | 1887 | 3550 | 5500 |
| 350 | 92 | 125 | RWD | 3.91 | 1289 | 871 | 2160 | 1652 | 1838 | 3490 | 6000 |
| 350 | 92 | 125 | RWD | 3.91 | 1294 | 871 | 2165 | 1657 | 1833 | 3490 | 6000 |
| 350 | 92 | 125 | RWD | 3.91 | 1289 | 871 | 2160 | 1653 | 1847 | 3500 | 6000 |
| 350 | 92 | 125 | RWD | 3.91 | 1294 | 871 | 2165 | 1658 | 1842 | 3500 | 6000 |
| 350 | 92 | 125 | RWD | 3.91 | 1289 | 871 | 2160 | 1658 | 1892 | 3550 | 6000 |
| 350 | 92 | 125 | RWD | 3.91 | 1294 | 871 | 2165 | 1663 | 1887 | 3550 | 6000 |
| 350 | 114 | 155 | RWD | 3.31 | 1286 | 894 | 2180 | 1647 | 1844 | 3490 | 5500 |
| 350 | 114 | 155 | RWD | 3.31 | 1291 | 894 | 2186 | 1652 | 1838 | 3490 | 5500 |
| 350 | 114 | 155 | RWD | 3.31 | 1286 | 894 | 2180 | 1648 | 1853 | 3500 | 5500 |
| 350 | 114 | 155 | RWD | 3.31 | 1291 | 894 | 2186 | 1653 | 1847 | 3500 | 5500 |
| 350 | 114 | 155 | RWD | 3.31 | 1286 | 894 | 2180 | 1653 | 1898 | 3550 | 5500 |
| 350 | 114 | 155 | RWD | 3.31 | 1291 | 894 | 2186 | 1658 | 1892 | 3550 | 5500 |
| 350 | 114 | 155 | RWD | 3.91 | 1286 | 894 | 2180 | 1647 | 1844 | 3490 | 6290 |
| 350 | 114 | 155 | RWD | 3.91 | 1291 | 894 | 2186 | 1652 | 1838 | 3490 | 6290 |
| 350 | 114 | 155 | RWD | 3.91 | 1286 | 894 | 2180 | 1648 | 1853 | 3500 | 6300 |
| 350 | 114 | 155 | RWD | 3.91 | 1291 | 894 | 2186 | 1653 | 1847 | 3500 | 6300 |
| 350 | 114 | 155 | RWD | 3.91 | 1286 | 894 | 2180 | 1653 | 1898 | 3550 | 6300 |
| 350 | 114 | 155 | RWD | 3.91 | 1291 | 894 | 2186 | 1658 | 1892 | 3550 | 6300 |
| 350 | 92 | 125 | FWD | 4.36 | 1213 | 711 | 1924 | 1658 | 1842 | 3500 | 4250 |
| 350 | 92 | 125 | FWD | 4.93 | 1045 | 523 | 1568 | 1571 | 1929 | 3500 | 4500 |
| 350 | 103 | 140 | FWD | 4.93 | 1045 | 523 | 1568 | 1571 | 1929 | 3500 | 4500 |
| High Roof - Single Rear Wheel | | | | | | | | | | | |
| 300 | 74 | 100 | FWD | 4.36 | 1207 | 707 | 1914 | 1556 | 1469 | 3025 | 5225 |
| 300 | 92 | 125 | FWD | 4.36 | 1207 | 707 | 1914 | 1556 | 1469 | 3025 | 5225 |
| 300 | 103 | 140 | FWD | 4.36 | 1207 | 707 | 1914 | 1556 | 1469 | 3025 | 5225 |
| 330 | 74 | 100 | FWD | 4.93 | 1220 | 732 | 1951 | 1625 | 1700 | 3325 | 5500 |
| 330 | 92 | 125 | FWD | 4.93 | 1220 | 732 | 1951 | 1625 | 1700 | 3325 | 5500 |
| 330 | 103 | 140 | FWD | 4.93 | 1220 | 732 | 1951 | 1625 | 1700 | 3325 | 5500 |
| 350 | 74 | 100 | FWD | 4.93 | 1220 | 732 | 1951 | 1662 | 1838 | 3500 | 5500 |
| 350 | 92 | 125 | FWD | 4.93 | 1220 | 732 | 1951 | 1662 | 1838 | 3500 | 5500 |
| 350 | 103 | 140 | FWD | 4.93 | 1220 | 732 | 1951 | 1662 | 1838 | 3500 | 5500 |
| 300 | 74 | 100 | RWD | 3.58 | 1247 | 829 | 2076 | 1553 | 1473 | 3025 | 5500 |
| 300 | 74 | 100 | RWD | 3.91 | 1247 | 829 | 2076 | 1553 | 1473 | 3025 | 5825 |
| 300 | 92 | 125 | RWD | 3.31 | 1247 | 829 | 2076 | 1553 | 1473 | 3025 | 5500 |
| 300 | 92 | 125 | RWD | 3.91 | 1247 | 829 | 2076 | 1553 | 1473 | 3025 | 5825 |
| 330 | 74 | 100 | RWD | 3.58 | 1249 | 829 | 2078 | 1618 | 1707 | 3325 | 5500 |
| 330 | 74 | 100 | RWD | 3.91 | 1249 | 829 | 2078 | 1618 | 1707 | 3325 | 6000 |
| 330 | 92 | 125 | RWD | 3.31 | 1249 | 829 | 2078 | 1618 | 1707 | 3325 | 5500 |
| 330 | 92 | 125 | RWD | 3.91 | 1249 | 829 | 2078 | 1618 | 1707 | 3325 | 6000 |
| 330 | 114 | 155 | RWD | 3.31 | 1246 | 853 | 2098 | 1611 | 1715 | 3325 | 5500 |
| 330 | 114 | 155 | RWD | 3.91 | 1246 | 853 | 2098 | 1611 | 1715 | 3325 | 6000 |
| 350 | 74 | 100 | RWD | 3.58 | 1249 | 829 | 2078 | 1672 | 1828 | 3500 | 5500 |
| 350 | 74 | 100 | RWD | 3.58 | 1255 | 829 | 2084 | 1677 | 1824 | 3500 | 5500 |
| 350 | 74 | 100 | RWD | 3.91 | 1249 | 829 | 2078 | 1672 | 1828 | 3500 | 6000 |
| 350 | 74 | 100 | RWD | 3.91 | 1255 | 829 | 2084 | 1677 | 1824 | 3500 | 6000 |
| 350 | 92 | 125 | RWD | 3.31 | 1249 | 829 | 2078 | 1672 | 1828 | 3500 | 5500 |
| 350 | 92 | 125 | RWD | 3.31 | 1255 | 829 | 2084 | 1677 | 1824 | 3500 | 5500 |
| 350 | 92 | 125 | RWD | 3.58 | 1249 | 829 | 2078 | 1672 | 1828 | 3500 | 5500 |
| 350 | 92 | 125 | RWD | 3.58 | 1255 | 829 | 2084 | 1677 | 1824 | 3500 | 5500 |
| 350 | 92 | 125 | RWD | 3.91 | 1249 | 829 | 2078 | 1672 | 1828 | 3500 | 6000 |
| 350 | 92 | 125 | RWD | 3.91 | 1255 | 829 | 2084 | 1677 | 1824 | 3500 | 6000 |
| 350 | 99 | 135 | RWD | 3.58 | 1249 | 829 | 2078 | 1672 | 1828 | 3500 | 5500 |
| 350 | 99 | 135 | RWD | 3.58 | 1255 | 829 | 2084 | 1677 | 1824 | 3500 | 5500 |
| 350 | 114 | 155 | RWD | 3.31 | 1246 | 853 | 2098 | 1665 | 1835 | 3500 | 5500 |
| 350 | 114 | 155 | RWD | 3.31 | 1252 | 853 | 2104 | 1669 | 1830 | 3500 | 5500 |
| 350 | 114 | 155 | RWD | 3.91 | 1246 | 853 | 2098 | 1665 | 1835 | 3500 | 6300 |
| 350 | 114 | 155 | RWD | 3.91 | 1252 | 853 | 2104 | 1669 | 1830 | 3500 | 6300 |
| 350 | 74 | 100 | FWD | 4.93 | 1220 | 732 | 1951 | 1660 | 1830 | 3490 | 5500 |
| 350 | 74 | 100 | FWD | 4.93 | 1220 | 732 | 1951 | 1673 | 1877 | 3550 | 5500 |
| 350 | 74 | 100 | FWD | 4.93 | 1220 | 732 | 1951 | 1673 | 1877 | 3550 | 5500 |
| 350 | 74 | 100 | FWD | 4.93 | 1220 | 732 | 1951 | 1660 | 1830 | 3490 | 5500 |
| 350 | 74 | 100 | FWD | 4.93 | 1220 | 732 | 1951 | 1673 | 1877 | 3550 | 5500 |
| 350 | 92 | 125 | FWD | 4.93 | 1220 | 732 | 1951 | 1660 | 1830 | 3490 | 5500 |
| 350 | 92 | 125 | FWD | 4.93 | 1220 | 732 | 1951 | 1673 | 1877 | 3550 | 5500 |
| 350 | 92 | 125 | FWD | 4.93 | 1220 | 732 | 1951 | 1673 | 1877 | 3550 | 5500 |
| 350 | 103 | 140 | FWD | 4.93 | 1220 | 732 | 1951 | 1660 | 1830 | 3490 | 5500 |
| 350 | 103 | 140 | FWD | 4.93 | 1220 | 732 | 1951 | 1673 | 1877 | 3550 | 5500 |
| 350 | 74 | 100 | RWD | 3.58 | 1249 | 829 | 2078 | 1670 | 1820 | 3490 | 5500 |
| 350 | 74 | 100 | RWD | 3.58 | 1255 | 829 | 2084 | 1675 | 1816 | 3490 | 5500 |
| 350 | 74 | 100 | RWD | 3.91 | 1249 | 829 | 2078 | 1670 | 1820 | 3490 | 6000 |

VAN

BRAKES CERTIFIED TO EEC REQUIREMENTS - UNLADEN WEIGHT DISTRIBUTION STANDARD PRODUCTION MODEL

| MODEL | ENGINE | | DRIVELINE | AXLE RATIO | UNLADEN KERB WEIGHT* (kg) | | | GROSS VEHICLE MASS (kg) | | | GTM** (kg) |
|-------|--------|-----|-----------|------------|---------------------------|------|-------|-------------------------|------|-------|------------|
| | kW | PS | | | FRONT | REAR | TOTAL | FRONT | REAR | TOTAL | |
| 350 | 74 | 100 | RWD | 3.91 | 1255 | 829 | 2084 | 1675 | 1816 | 3490 | 6000 |
| 350 | 92 | 125 | RWD | 3.31 | 1249 | 829 | 2078 | 1670 | 1820 | 3490 | 5500 |
| 350 | 92 | 125 | RWD | 3.31 | 1255 | 829 | 2084 | 1675 | 1816 | 3490 | 5500 |
| 350 | 92 | 125 | RWD | 3.31 | 1249 | 829 | 2078 | 1683 | 1867 | 3550 | 5500 |
| 350 | 92 | 125 | RWD | 3.31 | 1255 | 829 | 2084 | 1687 | 1863 | 3550 | 5500 |
| 350 | 92 | 125 | RWD | 3.91 | 1249 | 829 | 2078 | 1670 | 1820 | 3490 | 6000 |
| 350 | 92 | 125 | RWD | 3.91 | 1255 | 829 | 2084 | 1675 | 1816 | 3490 | 6000 |
| 350 | 92 | 125 | RWD | 3.91 | 1249 | 829 | 2078 | 1683 | 1867 | 3550 | 6000 |
| 350 | 92 | 125 | RWD | 3.91 | 1255 | 829 | 2084 | 1687 | 1863 | 3550 | 6000 |
| 350 | 99 | 135 | RWD | 3.58 | 1249 | 829 | 2078 | 1670 | 1820 | 3490 | 5500 |
| 350 | 99 | 135 | RWD | 3.58 | 1255 | 829 | 2084 | 1675 | 1816 | 3490 | 5500 |
| 350 | 99 | 135 | RWD | 3.58 | 1249 | 829 | 2078 | 1683 | 1867 | 3550 | 5500 |
| 350 | 99 | 135 | RWD | 3.58 | 1255 | 829 | 2084 | 1687 | 1863 | 3550 | 5500 |
| 350 | 114 | 155 | RWD | 3.31 | 1246 | 853 | 2098 | 1663 | 1827 | 3490 | 5500 |
| 350 | 114 | 155 | RWD | 3.31 | 1252 | 853 | 2104 | 1667 | 1823 | 3490 | 5500 |
| 350 | 114 | 155 | RWD | 3.31 | 1246 | 853 | 2098 | 1675 | 1874 | 3550 | 5500 |
| 350 | 114 | 155 | RWD | 3.31 | 1252 | 853 | 2104 | 1680 | 1870 | 3550 | 5500 |
| 350 | 114 | 155 | RWD | 3.91 | 1246 | 853 | 2098 | 1663 | 1827 | 3490 | 6290 |
| 350 | 114 | 155 | RWD | 3.91 | 1252 | 853 | 2104 | 1667 | 1823 | 3490 | 6290 |
| 350 | 114 | 155 | RWD | 3.91 | 1246 | 853 | 2098 | 1675 | 1874 | 3550 | 6300 |
| 350 | 114 | 155 | RWD | 3.91 | 1252 | 853 | 2104 | 1680 | 1870 | 3550 | 6300 |
| 350 | 114 | 155 | RWD | 3.91 | 1276 | 870 | 2146 | 1760 | 2090 | 3850 | 5500 |
| 350 | 114 | 155 | RWD | 3.91 | 1276 | 870 | 2146 | 1760 | 2090 | 3850 | 6300 |
| 330 | 92 | 125 | AWD | 3.91 | 1313 | 840 | 2153 | 1666 | 1659 | 3325 | 6000 |
| 350 | 92 | 125 | AWD | 3.91 | 1313 | 840 | 2153 | 1701 | 1789 | 3490 | 6290 |
| 350 | 92 | 125 | AWD | 3.91 | 1319 | 840 | 2159 | 1706 | 1784 | 3490 | 6290 |
| 350 | 92 | 125 | AWD | 3.91 | 1313 | 840 | 2153 | 1703 | 1796 | 3500 | 6300 |
| 350 | 92 | 125 | AWD | 3.91 | 1319 | 840 | 2159 | 1708 | 1792 | 3500 | 6300 |
| 350 | 92 | 125 | AWD | 3.91 | 1313 | 840 | 2153 | 1714 | 1836 | 3550 | 6300 |
| 350 | 92 | 125 | AWD | 3.91 | 1319 | 840 | 2159 | 1719 | 1831 | 3550 | 6300 |
| 330 | 92 | 125 | AWD | 3.91 | 1359 | 902 | 2261 | 1676 | 1649 | 3325 | 6000 |
| 350 | 92 | 125 | AWD | 3.91 | 1359 | 902 | 2261 | 1693 | 1797 | 3490 | 6290 |
| 350 | 92 | 125 | AWD | 3.91 | 1365 | 902 | 2267 | 1698 | 1792 | 3490 | 6290 |
| 350 | 92 | 125 | AWD | 3.91 | 1359 | 902 | 2261 | 1694 | 1806 | 3500 | 6300 |
| 350 | 92 | 125 | AWD | 3.91 | 1365 | 902 | 2267 | 1699 | 1801 | 3500 | 6300 |
| 350 | 92 | 125 | AWD | 3.91 | 1359 | 902 | 2261 | 1699 | 1851 | 3550 | 6300 |
| 350 | 92 | 125 | AWD | 3.91 | 1365 | 902 | 2267 | 1704 | 1846 | 3550 | 6300 |
| 300 | 74 | 100 | FWD | 4.36 | 1253 | 769 | 2022 | 1574 | 1452 | 3025 | 5225 |
| 300 | 92 | 125 | FWD | 4.36 | 1253 | 769 | 2022 | 1574 | 1452 | 3025 | 5225 |
| 300 | 103 | 140 | FWD | 4.36 | 1253 | 769 | 2022 | 1574 | 1452 | 3025 | 5225 |
| 330 | 92 | 125 | FWD | 4.93 | 1266 | 794 | 2060 | 1613 | 1712 | 3325 | 5500 |
| 330 | 103 | 140 | FWD | 4.93 | 1266 | 794 | 2060 | 1613 | 1712 | 3325 | 5500 |
| 350 | 92 | 125 | FWD | 4.93 | 1266 | 794 | 2060 | 1631 | 1869 | 3500 | 5500 |
| 350 | 92 | 125 | FWD | 4.93 | 1266 | 794 | 2060 | 1636 | 1914 | 3550 | 5500 |
| 350 | 103 | 140 | FWD | 4.93 | 1266 | 794 | 2060 | 1631 | 1869 | 3500 | 5500 |
| 350 | 103 | 140 | FWD | 4.93 | 1266 | 794 | 2060 | 1636 | 1914 | 3550 | 5500 |
| 300 | 74 | 100 | RWD | 3.58 | 1293 | 891 | 2185 | 1586 | 1438 | 3025 | 5500 |
| 300 | 74 | 100 | RWD | 3.91 | 1293 | 891 | 2185 | 1586 | 1438 | 3025 | 5825 |
| 300 | 92 | 125 | RWD | 3.31 | 1293 | 891 | 2185 | 1586 | 1438 | 3025 | 5500 |
| 300 | 92 | 125 | RWD | 3.91 | 1293 | 891 | 2185 | 1586 | 1438 | 3025 | 5825 |
| 330 | 74 | 100 | RWD | 3.58 | 1295 | 891 | 2187 | 1618 | 1706 | 3325 | 5500 |
| 330 | 74 | 100 | RWD | 3.91 | 1295 | 891 | 2187 | 1618 | 1706 | 3325 | 6000 |
| 330 | 92 | 125 | RWD | 3.31 | 1295 | 891 | 2187 | 1618 | 1706 | 3325 | 5500 |
| 330 | 92 | 125 | RWD | 3.91 | 1295 | 891 | 2187 | 1618 | 1706 | 3325 | 6000 |
| 330 | 114 | 155 | RWD | 3.31 | 1292 | 915 | 2207 | 1613 | 1712 | 3325 | 5500 |
| 330 | 114 | 155 | RWD | 3.91 | 1292 | 915 | 2207 | 1613 | 1712 | 3325 | 6000 |
| 350 | 74 | 100 | RWD | 3.58 | 1295 | 891 | 2187 | 1656 | 1834 | 3490 | 5500 |
| 350 | 74 | 100 | RWD | 3.58 | 1301 | 891 | 2193 | 1661 | 1829 | 3490 | 5500 |
| 350 | 74 | 100 | RWD | 3.58 | 1295 | 891 | 2187 | 1657 | 1843 | 3500 | 5500 |
| 350 | 74 | 100 | RWD | 3.58 | 1301 | 891 | 2193 | 1662 | 1838 | 3500 | 5500 |
| 350 | 74 | 100 | RWD | 3.91 | 1295 | 891 | 2187 | 1656 | 1834 | 3490 | 6000 |
| 350 | 74 | 100 | RWD | 3.91 | 1301 | 891 | 2193 | 1661 | 1829 | 3490 | 6000 |
| 350 | 74 | 100 | RWD | 3.91 | 1295 | 891 | 2187 | 1657 | 1843 | 3500 | 6000 |
| 350 | 74 | 100 | RWD | 3.91 | 1301 | 891 | 2193 | 1662 | 1838 | 3500 | 6000 |
| 350 | 92 | 125 | RWD | 3.31 | 1295 | 891 | 2187 | 1656 | 1834 | 3490 | 5500 |
| 350 | 92 | 125 | RWD | 3.31 | 1301 | 891 | 2193 | 1661 | 1829 | 3490 | 5500 |
| 350 | 92 | 125 | RWD | 3.31 | 1295 | 891 | 2187 | 1657 | 1843 | 3500 | 5500 |
| 350 | 92 | 125 | RWD | 3.31 | 1301 | 891 | 2193 | 1662 | 1838 | 3500 | 5500 |
| 350 | 92 | 125 | RWD | 3.31 | 1295 | 891 | 2187 | 1662 | 1888 | 3550 | 5500 |
| 350 | 92 | 125 | RWD | 3.31 | 1301 | 891 | 2193 | 1667 | 1883 | 3550 | 5500 |
| 350 | 92 | 125 | RWD | 3.91 | 1295 | 891 | 2187 | 1656 | 1834 | 3490 | 6000 |
| 350 | 92 | 125 | RWD | 3.91 | 1301 | 891 | 2193 | 1661 | 1829 | 3490 | 6000 |

VAN

BRAKES CERTIFIED TO EEC REQUIREMENTS - UNLADEN WEIGHT DISTRIBUTION STANDARD PRODUCTION MODEL

| MODEL | ENGINE | | DRIVELINE | AXLE RATIO | UNLADEN KERB WEIGHT* (kg) | | | GROSS VEHICLE MASS (kg) | | | GTM** (kg) |
|----------------------------------|--------|-----|-----------|------------|---------------------------|------|-------|-------------------------|------|-------|------------|
| | kW | PS | | | FRONT | REAR | TOTAL | FRONT | REAR | TOTAL | |
| 350 | 92 | 125 | RWD | 3.91 | 1295 | 891 | 2187 | 1657 | 1843 | 3500 | 6000 |
| 350 | 92 | 125 | RWD | 3.91 | 1301 | 891 | 2193 | 1662 | 1838 | 3500 | 6000 |
| 350 | 92 | 125 | RWD | 3.91 | 1295 | 891 | 2187 | 1662 | 1888 | 3550 | 6000 |
| 350 | 92 | 125 | RWD | 3.91 | 1301 | 891 | 2193 | 1667 | 1883 | 3550 | 6000 |
| 350 | 114 | 155 | RWD | 3.31 | 1292 | 915 | 2207 | 1651 | 1839 | 3490 | 5500 |
| 350 | 114 | 155 | RWD | 3.31 | 1298 | 915 | 2213 | 1656 | 1834 | 3490 | 5500 |
| 350 | 114 | 155 | RWD | 3.31 | 1292 | 915 | 2207 | 1652 | 1848 | 3500 | 5500 |
| 350 | 114 | 155 | RWD | 3.31 | 1298 | 915 | 2213 | 1657 | 1843 | 3500 | 5500 |
| 350 | 114 | 155 | RWD | 3.31 | 1292 | 915 | 2207 | 1657 | 1893 | 3550 | 5500 |
| 350 | 114 | 155 | RWD | 3.31 | 1298 | 915 | 2213 | 1662 | 1888 | 3550 | 5500 |
| 350 | 114 | 155 | RWD | 3.91 | 1292 | 915 | 2207 | 1651 | 1839 | 3490 | 6290 |
| 350 | 114 | 155 | RWD | 3.91 | 1298 | 915 | 2213 | 1656 | 1834 | 3490 | 6290 |
| 350 | 114 | 155 | RWD | 3.91 | 1292 | 915 | 2207 | 1652 | 1848 | 3500 | 6300 |
| 350 | 114 | 155 | RWD | 3.91 | 1298 | 915 | 2213 | 1657 | 1843 | 3500 | 6300 |
| 350 | 114 | 155 | RWD | 3.91 | 1292 | 915 | 2207 | 1657 | 1893 | 3550 | 6300 |
| 350 | 114 | 155 | RWD | 3.91 | 1298 | 915 | 2213 | 1662 | 1888 | 3550 | 6300 |
| Extended Frame Wheel Base | | | | | | | | | | | |
| High Roof - Single Rear Wheel | | | | | | | | | | | |
| 350 | 74 | 100 | RWD | 3.58 | 1201 | 1012 | 2213 | 1482 | 2018 | 3500 | 5500 |
| 350 | 74 | 100 | RWD | 3.58 | 1206 | 1012 | 2219 | 1487 | 2013 | 3500 | 5500 |
| 350 | 74 | 100 | RWD | 3.91 | 1201 | 1012 | 2213 | 1482 | 2018 | 3500 | 6000 |
| 350 | 74 | 100 | RWD | 3.91 | 1206 | 1012 | 2219 | 1487 | 2013 | 3500 | 6000 |
| 350 | 92 | 125 | RWD | 3.31 | 1201 | 1012 | 2213 | 1482 | 2018 | 3500 | 5500 |
| 350 | 92 | 125 | RWD | 3.31 | 1206 | 1012 | 2219 | 1487 | 2013 | 3500 | 5500 |
| 350 | 92 | 125 | RWD | 3.58 | 1201 | 1012 | 2213 | 1482 | 2018 | 3500 | 5500 |
| 350 | 92 | 125 | RWD | 3.58 | 1206 | 1012 | 2219 | 1487 | 2013 | 3500 | 5500 |
| 350 | 92 | 125 | RWD | 3.91 | 1201 | 1012 | 2213 | 1482 | 2018 | 3500 | 6000 |
| 350 | 92 | 125 | RWD | 3.91 | 1206 | 1012 | 2219 | 1487 | 2013 | 3500 | 6000 |
| 350 | 114 | 155 | RWD | 3.31 | 1198 | 1036 | 2233 | 1477 | 2023 | 3500 | 5500 |
| 350 | 114 | 155 | RWD | 3.31 | 1203 | 1036 | 2239 | 1482 | 2017 | 3500 | 5500 |
| 350 | 114 | 155 | RWD | 3.91 | 1198 | 1036 | 2233 | 1477 | 2023 | 3500 | 6300 |
| 350 | 114 | 155 | RWD | 3.91 | 1203 | 1036 | 2239 | 1482 | 2017 | 3500 | 6300 |
| 350 | 74 | 100 | RWD | 3.58 | 1201 | 1012 | 2213 | 1481 | 2009 | 3490 | 5500 |
| 350 | 74 | 100 | RWD | 3.58 | 1206 | 1012 | 2219 | 1486 | 2004 | 3490 | 5500 |
| 350 | 74 | 100 | RWD | 3.91 | 1201 | 1012 | 2213 | 1481 | 2009 | 3490 | 6000 |
| 350 | 74 | 100 | RWD | 3.91 | 1206 | 1012 | 2219 | 1486 | 2004 | 3490 | 6000 |
| 350 | 92 | 125 | RWD | 3.31 | 1201 | 1012 | 2213 | 1481 | 2009 | 3490 | 5500 |
| 350 | 92 | 125 | RWD | 3.31 | 1206 | 1012 | 2219 | 1486 | 2004 | 3490 | 5500 |
| 350 | 92 | 125 | RWD | 3.31 | 1201 | 1012 | 2213 | 1486 | 2064 | 3550 | 5500 |
| 350 | 92 | 125 | RWD | 3.31 | 1206 | 1012 | 2219 | 1492 | 2058 | 3550 | 5500 |
| 350 | 92 | 125 | RWD | 3.91 | 1201 | 1012 | 2213 | 1481 | 2009 | 3490 | 6000 |
| 350 | 92 | 125 | RWD | 3.91 | 1206 | 1012 | 2219 | 1486 | 2004 | 3490 | 6000 |
| 350 | 92 | 125 | RWD | 3.91 | 1201 | 1012 | 2213 | 1486 | 2064 | 3550 | 6000 |
| 350 | 92 | 125 | RWD | 3.91 | 1206 | 1012 | 2219 | 1492 | 2058 | 3550 | 6000 |
| 350 | 114 | 155 | RWD | 3.31 | 1198 | 1036 | 2233 | 1476 | 2014 | 3490 | 5500 |
| 350 | 114 | 155 | RWD | 3.31 | 1203 | 1036 | 2239 | 1482 | 2008 | 3490 | 5500 |
| 350 | 114 | 155 | RWD | 3.31 | 1198 | 1036 | 2233 | 1482 | 2068 | 3550 | 5500 |
| 350 | 114 | 155 | RWD | 3.31 | 1203 | 1036 | 2239 | 1487 | 2063 | 3550 | 5500 |
| 350 | 114 | 155 | RWD | 3.91 | 1198 | 1036 | 2233 | 1476 | 2014 | 3490 | 6290 |
| 350 | 114 | 155 | RWD | 3.91 | 1203 | 1036 | 2239 | 1482 | 2008 | 3490 | 6290 |
| 350 | 114 | 155 | RWD | 3.91 | 1198 | 1036 | 2233 | 1482 | 2068 | 3550 | 6300 |
| 350 | 114 | 155 | RWD | 3.91 | 1203 | 1036 | 2239 | 1487 | 2063 | 3550 | 6300 |
| 460 | 92 | 125 | RWD | 3.91 | 1232 | 1083 | 2316 | 1504 | 1987 | 3490 | 6000 |
| 460 | 114 | 155 | RWD | 3.91 | 1230 | 1107 | 2336 | 1499 | 1991 | 3490 | 6490 |
| 460 | 92 | 125 | RWD | 3.91 | 1232 | 1083 | 2316 | 1509 | 2041 | 3550 | 6000 |
| 460 | 114 | 155 | RWD | 3.91 | 1230 | 1107 | 2336 | 1504 | 2045 | 3550 | 6500 |
| 460 | 92 | 125 | RWD | 3.91 | 1232 | 1083 | 2316 | 1505 | 1996 | 3500 | 6000 |
| 460 | 114 | 155 | RWD | 3.91 | 1230 | 1107 | 2336 | 1500 | 2000 | 3500 | 6500 |
| 460 | 92 | 125 | RWD | 3.91 | 1257 | 1105 | 2362 | 1624 | 2977 | 4600 | 6000 |
| 460 | 99 | 135 | RWD | 3.58 | 1257 | 1105 | 2362 | 1624 | 2977 | 4600 | 5500 |
| 460 | 114 | 155 | RWD | 3.91 | 1254 | 1129 | 2383 | 1609 | 2881 | 4490 | 6500 |
| 460 | 114 | 155 | RWD | 3.91 | 1254 | 1129 | 2383 | 1619 | 2981 | 4600 | 6500 |
| 350 | 92 | 125 | AWD | 3.91 | 1265 | 1023 | 2288 | 1517 | 1972 | 3490 | 6290 |
| 350 | 92 | 125 | AWD | 3.91 | 1270 | 1023 | 2293 | 1523 | 1968 | 3490 | 6290 |
| 350 | 92 | 125 | AWD | 3.91 | 1265 | 1023 | 2288 | 1518 | 1981 | 3500 | 6300 |
| 350 | 92 | 125 | AWD | 3.91 | 1270 | 1023 | 2293 | 1524 | 1977 | 3500 | 6300 |
| 350 | 92 | 125 | AWD | 3.91 | 1265 | 1023 | 2288 | 1523 | 2027 | 3550 | 6300 |
| 350 | 92 | 125 | AWD | 3.91 | 1270 | 1023 | 2293 | 1528 | 2022 | 3550 | 6300 |
| 350 | 92 | 125 | AWD | 3.91 | 1312 | 1084 | 2396 | 1577 | 1913 | 3490 | 6290 |
| 350 | 92 | 125 | AWD | 3.91 | 1318 | 1084 | 2402 | 1583 | 1907 | 3490 | 6290 |

VAN

BRAKES CERTIFIED TO EEC REQUIREMENTS - UNLADEN WEIGHT DISTRIBUTION STANDARD PRODUCTION MODEL

| MODEL | ENGINE | | DRIVELINE | AXLE RATIO | UNLADEN KERB WEIGHT* (kg) | | | GROSS VEHICLE MASS (kg) | | | GTM** (kg) |
|-----------------------------|--------|-----|-----------|------------|---------------------------|------|-------|-------------------------|------|-------|------------|
| | kW | PS | | | FRONT | REAR | TOTAL | FRONT | REAR | TOTAL | |
| 350 | 92 | 125 | AWD | 3.91 | 1312 | 1084 | 2396 | 1577 | 1923 | 3500 | 6300 |
| 350 | 92 | 125 | AWD | 3.91 | 1318 | 1084 | 2402 | 1583 | 1917 | 3500 | 6300 |
| 350 | 92 | 125 | AWD | 3.91 | 1312 | 1084 | 2396 | 1578 | 1972 | 3550 | 6300 |
| 350 | 92 | 125 | AWD | 3.91 | 1318 | 1084 | 2402 | 1584 | 1966 | 3550 | 6300 |
| 350 | 74 | 100 | RWD | 3.58 | 1248 | 1073 | 2322 | 1536 | 1954 | 3490 | 5500 |
| 350 | 74 | 100 | RWD | 3.58 | 1254 | 1073 | 2327 | 1542 | 1948 | 3490 | 5500 |
| 350 | 74 | 100 | RWD | 3.58 | 1248 | 1073 | 2322 | 1536 | 1964 | 3500 | 5500 |
| 350 | 74 | 100 | RWD | 3.58 | 1254 | 1073 | 2327 | 1542 | 1958 | 3500 | 5500 |
| 350 | 74 | 100 | RWD | 3.91 | 1248 | 1073 | 2322 | 1536 | 1954 | 3490 | 6000 |
| 350 | 74 | 100 | RWD | 3.91 | 1254 | 1073 | 2327 | 1542 | 1948 | 3490 | 6000 |
| 350 | 74 | 100 | RWD | 3.91 | 1248 | 1073 | 2322 | 1536 | 1964 | 3500 | 6000 |
| 350 | 74 | 100 | RWD | 3.91 | 1254 | 1073 | 2327 | 1542 | 1958 | 3500 | 6000 |
| 350 | 92 | 125 | RWD | 3.31 | 1248 | 1073 | 2322 | 1536 | 1954 | 3490 | 5500 |
| 350 | 92 | 125 | RWD | 3.31 | 1254 | 1073 | 2327 | 1542 | 1948 | 3490 | 5500 |
| 350 | 92 | 125 | RWD | 3.31 | 1248 | 1073 | 2322 | 1536 | 1964 | 3500 | 5500 |
| 350 | 92 | 125 | RWD | 3.31 | 1254 | 1073 | 2327 | 1542 | 1958 | 3500 | 5500 |
| 350 | 92 | 125 | RWD | 3.91 | 1248 | 1073 | 2322 | 1536 | 1954 | 3490 | 6000 |
| 350 | 92 | 125 | RWD | 3.91 | 1254 | 1073 | 2327 | 1542 | 1948 | 3490 | 6000 |
| 350 | 92 | 125 | RWD | 3.91 | 1248 | 1073 | 2322 | 1536 | 1964 | 3500 | 6000 |
| 350 | 92 | 125 | RWD | 3.91 | 1254 | 1073 | 2327 | 1542 | 1958 | 3500 | 6000 |
| 350 | 114 | 155 | RWD | 3.31 | 1245 | 1097 | 2342 | 1533 | 1958 | 3490 | 5500 |
| 350 | 114 | 155 | RWD | 3.31 | 1251 | 1097 | 2348 | 1539 | 1952 | 3490 | 5500 |
| 350 | 114 | 155 | RWD | 3.31 | 1245 | 1097 | 2342 | 1533 | 1968 | 3500 | 5500 |
| 350 | 114 | 155 | RWD | 3.31 | 1251 | 1097 | 2348 | 1539 | 1962 | 3500 | 5500 |
| 350 | 114 | 155 | RWD | 3.31 | 1245 | 1097 | 2342 | 1533 | 2017 | 3550 | 5500 |
| 350 | 114 | 155 | RWD | 3.31 | 1251 | 1097 | 2348 | 1539 | 2011 | 3550 | 5500 |
| 350 | 114 | 155 | RWD | 3.91 | 1245 | 1097 | 2342 | 1533 | 1958 | 3490 | 6290 |
| 350 | 114 | 155 | RWD | 3.91 | 1251 | 1097 | 2348 | 1539 | 1952 | 3490 | 6290 |
| 350 | 114 | 155 | RWD | 3.91 | 1245 | 1097 | 2342 | 1533 | 1968 | 3500 | 6300 |
| 350 | 114 | 155 | RWD | 3.91 | 1251 | 1097 | 2348 | 1539 | 1962 | 3500 | 6300 |
| 350 | 114 | 155 | RWD | 3.91 | 1245 | 1097 | 2342 | 1533 | 2017 | 3550 | 6300 |
| 350 | 114 | 155 | RWD | 3.91 | 1251 | 1097 | 2348 | 1539 | 2011 | 3550 | 6300 |
| High Roof - Dual Rear Wheel | | | | | | | | | | | |
| 460 | 92 | 125 | RWD | 3.91 | 1504 | 1987 | 2316 | 1504 | 1987 | 3490 | 6000 |
| 460 | 114 | 155 | RWD | 3.91 | 1499 | 1991 | 2336 | 1499 | 1991 | 3490 | 6490 |
| 460 | 92 | 125 | RWD | 3.91 | 1509 | 2041 | 2316 | 1509 | 2041 | 3550 | 6000 |
| 460 | 114 | 155 | RWD | 3.91 | 1504 | 2045 | 2336 | 1504 | 2045 | 3550 | 6500 |
| 460 | 92 | 125 | RWD | 3.91 | 1505 | 1996 | 2316 | 1505 | 1996 | 3500 | 6000 |
| 460 | 114 | 155 | RWD | 3.91 | 1500 | 2000 | 2336 | 1500 | 2000 | 3500 | 6500 |
| 460 | 92 | 125 | RWD | 3.91 | 1624 | 2977 | 2362 | 1624 | 2977 | 4600 | 6000 |
| 460 | 99 | 135 | RWD | 3.58 | 1624 | 2977 | 2362 | 1624 | 2977 | 4600 | 5500 |
| 460 | 114 | 155 | RWD | 3.91 | 1609 | 2881 | 2383 | 1609 | 2881 | 4490 | 6500 |
| 460 | 114 | 155 | RWD | 3.91 | 1619 | 2981 | 2383 | 1619 | 2981 | 4600 | 6500 |

* Unladen Kerb Weight (Mass in Running Order) - Includes driver (75kg), full fluids, spare wheel and 90% fuel (72ltrs)

** Gross Vehicle Train Mass

DOUBLE CAB in VAN

BRAKES CERTIFIED TO EEC REQUIREMENTS - UNLADEN WEIGHT DISTRIBUTION STANDARD PRODUCTION MODEL

| MODEL | ENGINE | | DRIVELINE | AXLE RATIO | UNLADEN KERB WEIGHT* (kg) | | | GROSS VEHICLE MASS (kg) | | | GTM** (kg) |
|--|--------|-----|-----------|------------|---------------------------|------|-------|-------------------------|------|-------|------------|
| | kW | | | | FRONT | REAR | TOTAL | FRONT | REAR | TOTAL | |
| Short Wheel Base | | | | | | | | | | | |
| Low Roof - Single Rear Wheel | | | | | | | | | | | |
| 260 | 74 | 100 | FWD | 4.36 | 1158 | 678 | 1836 | 1366 | 1259 | 2625 | 4625 |
| 260 | 74 | 100 | FWD | 4.36 | 1158 | 678 | 1836 | 1366 | 1259 | 2625 | 3500 |
| 260 | 92 | 125 | FWD | 4.36 | 1158 | 678 | 1836 | 1366 | 1259 | 2625 | 4625 |
| 260 | 92 | 125 | FWD | 4.36 | 1158 | 678 | 1836 | 1366 | 1259 | 2625 | 3500 |
| 260 | 103 | 140 | FWD | 4.36 | 1158 | 678 | 1836 | 1366 | 1259 | 2625 | 4625 |
| 260 | 103 | 140 | FWD | 4.36 | 1158 | 678 | 1836 | 1366 | 1259 | 2625 | 3500 |
| 280 | 74 | 100 | FWD | 4.36 | 1158 | 678 | 1836 | 1364 | 1461 | 2825 | 4825 |
| 280 | 74 | 100 | FWD | 4.36 | 1158 | 678 | 1836 | 1364 | 1461 | 2825 | 3500 |
| 280 | 92 | 125 | FWD | 4.36 | 1158 | 678 | 1836 | 1364 | 1461 | 2825 | 4825 |
| 280 | 92 | 125 | FWD | 4.36 | 1158 | 678 | 1836 | 1364 | 1461 | 2825 | 3500 |
| 280 | 103 | 140 | FWD | 4.36 | 1158 | 678 | 1836 | 1364 | 1461 | 2825 | 4825 |
| 280 | 103 | 140 | FWD | 4.36 | 1158 | 678 | 1836 | 1364 | 1461 | 2825 | 3500 |
| 300 | 74 | 100 | FWD | 4.36 | 1158 | 678 | 1836 | 1362 | 1663 | 3025 | 5025 |
| 300 | 74 | 100 | FWD | 4.36 | 1158 | 678 | 1836 | 1362 | 1663 | 3025 | 3500 |
| 300 | 92 | 125 | FWD | 4.36 | 1158 | 678 | 1836 | 1362 | 1663 | 3025 | 5025 |
| 300 | 92 | 125 | FWD | 4.36 | 1158 | 678 | 1836 | 1362 | 1663 | 3025 | 3500 |
| 300 | 103 | 140 | FWD | 4.36 | 1158 | 678 | 1836 | 1362 | 1663 | 3025 | 5025 |
| 300 | 103 | 140 | FWD | 4.36 | 1158 | 678 | 1836 | 1362 | 1663 | 3025 | 3500 |
| 330 | 92 | 125 | FWD | 4.93 | 1171 | 703 | 1874 | 1372 | 1953 | 3325 | 5325 |
| 330 | 103 | 140 | FWD | 4.93 | 1171 | 703 | 1874 | 1372 | 1953 | 3325 | 5325 |
| 300 | 74 | 100 | RWD | 3.58 | 1205 | 864 | 2069 | 1400 | 1625 | 3025 | 5025 |
| 300 | 74 | 100 | RWD | 3.91 | 1205 | 864 | 2069 | 1400 | 1625 | 3025 | 5025 |
| 300 | 92 | 125 | RWD | 3.31 | 1205 | 864 | 2069 | 1400 | 1625 | 3025 | 5025 |
| 300 | 92 | 125 | RWD | 3.91 | 1205 | 864 | 2069 | 1400 | 1625 | 3025 | 5025 |
| 330 | 74 | 100 | RWD | 3.58 | 1207 | 864 | 2070 | 1399 | 1927 | 3325 | 5325 |
| 330 | 74 | 100 | RWD | 3.91 | 1207 | 864 | 2070 | 1399 | 1927 | 3325 | 5325 |
| 330 | 92 | 125 | RWD | 3.31 | 1207 | 864 | 2070 | 1399 | 1927 | 3325 | 5325 |
| 330 | 92 | 125 | RWD | 3.58 | 1207 | 864 | 2070 | 1399 | 1927 | 3325 | 5325 |
| 330 | 92 | 125 | RWD | 3.91 | 1207 | 864 | 2070 | 1399 | 1927 | 3325 | 5325 |
| 330 | 99 | 135 | RWD | 3.58 | 1207 | 864 | 2070 | 1399 | 1927 | 3325 | 5325 |
| 330 | 114 | 155 | RWD | 3.31 | 1204 | 887 | 2091 | 1396 | 1929 | 3325 | 5325 |
| 330 | 114 | 155 | RWD | 3.91 | 1204 | 887 | 2091 | 1396 | 1929 | 3325 | 5325 |
| 330 | 92 | 125 | AWD | 3.91 | 1271 | 875 | 2145 | 1466 | 1859 | 3325 | 5325 |
| Medium Roof - Single Rear Wheel | | | | | | | | | | | |
| 260 | 74 | 100 | FWD | 4.36 | 1162 | 698 | 1860 | 1370 | 1255 | 2625 | 4625 |
| 260 | 74 | 100 | FWD | 4.36 | 1162 | 698 | 1860 | 1370 | 1255 | 2625 | 3500 |
| 260 | 92 | 125 | FWD | 4.36 | 1162 | 698 | 1860 | 1370 | 1255 | 2625 | 4625 |
| 260 | 92 | 125 | FWD | 4.36 | 1162 | 698 | 1860 | 1370 | 1255 | 2625 | 3500 |
| 260 | 103 | 140 | FWD | 4.36 | 1162 | 698 | 1860 | 1370 | 1255 | 2625 | 4625 |
| 260 | 103 | 140 | FWD | 4.36 | 1162 | 698 | 1860 | 1370 | 1255 | 2625 | 3500 |
| 280 | 74 | 100 | FWD | 4.36 | 1162 | 698 | 1860 | 1368 | 1457 | 2825 | 4825 |
| 280 | 74 | 100 | FWD | 4.36 | 1162 | 698 | 1860 | 1368 | 1457 | 2825 | 3500 |
| 280 | 92 | 125 | FWD | 4.36 | 1162 | 698 | 1860 | 1368 | 1457 | 2825 | 4825 |
| 280 | 92 | 125 | FWD | 4.36 | 1162 | 698 | 1860 | 1368 | 1457 | 2825 | 3500 |
| 280 | 103 | 140 | FWD | 4.36 | 1162 | 698 | 1860 | 1368 | 1457 | 2825 | 4825 |
| 280 | 103 | 140 | FWD | 4.36 | 1162 | 698 | 1860 | 1368 | 1457 | 2825 | 3500 |
| 300 | 74 | 100 | FWD | 4.36 | 1162 | 698 | 1860 | 1366 | 1659 | 3025 | 5025 |
| 300 | 74 | 100 | FWD | 4.36 | 1162 | 698 | 1860 | 1366 | 1659 | 3025 | 3500 |
| 300 | 92 | 125 | FWD | 4.36 | 1162 | 698 | 1860 | 1366 | 1659 | 3025 | 5025 |
| 300 | 92 | 125 | FWD | 4.36 | 1162 | 698 | 1860 | 1366 | 1659 | 3025 | 3500 |
| 300 | 103 | 140 | FWD | 4.36 | 1162 | 698 | 1860 | 1366 | 1659 | 3025 | 5025 |
| 300 | 103 | 140 | FWD | 4.36 | 1162 | 698 | 1860 | 1366 | 1659 | 3025 | 3500 |
| 330 | 92 | 125 | FWD | 4.93 | 1175 | 723 | 1898 | 1377 | 1948 | 3325 | 5325 |
| 330 | 103 | 140 | FWD | 4.93 | 1175 | 723 | 1898 | 1377 | 1948 | 3325 | 5325 |
| 300 | 74 | 100 | RWD | 3.58 | 1209 | 884 | 2093 | 1404 | 1620 | 3025 | 5025 |
| 300 | 74 | 100 | RWD | 3.91 | 1209 | 884 | 2093 | 1404 | 1620 | 3025 | 5025 |
| 300 | 92 | 125 | RWD | 3.31 | 1209 | 884 | 2093 | 1404 | 1620 | 3025 | 5025 |
| 300 | 92 | 125 | RWD | 3.91 | 1209 | 884 | 2093 | 1404 | 1620 | 3025 | 5025 |
| 300 | 92 | 125 | AWD | 3.91 | 1238 | 823 | 2061 | 1468 | 1556 | 3025 | 5025 |
| 330 | 74 | 100 | RWD | 3.58 | 1211 | 884 | 2095 | 1403 | 1921 | 3325 | 5325 |
| 330 | 74 | 100 | RWD | 3.91 | 1211 | 884 | 2095 | 1403 | 1921 | 3325 | 5325 |
| 330 | 92 | 125 | RWD | 3.31 | 1211 | 884 | 2095 | 1403 | 1921 | 3325 | 5325 |
| 330 | 92 | 125 | RWD | 3.58 | 1211 | 884 | 2095 | 1403 | 1921 | 3325 | 5325 |

DOUBLE CAB in VAN

BRAKES CERTIFIED TO EEC REQUIREMENTS - UNLADEN WEIGHT DISTRIBUTION STANDARD PRODUCTION MODEL

| MODEL | ENGINE | | DRIVELINE | AXLE RATIO | UNLADEN KERB WEIGHT* (kg) | | | GROSS VEHICLE MASS (kg) | | | GTM** (kg) |
|-------|--------|-----|-----------|------------|---------------------------|------|-------|-------------------------|------|-------|------------|
| | kW | | | | FRONT | REAR | TOTAL | FRONT | REAR | TOTAL | |
| 330 | 92 | 125 | RWD | 3.91 | 1211 | 884 | 2095 | 1403 | 1921 | 3325 | 5325 |
| 330 | 99 | 135 | RWD | 3.58 | 1211 | 884 | 2095 | 1403 | 1921 | 3325 | 5325 |
| 330 | 114 | 155 | RWD | 3.31 | 1208 | 907 | 2115 | 1401 | 1924 | 3325 | 5325 |
| 330 | 114 | 155 | RWD | 3.91 | 1208 | 907 | 2115 | 1401 | 1924 | 3325 | 5325 |
| 330 | 92 | 125 | AWD | 3.91 | 1275 | 894 | 2169 | 1470 | 1855 | 3325 | 5325 |

Medium Wheel Base

Low Roof - Single Rear Wheel

| | | | | | | | | | | | |
|-----|-----|-----|-----|------|------|-----|------|------|------|------|------|
| 280 | 74 | 100 | FWD | 4.36 | 1209 | 697 | 1906 | 1472 | 1353 | 2825 | 5225 |
| 280 | 74 | 100 | FWD | 4.36 | 1209 | 697 | 1906 | 1472 | 1353 | 2825 | 3500 |
| 280 | 92 | 125 | FWD | 4.36 | 1209 | 697 | 1906 | 1472 | 1353 | 2825 | 5225 |
| 280 | 92 | 125 | FWD | 4.36 | 1209 | 697 | 1906 | 1472 | 1353 | 2825 | 3500 |
| 280 | 103 | 140 | FWD | 4.36 | 1209 | 697 | 1906 | 1472 | 1353 | 2825 | 5225 |
| 280 | 103 | 140 | FWD | 4.36 | 1209 | 697 | 1906 | 1472 | 1353 | 2825 | 3500 |
| 300 | 74 | 100 | FWD | 4.36 | 1209 | 697 | 1906 | 1481 | 1544 | 3025 | 5225 |
| 300 | 92 | 125 | FWD | 4.36 | 1209 | 697 | 1906 | 1481 | 1544 | 3025 | 5225 |
| 300 | 103 | 140 | FWD | 4.36 | 1209 | 697 | 1906 | 1481 | 1544 | 3025 | 5225 |
| 330 | 92 | 125 | FWD | 4.93 | 1222 | 721 | 1944 | 1506 | 1818 | 3325 | 5500 |
| 330 | 103 | 140 | FWD | 4.93 | 1222 | 721 | 1944 | 1506 | 1818 | 3325 | 5500 |
| 350 | 92 | 125 | FWD | 4.93 | 1222 | 721 | 1944 | 1515 | 1985 | 3500 | 5500 |
| 350 | 92 | 125 | FWD | 4.93 | 1222 | 721 | 1944 | 1517 | 2033 | 3500 | 5500 |
| 350 | 103 | 140 | FWD | 4.93 | 1222 | 721 | 1944 | 1515 | 1985 | 3500 | 5500 |
| 350 | 103 | 140 | FWD | 4.93 | 1222 | 721 | 1944 | 1517 | 2033 | 3500 | 5500 |

Medium Roof - Single Rear Wheel

| | | | | | | | | | | | |
|------|-----|-----|-----|------|------|-----|------|------|------|------|------|
| 280 | 74 | 100 | FWD | 4.36 | 1215 | 717 | 1931 | 1476 | 1349 | 2825 | 5225 |
| 280 | 74 | 100 | FWD | 4.36 | 1215 | 717 | 1931 | 1476 | 1349 | 2825 | 3500 |
| 280 | 92 | 125 | FWD | 4.36 | 1215 | 717 | 1931 | 1476 | 1349 | 2825 | 5225 |
| 280 | 92 | 125 | FWD | 4.36 | 1215 | 717 | 1931 | 1476 | 1349 | 2825 | 3500 |
| 280 | 103 | 140 | FWD | 4.36 | 1215 | 717 | 1931 | 1476 | 1349 | 2825 | 5225 |
| 280 | 103 | 140 | FWD | 4.36 | 1215 | 717 | 1931 | 1476 | 1349 | 2825 | 3500 |
| 300 | 74 | 100 | FWD | 4.36 | 1215 | 717 | 1931 | 1485 | 1540 | 3025 | 5225 |
| 300 | 92 | 125 | FWD | 4.36 | 1215 | 717 | 1931 | 1485 | 1540 | 3025 | 5225 |
| 300 | 103 | 140 | FWD | 4.36 | 1215 | 717 | 1931 | 1485 | 1540 | 3025 | 5225 |
| 330 | 92 | 125 | FWD | 4.93 | 1228 | 741 | 1969 | 1510 | 1814 | 3325 | 5500 |
| 330 | 103 | 140 | FWD | 4.93 | 1228 | 741 | 1969 | 1510 | 1814 | 3325 | 5500 |
| 350 | 92 | 125 | FWD | 4.93 | 1228 | 741 | 1969 | 1519 | 1981 | 3500 | 5500 |
| 350 | 92 | 125 | FWD | 4.93 | 1228 | 741 | 1969 | 1521 | 2029 | 3500 | 5500 |
| 350 | 103 | 140 | FWD | 4.93 | 1228 | 741 | 1969 | 1519 | 1981 | 3500 | 5500 |
| 350 | 103 | 140 | FWD | 4.93 | 1228 | 741 | 1969 | 1521 | 2029 | 3500 | 5500 |
| 300 | 74 | 100 | RWD | 3.58 | 1257 | 873 | 2129 | 1507 | 1519 | 3025 | 5500 |
| 300 | 74 | 100 | RWD | 3.91 | 1257 | 873 | 2129 | 1507 | 1519 | 3025 | 5825 |
| 300 | 92 | 125 | RWD | 3.31 | 1257 | 873 | 2129 | 1507 | 1519 | 3025 | 5500 |
| 300 | 92 | 125 | RWD | 3.91 | 1257 | 873 | 2129 | 1507 | 1519 | 3025 | 5825 |
| 330 | 74 | 100 | RWD | 3.58 | 1259 | 873 | 2131 | 1523 | 1803 | 3325 | 5500 |
| 330 | 74 | 100 | RWD | 3.91 | 1259 | 873 | 2131 | 1523 | 1803 | 3325 | 6000 |
| 330 | 92 | 125 | RWD | 3.31 | 1259 | 873 | 2131 | 1523 | 1803 | 3325 | 5500 |
| 330 | 92 | 125 | RWD | 3.91 | 1259 | 873 | 2131 | 1523 | 1803 | 3325 | 6000 |
| 330 | 114 | 155 | RWD | 3.31 | 1256 | 896 | 2152 | 1519 | 1806 | 3325 | 5500 |
| 330 | 114 | 155 | RWD | 3.91 | 1256 | 896 | 2152 | 1519 | 1806 | 3325 | 6000 |
| 350 | 74 | 100 | RWD | 3.58 | 1259 | 873 | 2131 | 1553 | 1937 | 3490 | 5500 |
| 350~ | 74 | 100 | RWD | 3.58 | 1264 | 873 | 2137 | 1558 | 1931 | 3490 | 5500 |
| 350 | 74 | 100 | RWD | 3.58 | 1259 | 873 | 2131 | 1553 | 1947 | 3500 | 5500 |
| 350~ | 74 | 100 | RWD | 3.58 | 1264 | 873 | 2137 | 1559 | 1941 | 3500 | 5500 |
| 350 | 74 | 100 | RWD | 3.91 | 1259 | 873 | 2131 | 1553 | 1937 | 3490 | 6000 |
| 350~ | 74 | 100 | RWD | 3.91 | 1264 | 873 | 2137 | 1558 | 1931 | 3490 | 6000 |
| 350 | 74 | 100 | RWD | 3.91 | 1259 | 873 | 2131 | 1553 | 1947 | 3500 | 6000 |
| 350~ | 74 | 100 | RWD | 3.91 | 1264 | 873 | 2137 | 1559 | 1941 | 3500 | 6000 |
| 350 | 92 | 125 | RWD | 3.31 | 1259 | 873 | 2131 | 1553 | 1937 | 3490 | 5500 |
| 350~ | 92 | 125 | RWD | 3.31 | 1264 | 873 | 2137 | 1558 | 1931 | 3490 | 5500 |
| 350 | 92 | 125 | RWD | 3.31 | 1259 | 873 | 2131 | 1553 | 1947 | 3500 | 5500 |
| 350~ | 92 | 125 | RWD | 3.31 | 1264 | 873 | 2137 | 1559 | 1941 | 3500 | 5500 |
| 350 | 92 | 125 | RWD | 3.31 | 1259 | 873 | 2131 | 1556 | 1994 | 3500 | 5500 |
| 350~ | 92 | 125 | RWD | 3.31 | 1264 | 873 | 2137 | 1561 | 1989 | 3500 | 5500 |
| 350 | 92 | 125 | RWD | 3.91 | 1259 | 873 | 2131 | 1553 | 1937 | 3490 | 6000 |
| 350~ | 92 | 125 | RWD | 3.91 | 1264 | 873 | 2137 | 1558 | 1931 | 3490 | 6000 |
| 350 | 92 | 125 | RWD | 3.91 | 1259 | 873 | 2131 | 1553 | 1947 | 3500 | 6000 |

DOUBLE CAB in VAN

BRAKES CERTIFIED TO EEC REQUIREMENTS - UNLADEN WEIGHT DISTRIBUTION STANDARD PRODUCTION MODEL

| MODEL | ENGINE | | DRIVELINE | AXLE RATIO | UNLADEN KERB WEIGHT* (kg) | | | GROSS VEHICLE MASS (kg) | | | GTM** (kg) |
|-------------------------------|--------|-----|-----------|------------|---------------------------|------|-------|-------------------------|------|-------|------------|
| | kW | | | | FRONT | REAR | TOTAL | FRONT | REAR | TOTAL | |
| 350~ | 92 | 125 | RWD | 3.91 | 1264 | 873 | 2137 | 1559 | 1941 | 3500 | 6000 |
| 350 | 92 | 125 | RWD | 3.91 | 1259 | 873 | 2131 | 1556 | 1994 | 3550 | 6000 |
| 350~ | 92 | 125 | RWD | 3.91 | 1264 | 873 | 2137 | 1561 | 1989 | 3550 | 6000 |
| 350 | 99 | 135 | RWD | 3.58 | 1259 | 873 | 2131 | 1553 | 1947 | 3500 | 5500 |
| 350~ | 99 | 135 | RWD | 3.58 | 1264 | 873 | 2137 | 1559 | 1941 | 3500 | 5500 |
| 350 | 99 | 135 | RWD | 3.58 | 1259 | 873 | 2131 | 1553 | 1937 | 3490 | 5500 |
| 350~ | 99 | 135 | RWD | 3.58 | 1264 | 873 | 2137 | 1558 | 1931 | 3490 | 5500 |
| 350 | 99 | 135 | RWD | 3.58 | 1259 | 873 | 2131 | 1556 | 1994 | 3550 | 5500 |
| 350~ | 99 | 135 | RWD | 3.58 | 1264 | 873 | 2137 | 1561 | 1989 | 3550 | 5500 |
| 350 | 114 | 155 | RWD | 3.31 | 1256 | 896 | 2152 | 1549 | 1941 | 3490 | 5500 |
| 350~ | 114 | 155 | RWD | 3.31 | 1262 | 896 | 2158 | 1555 | 1936 | 3490 | 5500 |
| 350 | 114 | 155 | RWD | 3.31 | 1256 | 896 | 2152 | 1549 | 1951 | 3500 | 5500 |
| 350~ | 114 | 155 | RWD | 3.31 | 1262 | 896 | 2158 | 1555 | 1945 | 3500 | 5500 |
| 350 | 114 | 155 | RWD | 3.31 | 1256 | 896 | 2152 | 1552 | 1998 | 3550 | 5500 |
| 350~ | 114 | 155 | RWD | 3.31 | 1262 | 896 | 2158 | 1557 | 1993 | 3550 | 5500 |
| 350 | 114 | 155 | RWD | 3.91 | 1256 | 896 | 2152 | 1549 | 1941 | 3490 | 6290 |
| 350~ | 114 | 155 | RWD | 3.91 | 1262 | 896 | 2158 | 1555 | 1936 | 3490 | 6290 |
| 350 | 114 | 155 | RWD | 3.91 | 1256 | 896 | 2152 | 1549 | 1951 | 3500 | 6300 |
| 350~ | 114 | 155 | RWD | 3.91 | 1262 | 896 | 2158 | 1555 | 1945 | 3500 | 6300 |
| 350 | 114 | 155 | RWD | 3.91 | 1256 | 896 | 2152 | 1552 | 1998 | 3550 | 6300 |
| 350~ | 114 | 155 | RWD | 3.91 | 1262 | 896 | 2158 | 1557 | 1993 | 3550 | 6300 |
| 330 | 92 | 125 | AWD | 3.91 | 1323 | 883 | 2206 | 1581 | 1744 | 3325 | 6000 |
| 350 | 92 | 125 | AWD | 3.91 | 1323 | 883 | 2206 | 1589 | 1901 | 3490 | 6290 |
| 350~ | 92 | 125 | AWD | 3.91 | 1328 | 883 | 2212 | 1594 | 1896 | 3490 | 6290 |
| 350 | 92 | 125 | AWD | 3.91 | 1323 | 883 | 2206 | 1589 | 1911 | 3500 | 6300 |
| 350~ | 92 | 125 | AWD | 3.91 | 1328 | 883 | 2212 | 1595 | 1905 | 3500 | 6300 |
| 350 | 92 | 125 | AWD | 3.91 | 1323 | 883 | 2206 | 1591 | 1959 | 3550 | 6300 |
| 350~ | 92 | 125 | AWD | 3.91 | 1328 | 883 | 2212 | 1597 | 1953 | 3550 | 6300 |
| High Roof - Single Rear Wheel | | | | | | | | | | | |
| 280 | 74 | 100 | FWD | 4.36 | 1219 | 734 | 1953 | 1479 | 1346 | 2825 | 5225 |
| 280 | 74 | 100 | FWD | 4.36 | 1219 | 734 | 1953 | 1479 | 1346 | 2825 | 3500 |
| 280 | 92 | 125 | FWD | 4.36 | 1219 | 734 | 1953 | 1479 | 1346 | 2825 | 5225 |
| 280 | 92 | 125 | FWD | 4.36 | 1219 | 734 | 1953 | 1479 | 1346 | 2825 | 3500 |
| 280 | 103 | 140 | FWD | 4.36 | 1219 | 734 | 1953 | 1479 | 1346 | 2825 | 5225 |
| 280 | 103 | 140 | FWD | 4.36 | 1219 | 734 | 1953 | 1479 | 1346 | 2825 | 3500 |
| 300 | 74 | 100 | FWD | 4.36 | 1219 | 734 | 1953 | 1489 | 1537 | 3025 | 5225 |
| 300 | 92 | 125 | FWD | 4.36 | 1219 | 734 | 1953 | 1489 | 1537 | 3025 | 5225 |
| 300 | 103 | 140 | FWD | 4.36 | 1219 | 734 | 1953 | 1489 | 1537 | 3025 | 5225 |
| 330 | 92 | 125 | FWD | 4.93 | 1232 | 759 | 1991 | 1514 | 1811 | 3325 | 5500 |
| 330 | 103 | 140 | FWD | 4.93 | 1232 | 759 | 1991 | 1514 | 1811 | 3325 | 5500 |
| 350 | 92 | 125 | FWD | 4.93 | 1232 | 759 | 1991 | 1522 | 1978 | 3500 | 5500 |
| 350 | 92 | 125 | FWD | 4.93 | 1232 | 759 | 1991 | 1525 | 2026 | 3550 | 5500 |
| 350 | 103 | 140 | FWD | 4.93 | 1232 | 759 | 1991 | 1522 | 1978 | 3500 | 5500 |
| 350 | 103 | 140 | FWD | 4.93 | 1232 | 759 | 1991 | 1525 | 2026 | 3550 | 5500 |
| 300 | 74 | 100 | RWD | 3.58 | 1261 | 890 | 2152 | 1510 | 1514 | 3025 | 5500 |
| 300 | 74 | 100 | RWD | 3.91 | 1261 | 890 | 2152 | 1510 | 1514 | 3025 | 5825 |
| 300 | 92 | 125 | RWD | 3.31 | 1261 | 890 | 2152 | 1510 | 1514 | 3025 | 5500 |
| 300 | 92 | 125 | RWD | 3.91 | 1261 | 890 | 2152 | 1510 | 1514 | 3025 | 5825 |
| 330 | 74 | 100 | RWD | 3.58 | 1263 | 890 | 2154 | 1526 | 1798 | 3325 | 5500 |
| 330 | 74 | 100 | RWD | 3.91 | 1263 | 890 | 2154 | 1526 | 1798 | 3325 | 6000 |
| 330 | 92 | 125 | RWD | 3.31 | 1263 | 890 | 2154 | 1526 | 1798 | 3325 | 5500 |
| 330 | 92 | 125 | RWD | 3.91 | 1263 | 890 | 2154 | 1526 | 1798 | 3325 | 6000 |
| 330 | 114 | 155 | RWD | 3.31 | 1260 | 914 | 2174 | 1522 | 1803 | 3325 | 5500 |
| 330 | 114 | 155 | RWD | 3.91 | 1260 | 914 | 2174 | 1522 | 1803 | 3325 | 6000 |
| 350 | 74 | 100 | RWD | 3.58 | 1263 | 890 | 2154 | 1556 | 1934 | 3490 | 5500 |
| 350~ | 74 | 100 | RWD | 3.58 | 1269 | 890 | 2160 | 1562 | 1928 | 3490 | 5500 |
| 350 | 74 | 100 | RWD | 3.58 | 1263 | 890 | 2154 | 1557 | 1943 | 3500 | 5500 |
| 350~ | 74 | 100 | RWD | 3.58 | 1269 | 890 | 2160 | 1562 | 1938 | 3500 | 5500 |
| 350 | 74 | 100 | RWD | 3.91 | 1263 | 890 | 2154 | 1556 | 1934 | 3490 | 6000 |
| 350~ | 74 | 100 | RWD | 3.91 | 1269 | 890 | 2160 | 1562 | 1928 | 3490 | 6000 |
| 350 | 74 | 100 | RWD | 3.91 | 1263 | 890 | 2154 | 1557 | 1943 | 3500 | 6000 |
| 350~ | 74 | 100 | RWD | 3.91 | 1269 | 890 | 2160 | 1562 | 1938 | 3500 | 6000 |
| 350 | 92 | 125 | RWD | 3.31 | 1263 | 890 | 2154 | 1556 | 1934 | 3490 | 5500 |
| 350~ | 92 | 125 | RWD | 3.31 | 1269 | 890 | 2160 | 1562 | 1928 | 3490 | 5500 |
| 350 | 92 | 125 | RWD | 3.31 | 1263 | 890 | 2154 | 1557 | 1943 | 3500 | 5500 |
| 350~ | 92 | 125 | RWD | 3.31 | 1269 | 890 | 2160 | 1562 | 1938 | 3500 | 5500 |
| 350 | 92 | 125 | RWD | 3.31 | 1263 | 890 | 2154 | 1559 | 1991 | 3550 | 5500 |

DOUBLE CAB in VAN

BRAKES CERTIFIED TO EEC REQUIREMENTS - UNLADEN WEIGHT DISTRIBUTION STANDARD PRODUCTION MODEL

| MODEL | ENGINE | | DRIVELINE | AXLE RATIO | UNLADEN KERB WEIGHT* (kg) | | | GROSS VEHICLE MASS (kg) | | | GTM** (kg) |
|--|--------|-----|-----------|------------|---------------------------|------|-------|-------------------------|------|-------|------------|
| | kW | | | | FRONT | REAR | TOTAL | FRONT | REAR | TOTAL | |
| 350~ | 92 | 125 | RWD | 3.31 | 1269 | 890 | 2160 | 1565 | 1985 | 3550 | 5500 |
| 350 | 92 | 125 | RWD | 3.91 | 1263 | 890 | 2154 | 1556 | 1934 | 3490 | 6000 |
| 350~ | 92 | 125 | RWD | 3.91 | 1269 | 890 | 2160 | 1562 | 1928 | 3490 | 6000 |
| 350 | 92 | 125 | RWD | 3.91 | 1263 | 890 | 2154 | 1557 | 1943 | 3500 | 6000 |
| 350~ | 92 | 125 | RWD | 3.91 | 1269 | 890 | 2160 | 1562 | 1938 | 3500 | 6000 |
| 350 | 92 | 125 | RWD | 3.91 | 1263 | 890 | 2154 | 1559 | 1991 | 3550 | 6000 |
| 350~ | 92 | 125 | RWD | 3.91 | 1269 | 890 | 2160 | 1565 | 1985 | 3550 | 6000 |
| 350 | 99 | 135 | RWD | 3.58 | 1263 | 890 | 2154 | 1557 | 1943 | 3500 | 5500 |
| 350~ | 99 | 135 | RWD | 3.58 | 1269 | 890 | 2160 | 1562 | 1938 | 3500 | 5500 |
| 350 | 99 | 135 | RWD | 3.58 | 1263 | 890 | 2154 | 1556 | 1934 | 3490 | 5500 |
| 350~ | 99 | 135 | RWD | 3.58 | 1269 | 890 | 2160 | 1562 | 1928 | 3490 | 5500 |
| 350 | 99 | 135 | RWD | 3.58 | 1263 | 890 | 2154 | 1559 | 1991 | 3550 | 5500 |
| 350~ | 99 | 135 | RWD | 3.58 | 1269 | 890 | 2160 | 1565 | 1985 | 3550 | 5500 |
| 350 | 114 | 155 | RWD | 3.31 | 1260 | 914 | 2174 | 1553 | 1937 | 3490 | 5500 |
| 350~ | 114 | 155 | RWD | 3.31 | 1266 | 914 | 2180 | 1558 | 1932 | 3490 | 5500 |
| 350 | 114 | 155 | RWD | 3.31 | 1260 | 914 | 2174 | 1553 | 1947 | 3500 | 5500 |
| 350~ | 114 | 155 | RWD | 3.31 | 1266 | 914 | 2180 | 1559 | 1942 | 3500 | 5500 |
| 350 | 114 | 155 | RWD | 3.31 | 1260 | 914 | 2174 | 1555 | 1994 | 3550 | 5500 |
| 350~ | 114 | 155 | RWD | 3.31 | 1266 | 914 | 2180 | 1561 | 1989 | 3550 | 5500 |
| 350 | 114 | 155 | RWD | 3.91 | 1260 | 914 | 2174 | 1553 | 1937 | 3490 | 6290 |
| 350~ | 114 | 155 | RWD | 3.91 | 1266 | 914 | 2180 | 1558 | 1932 | 3490 | 6290 |
| 350 | 114 | 155 | RWD | 3.91 | 1260 | 914 | 2174 | 1553 | 1947 | 3500 | 6300 |
| 350~ | 114 | 155 | RWD | 3.91 | 1266 | 914 | 2180 | 1559 | 1942 | 3500 | 6300 |
| 350 | 114 | 155 | RWD | 3.91 | 1260 | 914 | 2174 | 1555 | 1994 | 3550 | 6300 |
| 350~ | 114 | 155 | RWD | 3.91 | 1266 | 914 | 2180 | 1561 | 1989 | 3550 | 6300 |
| 330 | 92 | 125 | AWD | 3.91 | 1327 | 901 | 2228 | 1585 | 1740 | 3325 | 6000 |
| 350 | 92 | 125 | AWD | 3.91 | 1327 | 901 | 2228 | 1592 | 1898 | 3490 | 6290 |
| 350~ | 92 | 125 | AWD | 3.91 | 1333 | 901 | 2234 | 1598 | 1892 | 3490 | 6290 |
| 350 | 92 | 125 | AWD | 3.91 | 1327 | 901 | 2228 | 1593 | 1908 | 3500 | 6300 |
| 350~ | 92 | 125 | AWD | 3.91 | 1333 | 901 | 2234 | 1598 | 1902 | 3500 | 6300 |
| 350 | 92 | 125 | AWD | 3.91 | 1327 | 901 | 2228 | 1595 | 1955 | 3550 | 6300 |
| 350~ | 92 | 125 | AWD | 3.91 | 1333 | 901 | 2234 | 1601 | 1950 | 3550 | 6300 |
| Long Wheel Base | | | | | | | | | | | |
| Medium Roof - Single Rear Wheel | | | | | | | | | | | |
| 300 | 74 | 100 | FWD | 4.36 | 1246 | 749 | 1995 | 1570 | 1455 | 3025 | 5225 |
| 300 | 92 | 125 | FWD | 4.36 | 1246 | 749 | 1995 | 1570 | 1455 | 3025 | 5225 |
| 300 | 103 | 140 | FWD | 4.36 | 1246 | 749 | 1995 | 1570 | 1455 | 3025 | 5225 |
| 330 | 92 | 125 | FWD | 4.93 | 1259 | 773 | 2033 | 1609 | 1716 | 3325 | 5500 |
| 330 | 103 | 140 | FWD | 4.93 | 1259 | 773 | 2033 | 1609 | 1716 | 3325 | 5500 |
| 350 | 92 | 125 | FWD | 4.93 | 1259 | 773 | 2033 | 1627 | 1873 | 3500 | 5500 |
| 350 | 92 | 125 | FWD | 4.93 | 1259 | 773 | 2033 | 1632 | 1918 | 3550 | 5500 |
| 350 | 103 | 140 | FWD | 4.93 | 1259 | 773 | 2033 | 1627 | 1873 | 3500 | 5500 |
| 350 | 103 | 140 | FWD | 4.93 | 1259 | 773 | 2033 | 1632 | 1918 | 3550 | 5500 |
| 300 | 74 | 100 | RWD | 3.58 | 1287 | 871 | 2158 | 1582 | 1442 | 3025 | 5500 |
| 300 | 74 | 100 | RWD | 3.91 | 1287 | 871 | 2158 | 1582 | 1442 | 3025 | 5825 |
| 300 | 92 | 125 | RWD | 3.31 | 1287 | 871 | 2158 | 1582 | 1442 | 3025 | 5500 |
| 300 | 92 | 125 | RWD | 3.91 | 1287 | 871 | 2158 | 1582 | 1442 | 3025 | 5825 |
| 330 | 74 | 100 | RWD | 3.58 | 1289 | 871 | 2160 | 1614 | 1710 | 3325 | 5500 |
| 330 | 74 | 100 | RWD | 3.91 | 1289 | 871 | 2160 | 1614 | 1710 | 3325 | 6000 |
| 330 | 92 | 125 | RWD | 3.31 | 1289 | 871 | 2160 | 1614 | 1710 | 3325 | 5500 |
| 330 | 92 | 125 | RWD | 3.91 | 1289 | 871 | 2160 | 1614 | 1710 | 3325 | 6000 |
| 330 | 114 | 155 | RWD | 3.31 | 1286 | 894 | 2180 | 1609 | 1716 | 3325 | 5500 |
| 330 | 114 | 155 | RWD | 3.91 | 1286 | 894 | 2180 | 1609 | 1716 | 3325 | 6000 |
| 350 | 74 | 100 | RWD | 3.58 | 1289 | 871 | 2160 | 1652 | 1838 | 3490 | 5500 |
| 350~ | 74 | 100 | RWD | 3.58 | 1294 | 871 | 2165 | 1657 | 1833 | 3490 | 5500 |
| 350 | 74 | 100 | RWD | 3.58 | 1289 | 871 | 2160 | 1653 | 1847 | 3500 | 5500 |
| 350~ | 74 | 100 | RWD | 3.58 | 1294 | 871 | 2165 | 1658 | 1842 | 3500 | 5500 |
| 350 | 74 | 100 | RWD | 3.91 | 1289 | 871 | 2160 | 1652 | 1838 | 3490 | 6000 |
| 350~ | 74 | 100 | RWD | 3.91 | 1294 | 871 | 2165 | 1657 | 1833 | 3490 | 6000 |
| 350 | 74 | 100 | RWD | 3.91 | 1289 | 871 | 2160 | 1653 | 1847 | 3500 | 6000 |
| 350~ | 74 | 100 | RWD | 3.91 | 1294 | 871 | 2165 | 1658 | 1842 | 3500 | 6000 |
| 350 | 92 | 125 | RWD | 3.31 | 1289 | 871 | 2160 | 1652 | 1838 | 3490 | 5500 |
| 350~ | 92 | 125 | RWD | 3.31 | 1294 | 871 | 2165 | 1657 | 1833 | 3490 | 5500 |
| 350 | 92 | 125 | RWD | 3.31 | 1289 | 871 | 2160 | 1653 | 1847 | 3500 | 5500 |
| 350~ | 92 | 125 | RWD | 3.31 | 1294 | 871 | 2165 | 1658 | 1842 | 3500 | 5500 |

DOUBLE CAB in VAN

BRAKES CERTIFIED TO EEC REQUIREMENTS - UNLADEN WEIGHT DISTRIBUTION STANDARD PRODUCTION MODEL

| MODEL | ENGINE | | DRIVELINE | AXLE RATIO | UNLADEN KERB WEIGHT* (kg) | | | GROSS VEHICLE MASS (kg) | | | GTM** (kg) |
|-------------------------------|--------|-----|-----------|------------|---------------------------|------|-------|-------------------------|------|-------|------------|
| | kW | | | | FRONT | REAR | TOTAL | FRONT | REAR | TOTAL | |
| 350 | 92 | 125 | RWD | 3.31 | 1289 | 871 | 2160 | 1658 | 1892 | 3550 | 5500 |
| 350~ | 92 | 125 | RWD | 3.31 | 1294 | 871 | 2165 | 1663 | 1887 | 3550 | 5500 |
| 350 | 92 | 125 | RWD | 3.91 | 1289 | 871 | 2160 | 1652 | 1838 | 3490 | 6000 |
| 350~ | 92 | 125 | RWD | 3.91 | 1294 | 871 | 2165 | 1657 | 1833 | 3490 | 6000 |
| 350 | 92 | 125 | RWD | 3.91 | 1289 | 871 | 2160 | 1653 | 1847 | 3500 | 6000 |
| 350~ | 92 | 125 | RWD | 3.91 | 1294 | 871 | 2165 | 1658 | 1842 | 3500 | 6000 |
| 350 | 92 | 125 | RWD | 3.91 | 1289 | 871 | 2160 | 1658 | 1892 | 3550 | 6000 |
| 350~ | 92 | 125 | RWD | 3.91 | 1294 | 871 | 2165 | 1663 | 1887 | 3550 | 6000 |
| 350 | 114 | 155 | RWD | 3.31 | 1286 | 894 | 2180 | 1647 | 1844 | 3490 | 5500 |
| 350~ | 114 | 155 | RWD | 3.31 | 1291 | 894 | 2186 | 1652 | 1838 | 3490 | 5500 |
| 350 | 114 | 155 | RWD | 3.31 | 1286 | 894 | 2180 | 1648 | 1853 | 3500 | 5500 |
| 350~ | 114 | 155 | RWD | 3.31 | 1291 | 894 | 2186 | 1653 | 1847 | 3500 | 5500 |
| 350 | 114 | 155 | RWD | 3.31 | 1286 | 894 | 2180 | 1653 | 1898 | 3550 | 5500 |
| 350~ | 114 | 155 | RWD | 3.31 | 1291 | 894 | 2186 | 1658 | 1892 | 3550 | 5500 |
| 350 | 114 | 155 | RWD | 3.91 | 1286 | 894 | 2180 | 1647 | 1844 | 3490 | 6290 |
| 350~ | 114 | 155 | RWD | 3.91 | 1291 | 894 | 2186 | 1652 | 1838 | 3490 | 6290 |
| 350 | 114 | 155 | RWD | 3.91 | 1286 | 894 | 2180 | 1648 | 1853 | 3500 | 6300 |
| 350~ | 114 | 155 | RWD | 3.91 | 1291 | 894 | 2186 | 1653 | 1847 | 3500 | 6300 |
| 350 | 114 | 155 | RWD | 3.91 | 1286 | 894 | 2180 | 1653 | 1898 | 3550 | 6300 |
| 350~ | 114 | 155 | RWD | 3.91 | 1291 | 894 | 2186 | 1658 | 1892 | 3550 | 6300 |
| 330 | 92 | 125 | AWD | 3.91 | 1353 | 882 | 2234 | 1672 | 1653 | 3325 | 6000 |
| 350 | 92 | 125 | AWD | 3.91 | 1353 | 882 | 2234 | 1689 | 1801 | 3490 | 6290 |
| 350~ | 92 | 125 | AWD | 3.91 | 1358 | 882 | 2240 | 1694 | 1796 | 3490 | 6290 |
| 350 | 92 | 125 | AWD | 3.91 | 1353 | 882 | 2234 | 1690 | 1810 | 3500 | 6300 |
| 350~ | 92 | 125 | AWD | 3.91 | 1358 | 882 | 2240 | 1695 | 1805 | 3500 | 6300 |
| 350 | 92 | 125 | AWD | 3.91 | 1353 | 882 | 2234 | 1695 | 1855 | 3550 | 6300 |
| 350~ | 92 | 125 | AWD | 3.91 | 1358 | 882 | 2240 | 1700 | 1850 | 3550 | 6300 |
| High Roof - Single Rear Wheel | | | | | | | | | | | |
| 350 | 92 | 125 | FWD | 4.93 | 1266 | 794 | 2060 | 1631 | 1869 | 3500 | 5500 |
| 350 | 92 | 125 | FWD | 4.93 | 1266 | 794 | 2060 | 1636 | 1914 | 3550 | 5500 |
| 350 | 103 | 140 | FWD | 4.93 | 1266 | 794 | 2060 | 1631 | 1869 | 3500 | 5500 |
| 350 | 103 | 140 | FWD | 4.93 | 1266 | 794 | 2060 | 1636 | 1914 | 3550 | 5500 |
| 300 | 74 | 100 | RWD | 3.58 | 1293 | 891 | 2185 | 1586 | 1438 | 3025 | 5500 |
| 300 | 74 | 100 | RWD | 3.91 | 1293 | 891 | 2185 | 1586 | 1438 | 3025 | 5825 |
| 300 | 92 | 125 | RWD | 3.31 | 1293 | 891 | 2185 | 1586 | 1438 | 3025 | 5500 |
| 300 | 92 | 125 | RWD | 3.91 | 1293 | 891 | 2185 | 1586 | 1438 | 3025 | 5825 |
| 330 | 74 | 100 | RWD | 3.58 | 1295 | 891 | 2187 | 1618 | 1706 | 3325 | 5500 |
| 330 | 74 | 100 | RWD | 3.91 | 1295 | 891 | 2187 | 1618 | 1706 | 3325 | 6000 |
| 330 | 92 | 125 | RWD | 3.31 | 1295 | 891 | 2187 | 1618 | 1706 | 3325 | 5500 |
| 330 | 92 | 125 | RWD | 3.91 | 1295 | 891 | 2187 | 1618 | 1706 | 3325 | 6000 |
| 330 | 114 | 155 | RWD | 3.31 | 1292 | 915 | 2207 | 1613 | 1712 | 3325 | 5500 |
| 330 | 114 | 155 | RWD | 3.91 | 1292 | 915 | 2207 | 1613 | 1712 | 3325 | 6000 |
| 350 | 74 | 100 | RWD | 3.58 | 1295 | 891 | 2187 | 1656 | 1834 | 3490 | 5500 |
| 350~ | 74 | 100 | RWD | 3.58 | 1301 | 891 | 2193 | 1661 | 1829 | 3490 | 5500 |
| 350 | 74 | 100 | RWD | 3.58 | 1295 | 891 | 2187 | 1657 | 1843 | 3500 | 5500 |
| 350~ | 74 | 100 | RWD | 3.58 | 1301 | 891 | 2193 | 1662 | 1838 | 3500 | 5500 |
| 350 | 74 | 100 | RWD | 3.91 | 1295 | 891 | 2187 | 1656 | 1834 | 3490 | 6000 |
| 350~ | 74 | 100 | RWD | 3.91 | 1301 | 891 | 2193 | 1661 | 1829 | 3490 | 6000 |
| 350 | 74 | 100 | RWD | 3.91 | 1295 | 891 | 2187 | 1657 | 1843 | 3500 | 6000 |
| 350~ | 74 | 100 | RWD | 3.91 | 1301 | 891 | 2193 | 1662 | 1838 | 3500 | 6000 |
| 350 | 92 | 125 | RWD | 3.31 | 1295 | 891 | 2187 | 1656 | 1834 | 3490 | 5500 |
| 350~ | 92 | 125 | RWD | 3.31 | 1301 | 891 | 2193 | 1661 | 1829 | 3490 | 5500 |
| 350 | 92 | 125 | RWD | 3.31 | 1295 | 891 | 2187 | 1657 | 1843 | 3500 | 5500 |
| 350~ | 92 | 125 | RWD | 3.31 | 1301 | 891 | 2193 | 1662 | 1838 | 3500 | 5500 |
| 350 | 92 | 125 | RWD | 3.31 | 1295 | 891 | 2187 | 1662 | 1888 | 3550 | 5500 |
| 350~ | 92 | 125 | RWD | 3.31 | 1301 | 891 | 2193 | 1667 | 1883 | 3550 | 5500 |
| 350 | 92 | 125 | RWD | 3.91 | 1295 | 891 | 2187 | 1656 | 1834 | 3490 | 6000 |
| 350~ | 92 | 125 | RWD | 3.91 | 1301 | 891 | 2193 | 1661 | 1829 | 3490 | 6000 |
| 350 | 92 | 125 | RWD | 3.91 | 1295 | 891 | 2187 | 1657 | 1843 | 3500 | 6000 |
| 350~ | 92 | 125 | RWD | 3.91 | 1301 | 891 | 2193 | 1662 | 1838 | 3500 | 6000 |
| 350 | 92 | 125 | RWD | 3.91 | 1295 | 891 | 2187 | 1662 | 1888 | 3550 | 6000 |
| 350~ | 92 | 125 | RWD | 3.91 | 1301 | 891 | 2193 | 1667 | 1883 | 3550 | 6000 |
| 350 | 114 | 155 | RWD | 3.31 | 1292 | 915 | 2207 | 1651 | 1839 | 3490 | 5500 |
| 350~ | 114 | 155 | RWD | 3.31 | 1298 | 915 | 2213 | 1656 | 1834 | 3490 | 5500 |
| 350 | 114 | 155 | RWD | 3.31 | 1292 | 915 | 2207 | 1652 | 1848 | 3500 | 5500 |
| 350~ | 114 | 155 | RWD | 3.31 | 1298 | 915 | 2213 | 1657 | 1843 | 3500 | 5500 |
| 350 | 114 | 155 | RWD | 3.31 | 1292 | 915 | 2207 | 1657 | 1893 | 3550 | 5500 |

DOUBLE CAB in VAN

BRAKES CERTIFIED TO EEC REQUIREMENTS - UNLADEN WEIGHT DISTRIBUTION STANDARD PRODUCTION MODEL

| MODEL | ENGINE | | DRIVELINE | AXLE RATIO | UNLADEN KERB WEIGHT* (kg) | | | GROSS VEHICLE MASS (kg) | | | GTM** (kg) |
|-------|--------|-----|-----------|------------|---------------------------|------|-------|-------------------------|------|-------|------------|
| | kW | | | | FRONT | REAR | TOTAL | FRONT | REAR | TOTAL | |
| 350~ | 114 | 155 | RWD | 3.31 | 1298 | 915 | 2213 | 1662 | 1888 | 3550 | 5500 |
| 350 | 114 | 155 | RWD | 3.91 | 1292 | 915 | 2207 | 1651 | 1839 | 3490 | 6290 |
| 350~ | 114 | 155 | RWD | 3.91 | 1298 | 915 | 2213 | 1656 | 1834 | 3490 | 6290 |
| 350 | 114 | 155 | RWD | 3.91 | 1292 | 915 | 2207 | 1652 | 1848 | 3500 | 6300 |
| 350~ | 114 | 155 | RWD | 3.91 | 1298 | 915 | 2213 | 1657 | 1843 | 3500 | 6300 |
| 350 | 114 | 155 | RWD | 3.91 | 1292 | 915 | 2207 | 1657 | 1893 | 3550 | 6300 |
| 350~ | 114 | 155 | RWD | 3.91 | 1298 | 915 | 2213 | 1662 | 1888 | 3550 | 6300 |
| 330 | 92 | 125 | AWD | 3.91 | 1359 | 902 | 2261 | 1676 | 1649 | 3325 | 6000 |
| 350 | 92 | 125 | AWD | 3.91 | 1359 | 902 | 2261 | 1693 | 1797 | 3490 | 6290 |
| 350~ | 92 | 125 | AWD | 3.91 | 1365 | 902 | 2267 | 1698 | 1792 | 3490 | 6290 |
| 350 | 92 | 125 | AWD | 3.91 | 1359 | 902 | 2261 | 1694 | 1806 | 3500 | 6300 |
| 350~ | 92 | 125 | AWD | 3.91 | 1365 | 902 | 2267 | 1699 | 1801 | 3500 | 6300 |
| 350 | 92 | 125 | AWD | 3.91 | 1359 | 902 | 2261 | 1699 | 1851 | 3550 | 6300 |
| 350~ | 92 | 125 | AWD | 3.91 | 1365 | 902 | 2267 | 1704 | 1846 | 3550 | 6300 |

Extended Frame Wheel Base

High Roof - Single Rear Wheel

| | | | | | | | | | | | |
|------|-----|-----|-----|------|------|------|------|------|------|------|------|
| 350 | 74 | 100 | RWD | 3.58 | 1248 | 1073 | 2322 | 1536 | 1954 | 3490 | 5500 |
| 350~ | 74 | 100 | RWD | 3.58 | 1254 | 1073 | 2327 | 1542 | 1948 | 3490 | 5500 |
| 350 | 74 | 100 | RWD | 3.58 | 1248 | 1073 | 2322 | 1536 | 1964 | 3500 | 5500 |
| 350~ | 74 | 100 | RWD | 3.58 | 1254 | 1073 | 2327 | 1542 | 1958 | 3500 | 5500 |
| 350 | 74 | 100 | RWD | 3.91 | 1248 | 1073 | 2322 | 1536 | 1954 | 3490 | 6000 |
| 350~ | 74 | 100 | RWD | 3.91 | 1254 | 1073 | 2327 | 1542 | 1948 | 3490 | 6000 |
| 350 | 74 | 100 | RWD | 3.91 | 1248 | 1073 | 2322 | 1536 | 1964 | 3500 | 6000 |
| 350~ | 74 | 100 | RWD | 3.91 | 1254 | 1073 | 2327 | 1542 | 1958 | 3500 | 6000 |
| 350 | 92 | 125 | RWD | 3.31 | 1248 | 1073 | 2322 | 1536 | 1954 | 3490 | 5500 |
| 350~ | 92 | 125 | RWD | 3.31 | 1254 | 1073 | 2327 | 1542 | 1948 | 3490 | 5500 |
| 350 | 92 | 125 | RWD | 3.31 | 1248 | 1073 | 2322 | 1536 | 1964 | 3500 | 5500 |
| 350~ | 92 | 125 | RWD | 3.31 | 1254 | 1073 | 2327 | 1542 | 1958 | 3500 | 5500 |
| 350 | 92 | 125 | RWD | 3.91 | 1248 | 1073 | 2322 | 1536 | 1954 | 3490 | 6000 |
| 350~ | 92 | 125 | RWD | 3.91 | 1254 | 1073 | 2327 | 1542 | 1948 | 3490 | 6000 |
| 350 | 92 | 125 | RWD | 3.91 | 1248 | 1073 | 2322 | 1536 | 1964 | 3500 | 6000 |
| 350~ | 92 | 125 | RWD | 3.91 | 1254 | 1073 | 2327 | 1542 | 1958 | 3500 | 6000 |
| 350 | 114 | 155 | RWD | 3.31 | 1245 | 1097 | 2342 | 1533 | 1958 | 3490 | 5500 |
| 350~ | 114 | 155 | RWD | 3.31 | 1251 | 1097 | 2348 | 1539 | 1952 | 3490 | 5500 |
| 350 | 114 | 155 | RWD | 3.31 | 1245 | 1097 | 2342 | 1533 | 1968 | 3500 | 5500 |
| 350~ | 114 | 155 | RWD | 3.31 | 1251 | 1097 | 2348 | 1539 | 1962 | 3500 | 5500 |
| 350 | 114 | 155 | RWD | 3.31 | 1245 | 1097 | 2342 | 1533 | 2017 | 3550 | 5500 |
| 350~ | 114 | 155 | RWD | 3.31 | 1251 | 1097 | 2348 | 1539 | 2011 | 3550 | 5500 |
| 350 | 114 | 155 | RWD | 3.91 | 1245 | 1097 | 2342 | 1533 | 1958 | 3490 | 6290 |
| 350~ | 114 | 155 | RWD | 3.91 | 1251 | 1097 | 2348 | 1539 | 1952 | 3490 | 6290 |
| 350 | 114 | 155 | RWD | 3.91 | 1245 | 1097 | 2342 | 1533 | 1968 | 3500 | 6300 |
| 350~ | 114 | 155 | RWD | 3.91 | 1251 | 1097 | 2348 | 1539 | 1962 | 3500 | 6300 |
| 350 | 114 | 155 | RWD | 3.91 | 1245 | 1097 | 2342 | 1533 | 2017 | 3550 | 6300 |
| 350~ | 114 | 155 | RWD | 3.91 | 1251 | 1097 | 2348 | 1539 | 2011 | 3550 | 6300 |
| 350 | 92 | 125 | AWD | 3.91 | 1312 | 1084 | 2396 | 1577 | 1913 | 3490 | 6290 |
| 350~ | 92 | 125 | AWD | 3.91 | 1318 | 1084 | 2402 | 1583 | 1907 | 3490 | 6290 |
| 350 | 92 | 125 | AWD | 3.91 | 1312 | 1084 | 2396 | 1577 | 1923 | 3500 | 6300 |
| 350~ | 92 | 125 | AWD | 3.91 | 1318 | 1084 | 2402 | 1583 | 1917 | 3500 | 6300 |
| 350 | 92 | 125 | AWD | 3.91 | 1312 | 1084 | 2396 | 1578 | 1972 | 3550 | 6300 |
| 350~ | 92 | 125 | AWD | 3.91 | 1318 | 1084 | 2402 | 1584 | 1966 | 3550 | 6300 |

* Unladen Kerb Weight (Mass in Running Order) - Includes driver (75kg), full fluids, spare wheel and 90% fuel (72ltrs)

** Gross Vehicle Train Mass

~ 1850 kg increased front axle plate

SINGLE CHASSIS CAB

BRAKES CERTIFIED TO EEC REQUIREMENTS - UNLADEN WEIGHT DISTRIBUTION STANDARD PRODUCTION MODEL

| MODEL | ENGINE | | DRIVELINE | AXLE RATIO | UNLADEN KERB WEIGHT* (kg) | | | GROSS VEHICLE MASS (kg) | | | GTM** (kg) |
|-------------------------------------|--------|-----|-----------|------------|---------------------------|------|-------|-------------------------|------|-------|------------|
| | kW | PS | | | FRONT | REAR | TOTAL | FRONT | REAR | TOTAL | |
| Short Wheel Base | | | | | | | | | | | |
| Low Roof - Single Rear Wheel | | | | | | | | | | | |
| 300 | 74 | 100 | FWD | 4.36 | 1144 | 423 | 1567 | 1392 | 1633 | 3025 | 5025 |
| 300 | 92 | 125 | FWD | 4.36 | 1144 | 423 | 1567 | 1392 | 1633 | 3025 | 5025 |
| 300 | 103 | 140 | FWD | 4.36 | 1144 | 423 | 1567 | 1392 | 1633 | 3025 | 5025 |
| 330 | 92 | 125 | FWD | 4.93 | 1168 | 436 | 1604 | 1437 | 1888 | 3325 | 5325 |
| 330 | 103 | 140 | FWD | 4.93 | 1168 | 436 | 1604 | 1437 | 1888 | 3325 | 5325 |
| 300 | 74 | 100 | RWD | 3.58 | 1191 | 552 | 1743 | 1415 | 1610 | 3025 | 5025 |
| 300 | 74 | 100 | RWD | 3.91 | 1191 | 552 | 1743 | 1415 | 1610 | 3025 | 5025 |
| 330 | 74 | 100 | RWD | 3.58 | 1193 | 552 | 1745 | 1440 | 1885 | 3325 | 5325 |
| 330 | 74 | 100 | RWD | 3.91 | 1193 | 552 | 1745 | 1440 | 1885 | 3325 | 5325 |
| 330 | 92 | 125 | RWD | 3.58 | 1193 | 552 | 1745 | 1440 | 1885 | 3325 | 5325 |
| 330 | 92 | 125 | RWD | 3.91 | 1193 | 552 | 1745 | 1440 | 1885 | 3325 | 5325 |
| 330 | 114 | 155 | RWD | 3.58 | 1190 | 575 | 1765 | 1436 | 1889 | 3325 | 5325 |
| 330 | 114 | 155 | RWD | 3.91 | 1190 | 575 | 1765 | 1436 | 1889 | 3325 | 5325 |
| 300 | 74 | 100 | FWD | 4.36 | 1144 | 423 | 1567 | 1392 | 1633 | 3025 | 3500 |
| 300 | 92 | 125 | FWD | 4.36 | 1144 | 423 | 1567 | 1392 | 1633 | 3025 | 3500 |
| 300 | 92 | 125 | FWD | 4.93 | 1144 | 423 | 1567 | 1392 | 1633 | 3025 | 5025 |
| 300 | 103 | 140 | FWD | 4.36 | 1144 | 423 | 1567 | 1392 | 1633 | 3025 | 3500 |
| 330 | 92 | 125 | AWD | 3.91 | 1257 | 562 | 1819 | 1498 | 1827 | 3325 | 5325 |
| 300 | 92 | 125 | AWD | 3.91 | 1257 | 562 | 1819 | 1475 | 1550 | 3025 | 5025 |
| 350 | 92 | 125 | AWD | 3.91 | 1257 | 562 | 1819 | 1512 | 1988 | 3500 | 5325 |
| 350~ | 92 | 125 | AWD | 3.91 | 1262 | 562 | 1824 | 1517 | 1983 | 3500 | 5325 |
| 350 | 92 | 125 | AWD | 3.91 | 1257 | 562 | 1819 | 1512 | 1978 | 3490 | 5325 |
| 350~ | 92 | 125 | AWD | 3.91 | 1262 | 562 | 1824 | 1516 | 1974 | 3490 | 5325 |
| 350 | 74 | 100 | RWD | 3.58 | 1193 | 552 | 1745 | 1476 | 2024 | 3500 | 5325 |
| 350~ | 74 | 100 | RWD | 3.58 | 1198 | 552 | 1750 | 1480 | 2020 | 3500 | 5325 |
| 350 | 74 | 100 | RWD | 3.58 | 1193 | 552 | 1745 | 1475 | 2015 | 3490 | 5325 |
| 350~ | 74 | 100 | RWD | 3.58 | 1198 | 552 | 1750 | 1479 | 2011 | 3490 | 5325 |
| 350 | 74 | 100 | RWD | 3.91 | 1193 | 552 | 1745 | 1476 | 2024 | 3500 | 5325 |
| 350~ | 74 | 100 | RWD | 3.91 | 1198 | 552 | 1750 | 1480 | 2020 | 3500 | 5325 |
| 350 | 74 | 100 | RWD | 3.91 | 1193 | 552 | 1745 | 1475 | 2015 | 3490 | 5325 |
| 350~ | 74 | 100 | RWD | 3.91 | 1198 | 552 | 1750 | 1479 | 2011 | 3490 | 5325 |
| 350 | 92 | 125 | RWD | 3.58 | 1193 | 552 | 1745 | 1476 | 2024 | 3500 | 5500 |
| 350~ | 92 | 125 | RWD | 3.58 | 1198 | 552 | 1750 | 1480 | 2020 | 3500 | 5500 |
| 350 | 92 | 125 | RWD | 3.58 | 1193 | 552 | 1745 | 1475 | 2015 | 3490 | 5490 |
| 350~ | 92 | 125 | RWD | 3.58 | 1198 | 552 | 1750 | 1479 | 2011 | 3490 | 5490 |
| 350 | 92 | 125 | RWD | 3.91 | 1193 | 552 | 1745 | 1476 | 2024 | 3500 | 5325 |
| 350~ | 92 | 125 | RWD | 3.91 | 1198 | 552 | 1750 | 1480 | 2020 | 3500 | 5325 |
| 350 | 92 | 125 | RWD | 3.91 | 1193 | 552 | 1745 | 1475 | 2015 | 3490 | 5325 |
| 350~ | 92 | 125 | RWD | 3.91 | 1198 | 552 | 1750 | 1479 | 2011 | 3490 | 5325 |
| 350~ | 99 | 135 | RWD | 3.58 | 1198 | 552 | 1750 | 1480 | 2020 | 3500 | 5500 |
| 350 | 99 | 135 | RWD | 3.58 | 1193 | 552 | 1745 | 1476 | 2024 | 3500 | 5500 |
| 350~ | 99 | 135 | RWD | 3.58 | 1198 | 552 | 1750 | 1479 | 2011 | 3490 | 5490 |
| 350 | 99 | 135 | RWD | 3.58 | 1193 | 552 | 1745 | 1475 | 2015 | 3490 | 5490 |
| 350 | 114 | 155 | RWD | 3.58 | 1190 | 575 | 1765 | 1471 | 2029 | 3500 | 5500 |
| 350~ | 114 | 155 | RWD | 3.58 | 1196 | 575 | 1771 | 1477 | 2023 | 3500 | 5500 |
| 350 | 114 | 155 | RWD | 3.58 | 1190 | 575 | 1765 | 1470 | 2020 | 3490 | 5490 |
| 350~ | 114 | 155 | RWD | 3.58 | 1196 | 575 | 1771 | 1476 | 2014 | 3490 | 5490 |
| 350 | 114 | 155 | RWD | 3.91 | 1190 | 575 | 1765 | 1471 | 2029 | 3500 | 5325 |
| 350~ | 114 | 155 | RWD | 3.91 | 1196 | 575 | 1771 | 1477 | 2023 | 3500 | 5325 |
| 350 | 114 | 155 | RWD | 3.91 | 1190 | 575 | 1765 | 1470 | 2020 | 3490 | 5325 |
| 350~ | 114 | 155 | RWD | 3.91 | 1196 | 575 | 1771 | 1476 | 2014 | 3490 | 5325 |
| Low Roof - Dual Rear Wheel | | | | | | | | | | | |
| 350 | 74 | 100 | RWD | 3.58 | 1207 | 597 | 1804 | 1485 | 2015 | 3500 | 5325 |
| 350~ | 74 | 100 | RWD | 3.58 | 1213 | 597 | 1810 | 1490 | 2010 | 3500 | 5325 |
| 350 | 74 | 100 | RWD | 3.58 | 1207 | 597 | 1804 | 1484 | 2006 | 3490 | 5325 |
| 350~ | 74 | 100 | RWD | 3.58 | 1213 | 597 | 1810 | 1490 | 2000 | 3490 | 5325 |
| 350 | 74 | 100 | RWD | 3.91 | 1207 | 597 | 1804 | 1485 | 2015 | 3500 | 5325 |
| 350~ | 74 | 100 | RWD | 3.91 | 1213 | 597 | 1810 | 1490 | 2010 | 3500 | 5325 |
| 350 | 74 | 100 | RWD | 3.91 | 1207 | 597 | 1804 | 1484 | 2006 | 3490 | 5325 |
| 350~ | 74 | 100 | RWD | 3.91 | 1213 | 597 | 1810 | 1490 | 2000 | 3490 | 5325 |
| 350 | 92 | 125 | RWD | 3.58 | 1207 | 597 | 1804 | 1485 | 2015 | 3500 | 5500 |
| 350~ | 92 | 125 | RWD | 3.58 | 1213 | 597 | 1810 | 1490 | 2010 | 3500 | 5500 |

SINGLE CHASSIS CAB

BRAKES CERTIFIED TO EEC REQUIREMENTS - UNLADEN WEIGHT DISTRIBUTION STANDARD PRODUCTION MODEL

| MODEL | ENGINE | | DRIVELINE | AXLE RATIO | UNLADEN KERB WEIGHT* (kg) | | | GROSS VEHICLE MASS (kg) | | | GTM** (kg) |
|-------|--------|-----|-----------|------------|---------------------------|------|-------|-------------------------|------|-------|------------|
| | kW | PS | | | FRONT | REAR | TOTAL | FRONT | REAR | TOTAL | |
| 350 | 92 | 125 | RWD | 3.58 | 1207 | 597 | 1804 | 1484 | 2006 | 3490 | 5490 |
| 350~ | 92 | 125 | RWD | 3.58 | 1213 | 597 | 1810 | 1490 | 2000 | 3490 | 5490 |
| 350 | 92 | 125 | RWD | 3.91 | 1207 | 597 | 1804 | 1485 | 2015 | 3500 | 5325 |
| 350~ | 92 | 125 | RWD | 3.91 | 1213 | 597 | 1810 | 1490 | 2010 | 3500 | 5325 |
| 350 | 92 | 125 | RWD | 3.91 | 1207 | 597 | 1804 | 1484 | 2006 | 3490 | 5325 |
| 350~ | 92 | 125 | RWD | 3.91 | 1213 | 597 | 1810 | 1490 | 2000 | 3490 | 5325 |
| 350~ | 99 | 135 | RWD | 3.58 | 1213 | 597 | 1810 | 1490 | 2010 | 3500 | 5500 |
| 350 | 99 | 135 | RWD | 3.58 | 1207 | 597 | 1804 | 1485 | 2015 | 3500 | 5500 |
| 350~ | 99 | 135 | RWD | 3.58 | 1213 | 597 | 1810 | 1490 | 2000 | 3490 | 5490 |
| 350 | 99 | 135 | RWD | 3.58 | 1207 | 597 | 1804 | 1484 | 2006 | 3490 | 5490 |
| 350 | 114 | 155 | RWD | 3.58 | 1204 | 621 | 1825 | 1480 | 2020 | 3500 | 5500 |
| 350~ | 114 | 155 | RWD | 3.58 | 1210 | 621 | 1831 | 1486 | 2014 | 3500 | 5500 |
| 350 | 114 | 155 | RWD | 3.58 | 1204 | 621 | 1825 | 1479 | 2011 | 3490 | 5490 |
| 350~ | 114 | 155 | RWD | 3.58 | 1210 | 621 | 1831 | 1485 | 2005 | 3490 | 5490 |
| 350 | 114 | 155 | RWD | 3.91 | 1204 | 621 | 1825 | 1480 | 2020 | 3500 | 5325 |
| 350~ | 114 | 155 | RWD | 3.91 | 1210 | 621 | 1831 | 1486 | 2014 | 3500 | 5325 |
| 350 | 114 | 155 | RWD | 3.91 | 1204 | 621 | 1825 | 1479 | 2011 | 3490 | 5325 |
| 350~ | 114 | 155 | RWD | 3.91 | 1210 | 621 | 1831 | 1485 | 2005 | 3490 | 5325 |

Medium Wheel Base

Low Roof - Single Rear Wheel

| | | | | | | | | | | | |
|------|-----|-----|-----|------|------|-----|------|------|------|------|------|
| 300 | 74 | 100 | FWD | 4.36 | 1169 | 438 | 1607 | 1452 | 1573 | 3025 | 5225 |
| 300 | 92 | 125 | FWD | 4.36 | 1169 | 438 | 1607 | 1452 | 1573 | 3025 | 5225 |
| 300 | 103 | 140 | FWD | 4.36 | 1169 | 438 | 1607 | 1452 | 1573 | 3025 | 5225 |
| 330 | 92 | 125 | FWD | 4.93 | 1193 | 452 | 1645 | 1505 | 1820 | 3325 | 5500 |
| 330 | 103 | 140 | FWD | 4.93 | 1193 | 452 | 1645 | 1505 | 1820 | 3325 | 5500 |
| 350 | 74 | 100 | FWD | 4.93 | 1193 | 452 | 1645 | 1525 | 1975 | 3500 | 5500 |
| 350 | 92 | 125 | FWD | 4.93 | 1193 | 452 | 1645 | 1525 | 1975 | 3500 | 5500 |
| 350 | 103 | 140 | FWD | 4.93 | 1193 | 452 | 1645 | 1525 | 1975 | 3500 | 5500 |
| 300 | 74 | 100 | RWD | 3.58 | 1210 | 545 | 1755 | 1466 | 1559 | 3025 | 5500 |
| 300 | 74 | 100 | RWD | 3.91 | 1210 | 545 | 1755 | 1466 | 1559 | 3025 | 5825 |
| 330 | 74 | 100 | RWD | 3.58 | 1212 | 545 | 1757 | 1502 | 1823 | 3325 | 5500 |
| 330 | 74 | 100 | RWD | 3.91 | 1212 | 545 | 1757 | 1502 | 1823 | 3325 | 6000 |
| 330 | 92 | 125 | RWD | 3.58 | 1212 | 545 | 1757 | 1502 | 1823 | 3325 | 5500 |
| 330 | 92 | 125 | RWD | 3.91 | 1212 | 545 | 1757 | 1502 | 1823 | 3325 | 6000 |
| 330 | 114 | 155 | RWD | 3.58 | 1209 | 568 | 1777 | 1496 | 1829 | 3325 | 5500 |
| 330 | 114 | 155 | RWD | 3.91 | 1209 | 568 | 1777 | 1496 | 1829 | 3325 | 6100 |
| 350 | 74 | 100 | RWD | 3.58 | 1212 | 545 | 1757 | 1541 | 1959 | 3500 | 5500 |
| 350~ | 74 | 100 | RWD | 3.58 | 1218 | 545 | 1763 | 1547 | 1953 | 3500 | 5500 |
| 350 | 74 | 100 | RWD | 3.91 | 1212 | 545 | 1757 | 1541 | 1959 | 3500 | 6000 |
| 350~ | 74 | 100 | RWD | 3.91 | 1218 | 545 | 1763 | 1547 | 1953 | 3500 | 6000 |
| 350 | 92 | 125 | RWD | 3.58 | 1212 | 545 | 1757 | 1541 | 1959 | 3500 | 5500 |
| 350~ | 92 | 125 | RWD | 3.58 | 1218 | 545 | 1763 | 1547 | 1953 | 3500 | 5500 |
| 350 | 92 | 125 | RWD | 3.91 | 1212 | 545 | 1757 | 1541 | 1959 | 3500 | 6000 |
| 350~ | 92 | 125 | RWD | 3.91 | 1218 | 545 | 1763 | 1547 | 1953 | 3500 | 6000 |
| 350~ | 99 | 135 | RWD | 3.58 | 1218 | 545 | 1763 | 1547 | 1953 | 3500 | 5500 |
| 350 | 99 | 135 | RWD | 3.58 | 1212 | 545 | 1757 | 1541 | 1959 | 3500 | 5500 |
| 350 | 114 | 155 | RWD | 3.58 | 1209 | 568 | 1777 | 1536 | 1964 | 3500 | 5500 |
| 350~ | 114 | 155 | RWD | 3.58 | 1215 | 568 | 1783 | 1541 | 1959 | 3500 | 5500 |
| 350 | 114 | 155 | RWD | 3.91 | 1209 | 568 | 1777 | 1536 | 1964 | 3500 | 6300 |
| 350~ | 114 | 155 | RWD | 3.91 | 1215 | 568 | 1783 | 1541 | 1959 | 3500 | 6300 |
| 300 | 92 | 125 | FWD | 4.93 | 1169 | 438 | 1607 | 1452 | 1573 | 3025 | 3025 |
| 350 | 92 | 125 | FWD | 4.93 | 1193 | 452 | 1645 | 1524 | 1966 | 3490 | 5500 |
| 350 | 92 | 125 | FWD | 4.93 | 1193 | 452 | 1645 | 1530 | 2020 | 3550 | 5500 |
| 350 | 103 | 140 | FWD | 4.93 | 1193 | 452 | 1645 | 1530 | 2020 | 3550 | 5500 |
| 350 | 103 | 140 | FWD | 4.93 | 1193 | 452 | 1645 | 1524 | 1966 | 3490 | 5500 |
| 350 | 74 | 100 | RWD | 3.58 | 1212 | 545 | 1757 | 1540 | 1950 | 3490 | 5500 |
| 350~ | 74 | 100 | RWD | 3.58 | 1218 | 545 | 1763 | 1546 | 1944 | 3490 | 5500 |
| 350 | 74 | 100 | RWD | 3.91 | 1212 | 545 | 1757 | 1540 | 1950 | 3490 | 6000 |
| 350~ | 74 | 100 | RWD | 3.91 | 1218 | 545 | 1763 | 1546 | 1944 | 3490 | 6000 |
| 350 | 92 | 125 | RWD | 3.58 | 1212 | 545 | 1757 | 1547 | 2003 | 3550 | 5500 |
| 350~ | 92 | 125 | RWD | 3.58 | 1218 | 545 | 1763 | 1552 | 1998 | 3550 | 5500 |
| 350 | 92 | 125 | RWD | 3.58 | 1212 | 545 | 1757 | 1540 | 1950 | 3490 | 5500 |
| 350~ | 92 | 125 | RWD | 3.58 | 1218 | 545 | 1763 | 1546 | 1944 | 3490 | 5500 |
| 350 | 92 | 125 | RWD | 3.91 | 1212 | 545 | 1757 | 1547 | 2003 | 3550 | 6000 |
| 350~ | 92 | 125 | RWD | 3.91 | 1218 | 545 | 1763 | 1552 | 1998 | 3550 | 6000 |
| 350 | 92 | 125 | RWD | 3.91 | 1212 | 545 | 1757 | 1540 | 1950 | 3490 | 6000 |

SINGLE CHASSIS CAB

BRAKES CERTIFIED TO EEC REQUIREMENTS - UNLADEN WEIGHT DISTRIBUTION STANDARD PRODUCTION MODEL

| MODEL | ENGINE | | DRIVELINE | AXLE RATIO | UNLADEN KERB WEIGHT* (kg) | | | GROSS VEHICLE MASS (kg) | | | GTM** (kg) |
|----------------------------|--------|-----|-----------|------------|---------------------------|------|-------|-------------------------|------|-------|------------|
| | kW | PS | | | FRONT | REAR | TOTAL | FRONT | REAR | TOTAL | |
| 350~ | 92 | 125 | RWD | 3.91 | 1218 | 545 | 1763 | 1546 | 1944 | 3490 | 6000 |
| 350~ | 99 | 135 | RWD | 3.58 | 1218 | 545 | 1763 | 1546 | 1944 | 3490 | 5500 |
| 350 | 99 | 135 | RWD | 3.58 | 1212 | 545 | 1757 | 1540 | 1950 | 3490 | 5500 |
| 350~ | 99 | 135 | RWD | 3.58 | 1218 | 545 | 1763 | 1552 | 1998 | 3550 | 5500 |
| 350 | 99 | 135 | RWD | 3.58 | 1212 | 545 | 1757 | 1547 | 2003 | 3550 | 5500 |
| 350 | 114 | 155 | RWD | 3.58 | 1209 | 568 | 1777 | 1542 | 2008 | 3550 | 5500 |
| 350~ | 114 | 155 | RWD | 3.58 | 1215 | 568 | 1783 | 1547 | 2003 | 3550 | 5500 |
| 350 | 114 | 155 | RWD | 3.58 | 1209 | 568 | 1777 | 1535 | 1955 | 3490 | 5500 |
| 350~ | 114 | 155 | RWD | 3.58 | 1215 | 568 | 1783 | 1540 | 1950 | 3490 | 5500 |
| 350 | 114 | 155 | RWD | 3.91 | 1209 | 568 | 1777 | 1542 | 2008 | 3550 | 6300 |
| 350~ | 114 | 155 | RWD | 3.91 | 1215 | 568 | 1783 | 1547 | 2003 | 3550 | 6300 |
| 350 | 114 | 155 | RWD | 3.91 | 1209 | 568 | 1777 | 1535 | 1955 | 3490 | 6290 |
| 350~ | 114 | 155 | RWD | 3.91 | 1215 | 568 | 1783 | 1540 | 1950 | 3490 | 6290 |
| 330 | 92 | 125 | AWD | 3.91 | 1276 | 556 | 1832 | 1557 | 1768 | 3325 | 6000 |
| 350 | 92 | 125 | AWD | 3.91 | 1276 | 556 | 1832 | 1577 | 1923 | 3500 | 6300 |
| 350~ | 92 | 125 | AWD | 3.91 | 1282 | 556 | 1838 | 1582 | 1918 | 3500 | 6300 |
| 350 | 92 | 125 | AWD | 3.91 | 1276 | 556 | 1832 | 1582 | 1968 | 3550 | 6300 |
| 350~ | 92 | 125 | AWD | 3.91 | 1282 | 556 | 1838 | 1588 | 1962 | 3550 | 6300 |
| 350 | 92 | 125 | AWD | 3.91 | 1276 | 556 | 1832 | 1576 | 1914 | 3490 | 6290 |
| 350~ | 92 | 125 | AWD | 3.91 | 1282 | 556 | 1838 | 1581 | 1909 | 3490 | 6290 |
| Low Roof - Dual Rear Wheel | | | | | | | | | | | |
| 350 | 74 | 100 | RWD | 3.58 | 1228 | 590 | 1818 | 1550 | 1950 | 3500 | 5500 |
| 350~ | 74 | 100 | RWD | 3.58 | 1233 | 590 | 1823 | 1555 | 1945 | 3500 | 5500 |
| 350 | 74 | 100 | RWD | 3.91 | 1228 | 590 | 1818 | 1550 | 1950 | 3500 | 6000 |
| 350~ | 74 | 100 | RWD | 3.91 | 1233 | 590 | 1823 | 1555 | 1945 | 3500 | 6000 |
| 350 | 92 | 125 | RWD | 3.58 | 1228 | 590 | 1818 | 1550 | 1950 | 3500 | 5500 |
| 350~ | 92 | 125 | RWD | 3.58 | 1233 | 590 | 1823 | 1555 | 1945 | 3500 | 5500 |
| 350 | 92 | 125 | RWD | 3.91 | 1228 | 590 | 1818 | 1550 | 1950 | 3500 | 6000 |
| 350~ | 92 | 125 | RWD | 3.91 | 1233 | 590 | 1823 | 1555 | 1945 | 3500 | 6000 |
| 350~ | 99 | 135 | RWD | 3.58 | 1233 | 590 | 1823 | 1555 | 1945 | 3500 | 5500 |
| 350 | 99 | 135 | RWD | 3.58 | 1228 | 590 | 1818 | 1550 | 1950 | 3500 | 5500 |
| 350 | 114 | 155 | RWD | 3.58 | 1225 | 614 | 1839 | 1545 | 1955 | 3500 | 5500 |
| 350~ | 114 | 155 | RWD | 3.58 | 1231 | 614 | 1845 | 1550 | 1950 | 3500 | 5500 |
| 350 | 114 | 155 | RWD | 3.91 | 1225 | 614 | 1839 | 1545 | 1955 | 3500 | 6300 |
| 350~ | 114 | 155 | RWD | 3.91 | 1231 | 614 | 1845 | 1550 | 1950 | 3500 | 6300 |
| 350 | 74 | 100 | RWD | 3.58 | 1228 | 590 | 1818 | 1549 | 1941 | 3490 | 5500 |
| 350~ | 74 | 100 | RWD | 3.58 | 1233 | 590 | 1823 | 1554 | 1936 | 3490 | 5500 |
| 350 | 74 | 100 | RWD | 3.91 | 1228 | 590 | 1818 | 1549 | 1941 | 3490 | 6000 |
| 350~ | 74 | 100 | RWD | 3.91 | 1233 | 590 | 1823 | 1554 | 1936 | 3490 | 6000 |
| 350 | 92 | 125 | RWD | 3.58 | 1228 | 590 | 1818 | 1556 | 1994 | 3550 | 5500 |
| 350~ | 92 | 125 | RWD | 3.58 | 1233 | 590 | 1823 | 1561 | 1989 | 3550 | 5500 |
| 350 | 92 | 125 | RWD | 3.58 | 1228 | 590 | 1818 | 1549 | 1941 | 3490 | 5500 |
| 350~ | 92 | 125 | RWD | 3.58 | 1233 | 590 | 1823 | 1554 | 1936 | 3490 | 5500 |
| 350 | 92 | 125 | RWD | 3.91 | 1228 | 590 | 1818 | 1556 | 1994 | 3550 | 6000 |
| 350~ | 92 | 125 | RWD | 3.91 | 1233 | 590 | 1823 | 1561 | 1989 | 3550 | 6000 |
| 350 | 92 | 125 | RWD | 3.91 | 1228 | 590 | 1818 | 1549 | 1941 | 3490 | 6000 |
| 350~ | 92 | 125 | RWD | 3.91 | 1233 | 590 | 1823 | 1554 | 1936 | 3490 | 6000 |
| 350~ | 99 | 135 | RWD | 3.58 | 1233 | 590 | 1823 | 1554 | 1936 | 3490 | 5500 |
| 350 | 99 | 135 | RWD | 3.58 | 1228 | 590 | 1818 | 1549 | 1941 | 3490 | 5500 |
| 350~ | 99 | 135 | RWD | 3.58 | 1233 | 590 | 1823 | 1561 | 1989 | 3550 | 5500 |
| 350 | 99 | 135 | RWD | 3.58 | 1228 | 590 | 1818 | 1556 | 1994 | 3550 | 5500 |
| 350 | 114 | 155 | RWD | 3.58 | 1225 | 614 | 1839 | 1551 | 1999 | 3550 | 5500 |
| 350~ | 114 | 155 | RWD | 3.58 | 1231 | 614 | 1845 | 1556 | 1994 | 3550 | 5500 |
| 350 | 114 | 155 | RWD | 3.58 | 1225 | 614 | 1839 | 1544 | 1946 | 3490 | 5500 |
| 350~ | 114 | 155 | RWD | 3.58 | 1231 | 614 | 1845 | 1549 | 1941 | 3490 | 5500 |
| 350 | 114 | 155 | RWD | 3.91 | 1225 | 614 | 1839 | 1551 | 1999 | 3550 | 6300 |
| 350~ | 114 | 155 | RWD | 3.91 | 1231 | 614 | 1845 | 1556 | 1994 | 3550 | 6300 |
| 350 | 114 | 155 | RWD | 3.91 | 1225 | 614 | 1839 | 1544 | 1946 | 3490 | 6290 |
| 350~ | 114 | 155 | RWD | 3.91 | 1231 | 614 | 1845 | 1549 | 1941 | 3490 | 6290 |
| 460~^ | 114 | 155 | RWD | 3.91 | 1236 | 645 | 1881 | 1550 | 1940 | 3490 | 6490 |
| 460~^ | 114 | 155 | RWD | 3.91 | 1236 | 645 | 1881 | 1557 | 1993 | 3550 | 6500 |
| 460~^ | 92 | 125 | RWD | 3.91 | 1239 | 621 | 1860 | 1557 | 1943 | 3500 | 6000 |
| 460~^ | 114 | 155 | RWD | 3.91 | 1236 | 645 | 1881 | 1551 | 1949 | 3500 | 6500 |
| 460~ | 92 | 125 | RWD | 3.91 | 1264 | 634 | 1898 | 1700 | 2900 | 4600 | 6000 |
| 460~ | 99 | 135 | RWD | 3.58 | 1264 | 634 | 1898 | 1700 | 2900 | 4600 | 5500 |
| 460~ | 114 | 155 | RWD | 3.91 | 1261 | 658 | 1919 | 1695 | 2905 | 4600 | 6500 |
| 350^^ | 74 | 100 | RWD | 3.58 | 1252 | 602 | 1854 | 1610 | 2240 | 3850 | 5500 |
| 350~^^ | 74 | 100 | RWD | 3.58 | 1258 | 602 | 1860 | 1615 | 2235 | 3850 | 5500 |

SINGLE CHASSIS CAB

BRAKES CERTIFIED TO EEC REQUIREMENTS - UNLADEN WEIGHT DISTRIBUTION STANDARD PRODUCTION MODEL

| MODEL | ENGINE | | DRIVELINE | AXLE RATIO | UNLADEN KERB WEIGHT* (kg) | | | GROSS VEHICLE MASS (kg) | | | GTM** (kg) |
|------------------------------|--------|-----|-----------|------------|---------------------------|------|-------|-------------------------|------|-------|------------|
| | kW | PS | | | FRONT | REAR | TOTAL | FRONT | REAR | TOTAL | |
| 350 ^{AA} | 74 | 100 | RWD | 3.91 | 1252 | 602 | 1854 | 1610 | 2240 | 3850 | 6000 |
| 350~ ^{AA} | 74 | 100 | RWD | 3.91 | 1258 | 602 | 1860 | 1615 | 2235 | 3850 | 6000 |
| 350 ^{AA} | 92 | 125 | RWD | 3.58 | 1252 | 602 | 1854 | 1610 | 2240 | 3850 | 5500 |
| 350~ ^{AA} | 92 | 125 | RWD | 3.58 | 1258 | 602 | 1860 | 1615 | 2235 | 3850 | 5500 |
| 350 ^{AA} | 92 | 125 | RWD | 3.91 | 1252 | 602 | 1854 | 1610 | 2240 | 3850 | 6000 |
| 350~ ^{AA} | 92 | 125 | RWD | 3.91 | 1258 | 602 | 1860 | 1615 | 2235 | 3850 | 6000 |
| 350 ^{AA} | 114 | 155 | RWD | 3.58 | 1249 | 626 | 1875 | 1604 | 2246 | 3850 | 5500 |
| 350~ ^{AA} | 114 | 155 | RWD | 3.58 | 1255 | 626 | 1881 | 1610 | 2240 | 3850 | 5500 |
| 350 ^{AA} | 114 | 155 | RWD | 3.91 | 1249 | 626 | 1875 | 1604 | 2246 | 3850 | 6300 |
| 350~ ^{AA} | 114 | 155 | RWD | 3.91 | 1255 | 626 | 1881 | 1610 | 2240 | 3850 | 6300 |
| Long Wheel Base | | | | | | | | | | | |
| Low Roof - Single Rear Wheel | | | | | | | | | | | |
| 330 | 92 | 125 | FWD | 4.93 | 1219 | 485 | 1704 | 1600 | 1725 | 3325 | 5500 |
| 330 | 103 | 140 | FWD | 4.93 | 1219 | 485 | 1704 | 1600 | 1725 | 3325 | 5500 |
| 350 | 74 | 100 | FWD | 4.93 | 1219 | 485 | 1704 | 1628 | 1872 | 3500 | 5500 |
| 350 | 92 | 125 | FWD | 4.93 | 1219 | 485 | 1704 | 1628 | 1872 | 3500 | 5500 |
| 350 | 103 | 140 | FWD | 4.93 | 1219 | 485 | 1704 | 1628 | 1872 | 3500 | 5500 |
| 330 | 74 | 100 | RWD | 3.58 | 1237 | 551 | 1788 | 1594 | 1731 | 3325 | 5500 |
| 330 | 74 | 100 | RWD | 3.91 | 1237 | 551 | 1788 | 1594 | 1731 | 3325 | 6000 |
| 330 | 92 | 125 | RWD | 3.58 | 1237 | 551 | 1788 | 1594 | 1731 | 3325 | 5500 |
| 330 | 92 | 125 | RWD | 3.91 | 1237 | 551 | 1788 | 1594 | 1731 | 3325 | 6000 |
| 330 | 114 | 155 | RWD | 3.58 | 1235 | 574 | 1809 | 1589 | 1736 | 3325 | 5500 |
| 330 | 114 | 155 | RWD | 3.91 | 1235 | 574 | 1809 | 1589 | 1736 | 3325 | 6100 |
| 350 | 74 | 100 | RWD | 3.58 | 1237 | 551 | 1788 | 1641 | 1859 | 3500 | 5500 |
| 350~ | 74 | 100 | RWD | 3.58 | 1243 | 551 | 1794 | 1646 | 1854 | 3500 | 5500 |
| 350 | 74 | 100 | RWD | 3.91 | 1237 | 551 | 1788 | 1641 | 1859 | 3500 | 6000 |
| 350~ | 74 | 100 | RWD | 3.91 | 1243 | 551 | 1794 | 1646 | 1854 | 3500 | 6000 |
| 350 | 92 | 125 | RWD | 3.58 | 1237 | 551 | 1788 | 1641 | 1859 | 3500 | 5500 |
| 350~ | 92 | 125 | RWD | 3.58 | 1243 | 551 | 1794 | 1646 | 1854 | 3500 | 5500 |
| 350 | 92 | 125 | RWD | 3.91 | 1237 | 551 | 1788 | 1641 | 1859 | 3500 | 6000 |
| 350~ | 92 | 125 | RWD | 3.91 | 1243 | 551 | 1794 | 1646 | 1854 | 3500 | 6000 |
| 350 | 92 | 125 | RWD | 4.10 | 1237 | 551 | 1788 | 1641 | 1859 | 3500 | 5500 |
| 350~ | 92 | 125 | RWD | 4.10 | 1243 | 551 | 1794 | 1646 | 1854 | 3500 | 5500 |
| 350 | 114 | 155 | RWD | 3.58 | 1235 | 574 | 1809 | 1636 | 1864 | 3500 | 5500 |
| 350~ | 114 | 155 | RWD | 3.58 | 1240 | 574 | 1814 | 1640 | 1860 | 3500 | 5500 |
| 350 | 114 | 155 | RWD | 3.91 | 1235 | 574 | 1809 | 1636 | 1864 | 3500 | 6300 |
| 350~ | 114 | 155 | RWD | 3.91 | 1240 | 574 | 1814 | 1640 | 1860 | 3500 | 6300 |
| 350 | 92 | 125 | FWD | 4.93 | 1219 | 485 | 1704 | 1627 | 1863 | 3490 | 5500 |
| 350 | 92 | 125 | FWD | 4.93 | 1219 | 485 | 1704 | 1636 | 1914 | 3550 | 5500 |
| 350 | 103 | 140 | FWD | 4.93 | 1219 | 485 | 1704 | 1636 | 1914 | 3550 | 5500 |
| 350 | 103 | 140 | FWD | 4.93 | 1219 | 485 | 1704 | 1627 | 1863 | 3490 | 5500 |
| 350 | 74 | 100 | RWD | 3.58 | 1237 | 551 | 1788 | 1639 | 1851 | 3490 | 5500 |
| 350~ | 74 | 100 | RWD | 3.58 | 1243 | 551 | 1794 | 1644 | 1846 | 3490 | 5500 |
| 350 | 74 | 100 | RWD | 3.91 | 1237 | 551 | 1788 | 1639 | 1851 | 3490 | 6000 |
| 350~ | 74 | 100 | RWD | 3.91 | 1243 | 551 | 1794 | 1644 | 1846 | 3490 | 6000 |
| 350 | 92 | 125 | RWD | 3.58 | 1237 | 551 | 1788 | 1639 | 1851 | 3490 | 5500 |
| 350~ | 92 | 125 | RWD | 3.58 | 1243 | 551 | 1794 | 1644 | 1846 | 3490 | 5500 |
| 350 | 92 | 125 | RWD | 3.91 | 1237 | 551 | 1788 | 1639 | 1851 | 3490 | 6000 |
| 350~ | 92 | 125 | RWD | 3.91 | 1243 | 551 | 1794 | 1644 | 1846 | 3490 | 6000 |
| 350 | 92 | 125 | RWD | 3.91 | 1237 | 551 | 1788 | 1649 | 1901 | 3550 | 6000 |
| 350~ | 92 | 125 | RWD | 3.91 | 1243 | 551 | 1794 | 1654 | 1896 | 3550 | 6000 |
| 350 | 92 | 125 | RWD | 3.91 | 1237 | 551 | 1788 | 1639 | 1851 | 3490 | 6000 |
| 350~ | 92 | 125 | RWD | 3.91 | 1243 | 551 | 1794 | 1644 | 1846 | 3490 | 6000 |
| 350 | 92 | 125 | RWD | 3.91 | 1237 | 551 | 1788 | 1649 | 1901 | 3550 | 6000 |
| 350~ | 92 | 125 | RWD | 3.91 | 1243 | 551 | 1794 | 1654 | 1896 | 3550 | 6000 |
| 350 | 114 | 155 | RWD | 3.58 | 1235 | 574 | 1809 | 1644 | 1906 | 3550 | 5500 |
| 350~ | 114 | 155 | RWD | 3.58 | 1240 | 574 | 1814 | 1648 | 1902 | 3550 | 5500 |
| 350 | 114 | 155 | RWD | 3.58 | 1235 | 574 | 1809 | 1634 | 1856 | 3490 | 5500 |
| 350~ | 114 | 155 | RWD | 3.58 | 1240 | 574 | 1814 | 1638 | 1852 | 3490 | 5500 |
| 350 | 114 | 155 | RWD | 3.91 | 1235 | 574 | 1809 | 1644 | 1906 | 3550 | 6300 |
| 350~ | 114 | 155 | RWD | 3.91 | 1240 | 574 | 1814 | 1648 | 1902 | 3550 | 6300 |
| 350 | 114 | 155 | RWD | 3.91 | 1235 | 574 | 1809 | 1634 | 1856 | 3490 | 6290 |
| 350~ | 114 | 155 | RWD | 3.91 | 1240 | 574 | 1814 | 1638 | 1852 | 3490 | 6290 |
| 330 | 92 | 125 | AWD | 3.91 | 1301 | 561 | 1862 | 1646 | 1679 | 3325 | 6000 |
| 350 | 92 | 125 | AWD | 3.91 | 1301 | 561 | 1862 | 1674 | 1826 | 3500 | 6300 |
| 350~ | 92 | 125 | AWD | 3.91 | 1307 | 561 | 1868 | 1680 | 1820 | 3500 | 6300 |
| 350 | 92 | 125 | AWD | 3.91 | 1301 | 561 | 1862 | 1683 | 1867 | 3550 | 6290 |
| 350~ | 92 | 125 | AWD | 3.91 | 1307 | 561 | 1868 | 1688 | 1862 | 3550 | 6290 |
| 350 | 92 | 125 | AWD | 3.91 | 1301 | 561 | 1862 | 1673 | 1817 | 3490 | 6290 |

SINGLE CHASSIS CAB

BRAKES CERTIFIED TO EEC REQUIREMENTS - UNLADEN WEIGHT DISTRIBUTION STANDARD PRODUCTION MODEL

| MODEL | ENGINE | | DRIVELINE | AXLE RATIO | UNLADEN KERB WEIGHT* (kg) | | | GROSS VEHICLE MASS (kg) | | | GTM** (kg) |
|-----------------------------|--------|-----|-----------|------------|---------------------------|------|-------|-------------------------|------|-------|------------|
| | kW | PS | | | FRONT | REAR | TOTAL | FRONT | REAR | TOTAL | |
| 350~ | 92 | 125 | AWD | 3.91 | 1307 | 561 | 1868 | 1678 | 1812 | 3490 | 6290 |
| Low Roof - Dual Rear Wheels | | | | | | | | | | | |
| 350 | 74 | 100 | RWD | 3.58 | 1255 | 593 | 1848 | 1649 | 1851 | 3500 | 5500 |
| 350~ | 74 | 100 | RWD | 3.58 | 1261 | 593 | 1854 | 1654 | 1846 | 3500 | 5500 |
| 350 | 74 | 100 | RWD | 3.91 | 1255 | 593 | 1848 | 1649 | 1851 | 3500 | 6000 |
| 350~ | 74 | 100 | RWD | 3.91 | 1261 | 593 | 1854 | 1654 | 1846 | 3500 | 6000 |
| 350 | 92 | 125 | RWD | 3.58 | 1255 | 593 | 1848 | 1649 | 1851 | 3500 | 5500 |
| 350~ | 92 | 125 | RWD | 3.58 | 1261 | 593 | 1854 | 1654 | 1846 | 3500 | 5500 |
| 350 | 92 | 125 | RWD | 3.91 | 1255 | 593 | 1848 | 1649 | 1851 | 3500 | 6000 |
| 350~ | 92 | 125 | RWD | 3.91 | 1261 | 593 | 1854 | 1654 | 1846 | 3500 | 6000 |
| 350 | 92 | 125 | RWD | 4.10 | 1255 | 593 | 1848 | 1649 | 1851 | 3500 | 5500 |
| 350~ | 92 | 125 | RWD | 4.10 | 1261 | 593 | 1854 | 1654 | 1846 | 3500 | 5500 |
| 350 | 114 | 155 | RWD | 3.58 | 1252 | 617 | 1869 | 1643 | 1857 | 3500 | 5500 |
| 350~ | 114 | 155 | RWD | 3.58 | 1258 | 617 | 1875 | 1648 | 1852 | 3500 | 5500 |
| 350 | 114 | 155 | RWD | 3.91 | 1252 | 617 | 1869 | 1643 | 1857 | 3500 | 6300 |
| 350~ | 114 | 155 | RWD | 3.91 | 1258 | 617 | 1875 | 1648 | 1852 | 3500 | 6300 |
| 350 | 74 | 100 | RWD | 3.58 | 1255 | 593 | 1848 | 1648 | 1842 | 3490 | 5500 |
| 350~ | 74 | 100 | RWD | 3.58 | 1261 | 593 | 1854 | 1653 | 1837 | 3490 | 5500 |
| 350 | 74 | 100 | RWD | 3.91 | 1255 | 593 | 1848 | 1648 | 1842 | 3490 | 6000 |
| 350~ | 74 | 100 | RWD | 3.91 | 1261 | 593 | 1854 | 1653 | 1837 | 3490 | 6000 |
| 350 | 92 | 125 | RWD | 3.58 | 1255 | 593 | 1848 | 1648 | 1842 | 3490 | 5500 |
| 350~ | 92 | 125 | RWD | 3.58 | 1261 | 593 | 1854 | 1653 | 1837 | 3490 | 5500 |
| 350 | 92 | 125 | RWD | 3.58 | 1255 | 593 | 1848 | 1657 | 1893 | 3550 | 5500 |
| 350~ | 92 | 125 | RWD | 3.58 | 1261 | 593 | 1854 | 1662 | 1888 | 3550 | 5500 |
| 350 | 92 | 125 | RWD | 3.91 | 1255 | 593 | 1848 | 1648 | 1842 | 3490 | 6000 |
| 350~ | 92 | 125 | RWD | 3.91 | 1261 | 593 | 1854 | 1653 | 1837 | 3490 | 6000 |
| 350 | 92 | 125 | RWD | 3.91 | 1255 | 593 | 1848 | 1657 | 1893 | 3550 | 6000 |
| 350~ | 92 | 125 | RWD | 3.91 | 1261 | 593 | 1854 | 1662 | 1888 | 3550 | 6000 |
| 350 | 114 | 155 | RWD | 3.58 | 1252 | 617 | 1869 | 1651 | 1899 | 3550 | 5500 |
| 350~ | 114 | 155 | RWD | 3.58 | 1258 | 617 | 1875 | 1656 | 1894 | 3550 | 5500 |
| 350 | 114 | 155 | RWD | 3.58 | 1252 | 617 | 1869 | 1641 | 1849 | 3490 | 5500 |
| 350~ | 114 | 155 | RWD | 3.58 | 1258 | 617 | 1875 | 1646 | 1844 | 3490 | 5500 |
| 350 | 114 | 155 | RWD | 3.91 | 1252 | 617 | 1869 | 1651 | 1899 | 3550 | 6300 |
| 350~ | 114 | 155 | RWD | 3.91 | 1258 | 617 | 1875 | 1656 | 1894 | 3550 | 6300 |
| 350 | 114 | 155 | RWD | 3.91 | 1252 | 617 | 1869 | 1641 | 1849 | 3490 | 6290 |
| 350~ | 114 | 155 | RWD | 3.91 | 1258 | 617 | 1875 | 1646 | 1844 | 3490 | 6290 |
| 460~^ | 114 | 155 | RWD | 3.91 | 1264 | 648 | 1912 | 1646 | 1844 | 3490 | 6490 |
| 460~^ | 114 | 155 | RWD | 3.91 | 1264 | 648 | 1912 | 1656 | 1894 | 3550 | 6500 |
| 460~^ | 92 | 125 | RWD | 3.91 | 1267 | 624 | 1891 | 1654 | 1846 | 3500 | 6000 |
| 460~^ | 114 | 155 | RWD | 3.91 | 1264 | 648 | 1912 | 1648 | 1852 | 3500 | 6500 |
| 460~ | 92 | 125 | RWD | 3.91 | 1292 | 637 | 1929 | 1851 | 2749 | 4600 | 6000 |
| 460~ | 99 | 135 | RWD | 3.58 | 1292 | 637 | 1929 | 1851 | 2749 | 4600 | 5500 |
| 460~ | 114 | 155 | RWD | 3.91 | 1289 | 661 | 1950 | 1845 | 2755 | 4600 | 6500 |
| 350 | 74 | 100 | RWD | 3.58 | 1255 | 593 | 1848 | 1649 | 1851 | 3500 | 5500 |
| 350~ | 74 | 100 | RWD | 3.58 | 1261 | 593 | 1854 | 1654 | 1846 | 3500 | 5500 |
| 350 | 74 | 100 | RWD | 3.91 | 1255 | 593 | 1848 | 1649 | 1851 | 3500 | 6000 |
| 350~ | 74 | 100 | RWD | 3.91 | 1261 | 593 | 1854 | 1654 | 1846 | 3500 | 6000 |
| 350 | 92 | 125 | RWD | 3.58 | 1255 | 593 | 1848 | 1649 | 1851 | 3500 | 5500 |
| 350~ | 92 | 125 | RWD | 3.58 | 1261 | 593 | 1854 | 1654 | 1846 | 3500 | 5500 |
| 350 | 92 | 125 | RWD | 3.91 | 1255 | 593 | 1848 | 1649 | 1851 | 3500 | 6000 |
| 350~ | 92 | 125 | RWD | 3.91 | 1261 | 593 | 1854 | 1654 | 1846 | 3500 | 6000 |
| 350 | 114 | 155 | RWD | 3.58 | 1252 | 617 | 1869 | 1643 | 1857 | 3500 | 5500 |
| 350~ | 114 | 155 | RWD | 3.58 | 1258 | 617 | 1875 | 1648 | 1852 | 3500 | 5500 |
| 350 | 114 | 155 | RWD | 3.91 | 1252 | 617 | 1869 | 1643 | 1857 | 3500 | 6300 |
| 350~ | 114 | 155 | RWD | 3.91 | 1258 | 617 | 1875 | 1648 | 1852 | 3500 | 6300 |
| 350^A | 74 | 100 | RWD | 3.58 | 1280 | 605 | 1885 | 1665 | 2185 | 3850 | 5500 |
| 350~^A | 74 | 100 | RWD | 3.58 | 1286 | 605 | 1891 | 1671 | 2179 | 3850 | 5500 |
| 350^A | 74 | 100 | RWD | 3.91 | 1280 | 605 | 1885 | 1665 | 2185 | 3850 | 6000 |
| 350~^A | 74 | 100 | RWD | 3.91 | 1286 | 605 | 1891 | 1671 | 2179 | 3850 | 6000 |
| 350^A | 92 | 125 | RWD | 3.58 | 1280 | 605 | 1885 | 1665 | 2185 | 3850 | 5500 |
| 350~^A | 92 | 125 | RWD | 3.58 | 1286 | 605 | 1891 | 1671 | 2179 | 3850 | 5500 |
| 350^A | 92 | 125 | RWD | 3.91 | 1280 | 605 | 1885 | 1665 | 2185 | 3850 | 6000 |
| 350~^A | 92 | 125 | RWD | 3.91 | 1286 | 605 | 1891 | 1671 | 2179 | 3850 | 6000 |
| 350^A | 114 | 155 | RWD | 3.58 | 1277 | 629 | 1906 | 1660 | 2190 | 3850 | 5500 |
| 350~^A | 114 | 155 | RWD | 3.58 | 1283 | 629 | 1912 | 1665 | 2185 | 3850 | 5500 |
| 350^A | 114 | 155 | RWD | 3.91 | 1277 | 629 | 1906 | 1660 | 2190 | 3850 | 6300 |
| 350~^A | 114 | 155 | RWD | 3.91 | 1283 | 629 | 1912 | 1665 | 2185 | 3850 | 6300 |

SINGLE CHASSIS CAB

BRAKES CERTIFIED TO EEC REQUIREMENTS - UNLADEN WEIGHT DISTRIBUTION STANDARD PRODUCTION MODEL

| MODEL | ENGINE | | DRIVELINE | AXLE RATIO | UNLADEN KERB WEIGHT* (kg) | | | GROSS VEHICLE MASS (kg) | | | GTM** (kg) |
|-------------------------------------|--------|-----|-----------|------------|---------------------------|------|-------|-------------------------|------|-------|------------|
| | kW | PS | | | FRONT | REAR | TOTAL | FRONT | REAR | TOTAL | |
| Extended Frame Wheel Base | | | | | | | | | | | |
| Low Roof - Single Rear Wheel | | | | | | | | | | | |
| 350 | 92 | 125 | FWD | 4.93 | 1214 | 515 | 1729 | 1522 | 1978 | 3500 | 5500 |
| 350 | 103 | 140 | FWD | 4.93 | 1214 | 515 | 1729 | 1522 | 1978 | 3500 | 5500 |
| 350 | 74 | 100 | RWD | 3.58 | 1233 | 581 | 1814 | 1553 | 1947 | 3500 | 5500 |
| 350~ | 74 | 100 | RWD | 3.58 | 1238 | 581 | 1819 | 1558 | 1942 | 3500 | 5500 |
| 350 | 74 | 100 | RWD | 3.91 | 1233 | 581 | 1814 | 1553 | 1947 | 3500 | 6000 |
| 350~ | 74 | 100 | RWD | 3.91 | 1238 | 581 | 1819 | 1558 | 1942 | 3500 | 6000 |
| 350 | 92 | 125 | RWD | 3.58 | 1233 | 581 | 1814 | 1553 | 1947 | 3500 | 5500 |
| 350~ | 92 | 125 | RWD | 3.58 | 1238 | 581 | 1819 | 1558 | 1942 | 3500 | 5500 |
| 350 | 92 | 125 | RWD | 3.91 | 1233 | 581 | 1814 | 1553 | 1947 | 3500 | 6000 |
| 350~ | 92 | 125 | RWD | 3.91 | 1238 | 581 | 1819 | 1558 | 1942 | 3500 | 6000 |
| 350 | 92 | 125 | RWD | 4.10 | 1233 | 581 | 1814 | 1553 | 1947 | 3500 | 5500 |
| 350~ | 92 | 125 | RWD | 4.10 | 1238 | 581 | 1819 | 1558 | 1942 | 3500 | 5500 |
| 350 | 114 | 155 | RWD | 3.58 | 1230 | 604 | 1834 | 1548 | 1952 | 3500 | 5500 |
| 350~ | 114 | 155 | RWD | 3.58 | 1235 | 604 | 1839 | 1553 | 1947 | 3500 | 5500 |
| 350 | 114 | 155 | RWD | 3.91 | 1230 | 604 | 1834 | 1548 | 1952 | 3500 | 6300 |
| 350~ | 114 | 155 | RWD | 3.91 | 1235 | 604 | 1839 | 1553 | 1947 | 3500 | 6300 |
| 350 | 92 | 125 | FWD | 4.93 | 1214 | 515 | 1729 | 1521 | 1969 | 3490 | 5500 |
| 350 | 103 | 140 | FWD | 4.93 | 1214 | 515 | 1729 | 1527 | 2023 | 3550 | 5500 |
| 350 | 103 | 140 | FWD | 4.93 | 1214 | 515 | 1729 | 1521 | 1969 | 3490 | 5500 |
| 350 | 74 | 100 | RWD | 3.58 | 1233 | 581 | 1814 | 1552 | 1938 | 3490 | 5500 |
| 350~ | 74 | 100 | RWD | 3.58 | 1238 | 581 | 1819 | 1557 | 1933 | 3490 | 5500 |
| 350 | 74 | 100 | RWD | 3.91 | 1233 | 581 | 1814 | 1552 | 1938 | 3490 | 6000 |
| 350~ | 74 | 100 | RWD | 3.91 | 1238 | 581 | 1819 | 1557 | 1933 | 3490 | 6000 |
| 350 | 92 | 125 | RWD | 3.58 | 1233 | 581 | 1814 | 1558 | 1992 | 3550 | 5500 |
| 350~ | 92 | 125 | RWD | 3.58 | 1238 | 581 | 1819 | 1563 | 1987 | 3550 | 5500 |
| 350 | 92 | 125 | RWD | 3.58 | 1233 | 581 | 1814 | 1552 | 1938 | 3490 | 5500 |
| 350~ | 92 | 125 | RWD | 3.58 | 1238 | 581 | 1819 | 1557 | 1933 | 3490 | 5500 |
| 350 | 92 | 125 | RWD | 3.91 | 1233 | 581 | 1814 | 1558 | 1992 | 3550 | 6000 |
| 350~ | 92 | 125 | RWD | 3.91 | 1238 | 581 | 1819 | 1563 | 1987 | 3550 | 6000 |
| 350 | 92 | 125 | RWD | 3.91 | 1233 | 581 | 1814 | 1552 | 1938 | 3490 | 6000 |
| 350~ | 92 | 125 | RWD | 3.91 | 1238 | 581 | 1819 | 1557 | 1933 | 3490 | 6000 |
| 350 | 114 | 155 | RWD | 3.58 | 1230 | 604 | 1834 | 1553 | 1997 | 3550 | 5500 |
| 350~ | 114 | 155 | RWD | 3.58 | 1235 | 604 | 1839 | 1558 | 1992 | 3550 | 5500 |
| 350 | 114 | 155 | RWD | 3.58 | 1230 | 604 | 1834 | 1547 | 1943 | 3490 | 5500 |
| 350~ | 114 | 155 | RWD | 3.58 | 1235 | 604 | 1839 | 1552 | 1938 | 3490 | 5500 |
| 350 | 114 | 155 | RWD | 3.91 | 1230 | 604 | 1834 | 1553 | 1997 | 3550 | 6300 |
| 350~ | 114 | 155 | RWD | 3.91 | 1235 | 604 | 1839 | 1558 | 1992 | 3550 | 6300 |
| 350 | 114 | 155 | RWD | 3.91 | 1230 | 604 | 1834 | 1547 | 1943 | 3490 | 6290 |
| 350~ | 114 | 155 | RWD | 3.91 | 1235 | 604 | 1839 | 1552 | 1938 | 3490 | 6290 |
| 350 | 92 | 125 | AWD | 3.91 | 1297 | 591 | 1888 | 1589 | 1911 | 3500 | 6300 |
| 350~ | 92 | 125 | AWD | 3.91 | 1302 | 591 | 1893 | 1594 | 1906 | 3500 | 6300 |
| 350 | 92 | 125 | AWD | 3.91 | 1297 | 591 | 1888 | 1594 | 1956 | 3550 | 6300 |
| 350~ | 92 | 125 | AWD | 3.91 | 1302 | 591 | 1893 | 1599 | 1951 | 3550 | 6300 |
| 350 | 92 | 125 | AWD | 3.91 | 1297 | 591 | 1888 | 1588 | 1902 | 3490 | 6290 |
| 350~ | 92 | 125 | AWD | 3.91 | 1302 | 591 | 1893 | 1593 | 1897 | 3490 | 6290 |
| Low Roof - Dual Rear Wheel | | | | | | | | | | | |
| 350 | 74 | 100 | RWD | 3.58 | 1250 | 623 | 1873 | 1564 | 1936 | 3500 | 5500 |
| 350~ | 74 | 100 | RWD | 3.58 | 1256 | 623 | 1879 | 1570 | 1930 | 3500 | 5500 |
| 350 | 74 | 100 | RWD | 3.91 | 1250 | 623 | 1873 | 1564 | 1936 | 3500 | 6000 |
| 350~ | 74 | 100 | RWD | 3.91 | 1256 | 623 | 1879 | 1570 | 1930 | 3500 | 6000 |
| 350 | 92 | 125 | RWD | 3.58 | 1250 | 623 | 1873 | 1564 | 1936 | 3500 | 5500 |
| 350~ | 92 | 125 | RWD | 3.58 | 1256 | 623 | 1879 | 1570 | 1930 | 3500 | 5500 |
| 350 | 92 | 125 | RWD | 3.91 | 1250 | 623 | 1873 | 1564 | 1936 | 3500 | 6000 |
| 350~ | 92 | 125 | RWD | 3.91 | 1256 | 623 | 1879 | 1570 | 1930 | 3500 | 6000 |
| 350 | 92 | 125 | RWD | 4.10 | 1250 | 623 | 1873 | 1564 | 1936 | 3500 | 5500 |
| 350~ | 92 | 125 | RWD | 4.10 | 1256 | 623 | 1879 | 1570 | 1930 | 3500 | 5500 |
| 350 | 114 | 155 | RWD | 3.58 | 1247 | 647 | 1894 | 1559 | 1941 | 3500 | 5500 |
| 350~ | 114 | 155 | RWD | 3.58 | 1253 | 647 | 1900 | 1565 | 1935 | 3500 | 5500 |
| 350 | 114 | 155 | RWD | 3.91 | 1247 | 647 | 1894 | 1559 | 1941 | 3500 | 6300 |
| 350~ | 114 | 155 | RWD | 3.91 | 1253 | 647 | 1900 | 1565 | 1935 | 3500 | 6300 |
| 350 | 74 | 100 | RWD | 3.58 | 1250 | 623 | 1873 | 1564 | 1926 | 3490 | 5500 |
| 350~ | 74 | 100 | RWD | 3.58 | 1256 | 623 | 1879 | 1569 | 1921 | 3490 | 5500 |
| 350 | 74 | 100 | RWD | 3.91 | 1250 | 623 | 1873 | 1564 | 1926 | 3490 | 6000 |
| 350~ | 74 | 100 | RWD | 3.91 | 1256 | 623 | 1879 | 1569 | 1921 | 3490 | 6000 |
| 350 | 92 | 125 | RWD | 3.58 | 1250 | 623 | 1873 | 1569 | 1981 | 3550 | 5500 |

SINGLE CHASSIS CAB

BRAKES CERTIFIED TO EEC REQUIREMENTS - UNLADEN WEIGHT DISTRIBUTION STANDARD PRODUCTION MODEL

| MODEL | ENGINE | | DRIVELINE | AXLE RATIO | UNLADEN KERB WEIGHT* (kg) | | | GROSS VEHICLE MASS (kg) | | | GTM** (kg) |
|--------|--------|-----|-----------|------------|---------------------------|------|-------|-------------------------|------|-------|------------|
| | kW | PS | | | FRONT | REAR | TOTAL | FRONT | REAR | TOTAL | |
| 350~ | 92 | 125 | RWD | 3.58 | 1256 | 623 | 1879 | 1575 | 1975 | 3550 | 5500 |
| 350 | 92 | 125 | RWD | 3.58 | 1250 | 623 | 1873 | 1564 | 1926 | 3490 | 5500 |
| 350~ | 92 | 125 | RWD | 3.58 | 1256 | 623 | 1879 | 1569 | 1921 | 3490 | 5500 |
| 350 | 92 | 125 | RWD | 3.91 | 1250 | 623 | 1873 | 1569 | 1981 | 3550 | 6000 |
| 350~ | 92 | 125 | RWD | 3.91 | 1256 | 623 | 1879 | 1575 | 1975 | 3550 | 6000 |
| 350 | 92 | 125 | RWD | 3.91 | 1250 | 623 | 1873 | 1564 | 1926 | 3490 | 6000 |
| 350~ | 92 | 125 | RWD | 3.91 | 1256 | 623 | 1879 | 1569 | 1921 | 3490 | 6000 |
| 350 | 114 | 155 | RWD | 3.58 | 1247 | 647 | 1894 | 1564 | 1986 | 3550 | 5500 |
| 350~ | 114 | 155 | RWD | 3.58 | 1253 | 647 | 1900 | 1570 | 1980 | 3550 | 5500 |
| 350 | 114 | 155 | RWD | 3.58 | 1247 | 647 | 1894 | 1558 | 1932 | 3490 | 5500 |
| 350~ | 114 | 155 | RWD | 3.58 | 1253 | 647 | 1900 | 1564 | 1926 | 3490 | 5500 |
| 350 | 114 | 155 | RWD | 3.91 | 1247 | 647 | 1894 | 1564 | 1986 | 3550 | 6300 |
| 350~ | 114 | 155 | RWD | 3.91 | 1253 | 647 | 1900 | 1570 | 1980 | 3550 | 6300 |
| 350 | 114 | 155 | RWD | 3.91 | 1247 | 647 | 1894 | 1558 | 1932 | 3490 | 6290 |
| 350~ | 114 | 155 | RWD | 3.91 | 1253 | 647 | 1900 | 1564 | 1926 | 3490 | 6290 |
| 460~^ | 114 | 155 | RWD | 3.91 | 1284 | 691 | 1975 | 1686 | 2804 | 4490 | 6490 |
| 460~^ | 114 | 155 | RWD | 3.91 | 1259 | 678 | 1937 | 1572 | 1978 | 3550 | 6500 |
| 460~^ | 92 | 125 | RWD | 3.91 | 1262 | 654 | 1916 | 1572 | 1928 | 3500 | 6000 |
| 460~^ | 114 | 155 | RWD | 3.91 | 1259 | 678 | 1937 | 1567 | 1933 | 3500 | 6500 |
| 460~ | 92 | 125 | RWD | 3.91 | 1287 | 667 | 1954 | 1702 | 2898 | 4600 | 6000 |
| 460~ | 99 | 135 | RWD | 3.58 | 1287 | 667 | 1954 | 1702 | 2898 | 4600 | 5500 |
| 460~ | 114 | 155 | RWD | 3.91 | 1284 | 691 | 1975 | 1697 | 2903 | 4600 | 6500 |
| 460~ | 114 | 155 | RWD | 3.91 | 1284 | 691 | 1975 | 1686 | 2804 | 4490 | 6500 |
| 350 | 74 | 100 | RWD | 3.58 | 1250 | 623 | 1873 | 1564 | 1936 | 3500 | 5500 |
| 350~ | 74 | 100 | RWD | 3.58 | 1256 | 623 | 1879 | 1570 | 1930 | 3500 | 5500 |
| 350 | 74 | 100 | RWD | 3.91 | 1250 | 623 | 1873 | 1564 | 1936 | 3500 | 6000 |
| 350~ | 74 | 100 | RWD | 3.91 | 1256 | 623 | 1879 | 1570 | 1930 | 3500 | 6000 |
| 350 | 92 | 125 | RWD | 3.58 | 1250 | 623 | 1873 | 1564 | 1936 | 3500 | 5500 |
| 350~ | 92 | 125 | RWD | 3.58 | 1256 | 623 | 1879 | 1570 | 1930 | 3500 | 5500 |
| 350 | 92 | 125 | RWD | 3.91 | 1250 | 623 | 1873 | 1564 | 1936 | 3500 | 6000 |
| 350~ | 92 | 125 | RWD | 3.91 | 1256 | 623 | 1879 | 1570 | 1930 | 3500 | 6000 |
| 350 | 114 | 155 | RWD | 3.58 | 1247 | 647 | 1894 | 1559 | 1941 | 3500 | 5500 |
| 350~ | 114 | 155 | RWD | 3.58 | 1253 | 647 | 1900 | 1565 | 1935 | 3500 | 5500 |
| 350 | 114 | 155 | RWD | 3.91 | 1247 | 647 | 1894 | 1559 | 1941 | 3500 | 6300 |
| 350~ | 114 | 155 | RWD | 3.91 | 1253 | 647 | 1900 | 1565 | 1935 | 3500 | 6300 |
| 350^^ | 74 | 100 | RWD | 3.58 | 1275 | 636 | 1911 | 1562 | 2288 | 3850 | 5500 |
| 350~^^ | 74 | 100 | RWD | 3.58 | 1281 | 636 | 1917 | 1568 | 2282 | 3850 | 5500 |
| 350^^ | 74 | 100 | RWD | 3.91 | 1275 | 636 | 1911 | 1562 | 2288 | 3850 | 6000 |
| 350~^^ | 74 | 100 | RWD | 3.91 | 1281 | 636 | 1917 | 1568 | 2282 | 3850 | 6000 |
| 350^^ | 92 | 125 | RWD | 3.58 | 1275 | 636 | 1911 | 1562 | 2288 | 3850 | 5500 |
| 350~^^ | 92 | 125 | RWD | 3.58 | 1281 | 636 | 1917 | 1568 | 2282 | 3850 | 5500 |
| 350^^ | 92 | 125 | RWD | 3.91 | 1275 | 636 | 1911 | 1562 | 2288 | 3850 | 6000 |
| 350~^^ | 92 | 125 | RWD | 3.91 | 1281 | 636 | 1917 | 1568 | 2282 | 3850 | 6000 |
| 350^^ | 114 | 155 | RWD | 3.58 | 1272 | 660 | 1932 | 1558 | 2292 | 3850 | 5500 |
| 350~^^ | 114 | 155 | RWD | 3.58 | 1278 | 660 | 1938 | 1563 | 2287 | 3850 | 5500 |
| 350^^ | 114 | 155 | RWD | 3.91 | 1272 | 660 | 1932 | 1558 | 2292 | 3850 | 6300 |
| 350~^^ | 114 | 155 | RWD | 3.91 | 1278 | 660 | 1938 | 1563 | 2287 | 3850 | 6300 |

Single Chassis Cab without floats.

* Unladen Kerb Weight (Mass in Running Order) - Includes driver (75kg), full fluids, spare wheel and 90% fuel (72ltrs)

** Gross Vehicle Train Mass

~ 1850 kg increased front axle plate

^ Derated

^^ Uprated

DOUBLE CHASSIS CAB

BRAKES CERTIFIED TO EEC REQUIREMENTS - UNLADEN WEIGHT DISTRIBUTION STANDARD PRODUCTION MODEL

| MODEL | ENGINE | | DRIVELINE | AXLE RATIO | UNLADEN KERB WEIGHT* (kg) | | | GROSS VEHICLE MASS (kg) | | | GTM ** (kg) |
|-------------------------------------|--------|-----|-----------|------------|---------------------------|------|-------|-------------------------|------|-------|-------------|
| | kW | | | | FRONT | REAR | TOTAL | FRONT | REAR | TOTAL | |
| Medium Wheel Base | | | | | | | | | | | |
| Low Roof - Single Rear Wheel | | | | | | | | | | | |
| 300 | 74 | 100 | FWD | 4.36 | 1216 | 451 | 1667 | 1445 | 1580 | 3025 | 5225 |
| 300 | 92 | 125 | FWD | 4.36 | 1216 | 451 | 1667 | 1445 | 1580 | 3025 | 5225 |
| 300 | 103 | 140 | FWD | 4.36 | 1216 | 451 | 1667 | 1445 | 1580 | 3025 | 5225 |
| 300 | 74 | 100 | RWD | 3.58 | 1258 | 590 | 1848 | 1476 | 1549 | 3025 | 5500 |
| 300 | 74 | 100 | RWD | 3.91 | 1258 | 590 | 1848 | 1476 | 1549 | 3025 | 5825 |
| 330 | 74 | 100 | RWD | 3.58 | 1260 | 590 | 1850 | 1476 | 1849 | 3325 | 5500 |
| 330 | 74 | 100 | RWD | 3.91 | 1260 | 590 | 1850 | 1476 | 1849 | 3325 | 6000 |
| 330 | 92 | 125 | RWD | 3.58 | 1260 | 590 | 1850 | 1476 | 1849 | 3325 | 5500 |
| 330 | 92 | 125 | RWD | 3.91 | 1260 | 590 | 1850 | 1476 | 1849 | 3325 | 6000 |
| 330 | 114 | 155 | RWD | 3.58 | 1257 | 614 | 1871 | 1473 | 1852 | 3325 | 5500 |
| 330 | 114 | 155 | RWD | 3.91 | 1257 | 614 | 1871 | 1473 | 1852 | 3325 | 6000 |
| 350 | 74 | 100 | RWD | 3.58 | 1260 | 590 | 1850 | 1499 | 2001 | 3500 | 5500 |
| 350~ | 74 | 100 | RWD | 3.58 | 1265 | 590 | 1855 | 1504 | 1996 | 3500 | 5500 |
| 350 | 74 | 100 | RWD | 3.91 | 1260 | 590 | 1850 | 1499 | 2001 | 3500 | 6000 |
| 350~ | 74 | 100 | RWD | 3.91 | 1265 | 590 | 1855 | 1504 | 1996 | 3500 | 6000 |
| 350 | 92 | 125 | RWD | 3.58 | 1260 | 590 | 1850 | 1499 | 2001 | 3500 | 5500 |
| 350~ | 92 | 125 | RWD | 3.58 | 1265 | 590 | 1855 | 1504 | 1996 | 3500 | 5500 |
| 350 | 92 | 125 | RWD | 3.91 | 1260 | 590 | 1850 | 1499 | 2001 | 3500 | 6000 |
| 350~ | 92 | 125 | RWD | 3.91 | 1265 | 590 | 1855 | 1504 | 1996 | 3500 | 6000 |
| 350 | 114 | 155 | RWD | 3.58 | 1257 | 614 | 1871 | 1496 | 2004 | 3500 | 5500 |
| 350~ | 114 | 155 | RWD | 3.58 | 1263 | 614 | 1877 | 1502 | 1998 | 3500 | 5500 |
| 350 | 114 | 155 | RWD | 3.91 | 1257 | 614 | 1871 | 1496 | 2004 | 3500 | 6300 |
| 350~ | 114 | 155 | RWD | 3.91 | 1263 | 614 | 1877 | 1502 | 1998 | 3500 | 6300 |
| 350 | 74 | 100 | RWD | 3.58 | 1260 | 590 | 1850 | 1499 | 1991 | 3490 | 5500 |
| 350~ | 74 | 100 | RWD | 3.58 | 1265 | 590 | 1855 | 1504 | 1986 | 3490 | 5500 |
| 350 | 74 | 100 | RWD | 3.91 | 1260 | 590 | 1850 | 1499 | 1991 | 3490 | 6000 |
| 350~ | 74 | 100 | RWD | 3.91 | 1265 | 590 | 1855 | 1504 | 1986 | 3490 | 6000 |
| 350 | 92 | 125 | RWD | 3.58 | 1260 | 590 | 1850 | 1499 | 1991 | 3490 | 5500 |
| 350~ | 92 | 125 | RWD | 3.58 | 1265 | 590 | 1855 | 1504 | 1986 | 3490 | 5500 |
| 350 | 92 | 125 | RWD | 3.58 | 1260 | 590 | 1850 | 1499 | 2051 | 3550 | 5500 |
| 350~ | 92 | 125 | RWD | 3.58 | 1265 | 590 | 1855 | 1504 | 2046 | 3550 | 5500 |
| 350 | 92 | 125 | RWD | 3.91 | 1260 | 590 | 1850 | 1499 | 1991 | 3490 | 6000 |
| 350~ | 92 | 125 | RWD | 3.91 | 1265 | 590 | 1855 | 1504 | 1986 | 3490 | 6000 |
| 350 | 92 | 125 | RWD | 3.91 | 1260 | 590 | 1850 | 1499 | 2051 | 3550 | 6000 |
| 350~ | 92 | 125 | RWD | 3.91 | 1265 | 590 | 1855 | 1504 | 2046 | 3550 | 6000 |
| 350 | 114 | 155 | RWD | 3.58 | 1257 | 614 | 1871 | 1496 | 1994 | 3490 | 5500 |
| 350~ | 114 | 155 | RWD | 3.58 | 1263 | 614 | 1877 | 1502 | 1988 | 3490 | 5500 |
| 350 | 114 | 155 | RWD | 3.58 | 1257 | 614 | 1871 | 1496 | 2054 | 3550 | 5500 |
| 350~ | 114 | 155 | RWD | 3.58 | 1263 | 614 | 1877 | 1502 | 2048 | 3550 | 5500 |
| 350 | 114 | 155 | RWD | 3.91 | 1257 | 614 | 1871 | 1496 | 1994 | 3490 | 6290 |
| 350~ | 114 | 155 | RWD | 3.91 | 1263 | 614 | 1877 | 1502 | 1988 | 3490 | 6290 |
| 350 | 114 | 155 | RWD | 3.91 | 1257 | 614 | 1871 | 1496 | 2054 | 3550 | 6300 |
| 350~ | 114 | 155 | RWD | 3.91 | 1263 | 614 | 1877 | 1502 | 2048 | 3550 | 6300 |
| 330 | 92 | 125 | AWD | 3.91 | 1324 | 601 | 1925 | 1540 | 1785 | 3325 | 6000 |
| 350 | 92 | 125 | AWD | 3.91 | 1324 | 601 | 1925 | 1539 | 1961 | 3500 | 6300 |
| 350~ | 92 | 125 | AWD | 3.91 | 1329 | 601 | 1930 | 1544 | 1956 | 3500 | 6300 |
| 350 | 92 | 125 | AWD | 3.91 | 1324 | 601 | 1925 | 1539 | 1951 | 3490 | 6290 |
| 350~ | 92 | 125 | AWD | 3.91 | 1329 | 601 | 1930 | 1544 | 1946 | 3490 | 6290 |
| 350 | 92 | 125 | AWD | 3.91 | 1324 | 601 | 1925 | 1539 | 2011 | 3550 | 6300 |
| 350~ | 92 | 125 | AWD | 3.91 | 1329 | 601 | 1930 | 1544 | 2006 | 3550 | 6300 |
| Low Roof - Dual Rear Wheel | | | | | | | | | | | |
| 350 | 74 | 100 | RWD | 3.58 | 1264 | 627 | 1891 | 1503 | 1997 | 3500 | 5500 |
| 350~ | 74 | 100 | RWD | 3.58 | 1269 | 627 | 1896 | 1508 | 1992 | 3500 | 5500 |
| 350 | 74 | 100 | RWD | 3.91 | 1264 | 627 | 1891 | 1503 | 1997 | 3500 | 6000 |
| 350~ | 74 | 100 | RWD | 3.91 | 1269 | 627 | 1896 | 1508 | 1992 | 3500 | 6000 |
| 350 | 92 | 125 | RWD | 3.58 | 1264 | 627 | 1891 | 1503 | 1997 | 3500 | 5500 |
| 350~ | 92 | 125 | RWD | 3.58 | 1269 | 627 | 1896 | 1508 | 1992 | 3500 | 5500 |
| 350 | 92 | 125 | RWD | 3.91 | 1264 | 627 | 1891 | 1503 | 1997 | 3500 | 6000 |
| 350~ | 92 | 125 | RWD | 3.91 | 1269 | 627 | 1896 | 1508 | 1992 | 3500 | 6000 |
| 350 | 114 | 155 | RWD | 3.58 | 1261 | 651 | 1912 | 1500 | 2000 | 3500 | 5500 |
| 350~ | 114 | 155 | RWD | 3.58 | 1266 | 651 | 1917 | 1505 | 1995 | 3500 | 5500 |
| 350 | 114 | 155 | RWD | 3.91 | 1261 | 651 | 1912 | 1500 | 2000 | 3500 | 6300 |
| 350~ | 114 | 155 | RWD | 3.91 | 1266 | 651 | 1917 | 1505 | 1995 | 3500 | 6300 |
| 350 | 74 | 100 | RWD | 3.58 | 1264 | 627 | 1891 | 1503 | 1987 | 3490 | 5500 |
| 350~ | 74 | 100 | RWD | 3.58 | 1269 | 627 | 1896 | 1508 | 1982 | 3490 | 5500 |

DOUBLE CHASSIS CAB

BRAKES CERTIFIED TO EEC REQUIREMENTS - UNLADEN WEIGHT DISTRIBUTION STANDARD PRODUCTION MODEL

| MODEL | ENGINE | | DRIVELINE | AXLE RATIO | UNLADEN KERB WEIGHT* (kg) | | | GROSS VEHICLE MASS (kg) | | | GTM ** (kg) |
|-------|--------|-----|-----------|------------|---------------------------|------|-------|-------------------------|------|-------|-------------|
| | kW | | | | FRONT | REAR | TOTAL | FRONT | REAR | TOTAL | |
| 350 | 74 | 100 | RWD | 3.91 | 1264 | 627 | 1891 | 1503 | 1987 | 3490 | 6000 |
| 350~ | 74 | 100 | RWD | 3.91 | 1269 | 627 | 1896 | 1508 | 1982 | 3490 | 6000 |
| 350 | 92 | 125 | RWD | 3.58 | 1264 | 627 | 1891 | 1503 | 2047 | 3550 | 5500 |
| 350~ | 92 | 125 | RWD | 3.58 | 1269 | 627 | 1896 | 1508 | 2042 | 3550 | 5500 |
| 350 | 92 | 125 | RWD | 3.58 | 1264 | 627 | 1891 | 1503 | 1987 | 3490 | 5500 |
| 350~ | 92 | 125 | RWD | 3.58 | 1269 | 627 | 1896 | 1508 | 1982 | 3490 | 5500 |
| 350 | 92 | 125 | RWD | 3.91 | 1264 | 627 | 1891 | 1503 | 2047 | 3550 | 6000 |
| 350~ | 92 | 125 | RWD | 3.91 | 1269 | 627 | 1896 | 1508 | 2042 | 3550 | 6000 |
| 350 | 92 | 125 | RWD | 3.91 | 1264 | 627 | 1891 | 1503 | 1987 | 3490 | 6000 |
| 350~ | 92 | 125 | RWD | 3.91 | 1269 | 627 | 1896 | 1508 | 1982 | 3490 | 6000 |
| 350 | 114 | 155 | RWD | 3.58 | 1261 | 651 | 1912 | 1500 | 2050 | 3550 | 5500 |
| 350~ | 114 | 155 | RWD | 3.58 | 1266 | 651 | 1917 | 1505 | 2045 | 3550 | 5500 |
| 350 | 114 | 155 | RWD | 3.58 | 1261 | 651 | 1912 | 1500 | 1990 | 3490 | 5500 |
| 350~ | 114 | 155 | RWD | 3.58 | 1266 | 651 | 1917 | 1505 | 1985 | 3490 | 5500 |
| 350 | 114 | 155 | RWD | 3.91 | 1261 | 651 | 1912 | 1500 | 2050 | 3550 | 6300 |
| 350~ | 114 | 155 | RWD | 3.91 | 1266 | 651 | 1917 | 1505 | 2045 | 3550 | 6300 |
| 350 | 114 | 155 | RWD | 3.91 | 1261 | 651 | 1912 | 1500 | 1990 | 3490 | 6290 |
| 350~ | 114 | 155 | RWD | 3.91 | 1266 | 651 | 1917 | 1505 | 1985 | 3490 | 6290 |

Long Wheel Base

Low Roof - Single Rear Wheel

| | | | | | | | | | | | |
|------|-----|-----|-----|------|------|-----|------|------|------|------|------|
| 330 | 74 | 100 | RWD | 3.58 | 1287 | 597 | 1884 | 1594 | 1731 | 3325 | 5500 |
| 330 | 74 | 100 | RWD | 3.91 | 1287 | 597 | 1884 | 1594 | 1731 | 3325 | 6000 |
| 330 | 92 | 125 | RWD | 3.58 | 1287 | 597 | 1884 | 1594 | 1731 | 3325 | 5500 |
| 330 | 92 | 125 | RWD | 3.91 | 1287 | 597 | 1884 | 1594 | 1731 | 3325 | 6000 |
| 330 | 114 | 155 | RWD | 3.58 | 1284 | 620 | 1904 | 1589 | 1736 | 3325 | 5500 |
| 330 | 114 | 155 | RWD | 3.91 | 1284 | 620 | 1904 | 1589 | 1736 | 3325 | 6000 |
| 350 | 74 | 100 | RWD | 3.58 | 1287 | 597 | 1884 | 1626 | 1874 | 3500 | 5500 |
| 350~ | 74 | 100 | RWD | 3.58 | 1293 | 597 | 1890 | 1632 | 1868 | 3500 | 5500 |
| 350 | 74 | 100 | RWD | 3.91 | 1287 | 597 | 1884 | 1626 | 1874 | 3500 | 6000 |
| 350~ | 74 | 100 | RWD | 3.91 | 1293 | 597 | 1890 | 1632 | 1868 | 3500 | 6000 |
| 350 | 92 | 125 | RWD | 3.58 | 1287 | 597 | 1884 | 1626 | 1874 | 3500 | 5500 |
| 350~ | 92 | 125 | RWD | 3.58 | 1293 | 597 | 1890 | 1632 | 1868 | 3500 | 5500 |
| 350 | 92 | 125 | RWD | 3.91 | 1287 | 597 | 1884 | 1626 | 1874 | 3500 | 6000 |
| 350~ | 92 | 125 | RWD | 3.91 | 1293 | 597 | 1890 | 1632 | 1868 | 3500 | 6000 |
| 350 | 114 | 155 | RWD | 3.58 | 1284 | 620 | 1904 | 1622 | 1878 | 3500 | 5500 |
| 350~ | 114 | 155 | RWD | 3.58 | 1290 | 620 | 1910 | 1628 | 1872 | 3500 | 5500 |
| 350 | 114 | 155 | RWD | 3.91 | 1284 | 620 | 1904 | 1622 | 1878 | 3500 | 6300 |
| 350~ | 114 | 155 | RWD | 3.91 | 1290 | 620 | 1910 | 1628 | 1872 | 3500 | 6300 |
| 350 | 92 | 125 | RWD | 3.58 | 1287 | 597 | 1884 | 1626 | 1864 | 3490 | 5500 |
| 350~ | 92 | 125 | RWD | 3.58 | 1293 | 597 | 1890 | 1631 | 1859 | 3490 | 5500 |
| 350 | 92 | 125 | RWD | 3.91 | 1287 | 597 | 1884 | 1626 | 1864 | 3490 | 6000 |
| 350~ | 92 | 125 | RWD | 3.91 | 1293 | 597 | 1890 | 1631 | 1859 | 3490 | 6000 |
| 350 | 114 | 155 | RWD | 3.58 | 1284 | 620 | 1904 | 1622 | 1868 | 3490 | 5500 |
| 350~ | 114 | 155 | RWD | 3.58 | 1290 | 620 | 1910 | 1627 | 1863 | 3490 | 5500 |
| 350 | 114 | 155 | RWD | 3.58 | 1284 | 620 | 1904 | 1625 | 1925 | 3550 | 5500 |
| 350~ | 114 | 155 | RWD | 3.58 | 1290 | 620 | 1910 | 1631 | 1919 | 3550 | 5500 |
| 350 | 114 | 155 | RWD | 3.91 | 1284 | 620 | 1904 | 1622 | 1868 | 3490 | 6290 |
| 350~ | 114 | 155 | RWD | 3.91 | 1290 | 620 | 1910 | 1627 | 1863 | 3490 | 6290 |
| 350 | 114 | 155 | RWD | 3.91 | 1284 | 620 | 1904 | 1625 | 1925 | 3550 | 6300 |
| 350~ | 114 | 155 | RWD | 3.91 | 1290 | 620 | 1910 | 1631 | 1919 | 3550 | 6300 |
| 330 | 92 | 125 | AWD | 3.91 | 1351 | 608 | 1959 | 1653 | 1672 | 3325 | 6000 |
| 350 | 92 | 125 | AWD | 3.91 | 1351 | 608 | 1959 | 1664 | 1836 | 3500 | 6300 |
| 350~ | 92 | 125 | AWD | 3.91 | 1357 | 608 | 1965 | 1669 | 1831 | 3500 | 6300 |
| 350 | 92 | 125 | AWD | 3.91 | 1351 | 608 | 1959 | 1663 | 1827 | 3490 | 6290 |
| 350~ | 92 | 125 | AWD | 3.91 | 1357 | 608 | 1965 | 1669 | 1821 | 3490 | 6290 |
| 350 | 92 | 125 | AWD | 3.91 | 1351 | 608 | 1959 | 1667 | 1883 | 3550 | 6300 |
| 350~ | 92 | 125 | AWD | 3.91 | 1357 | 608 | 1965 | 1673 | 1877 | 3550 | 6300 |

Low Roof - Dual Rear Wheel

| | | | | | | | | | | | |
|------|-----|-----|-----|------|------|-----|------|------|------|------|------|
| 350 | 74 | 100 | RWD | 3.58 | 1303 | 621 | 1924 | 1640 | 1860 | 3500 | 5500 |
| 350~ | 74 | 100 | RWD | 3.58 | 1309 | 621 | 1930 | 1646 | 1854 | 3500 | 5500 |
| 350 | 74 | 100 | RWD | 3.91 | 1303 | 621 | 1924 | 1640 | 1860 | 3500 | 6000 |
| 350~ | 74 | 100 | RWD | 3.91 | 1309 | 621 | 1930 | 1646 | 1854 | 3500 | 6000 |
| 350 | 92 | 125 | RWD | 3.58 | 1303 | 621 | 1924 | 1640 | 1860 | 3500 | 5500 |
| 350~ | 92 | 125 | RWD | 3.58 | 1309 | 621 | 1930 | 1646 | 1854 | 3500 | 5500 |
| 350 | 92 | 125 | RWD | 3.91 | 1303 | 621 | 1924 | 1640 | 1860 | 3500 | 6000 |
| 350~ | 92 | 125 | RWD | 3.91 | 1309 | 621 | 1930 | 1646 | 1854 | 3500 | 6000 |
| 350 | 114 | 155 | RWD | 3.58 | 1300 | 645 | 1945 | 1636 | 1864 | 3500 | 5500 |

DOUBLE CHASSIS CAB

BRAKES CERTIFIED TO EEC REQUIREMENTS - UNLADEN WEIGHT DISTRIBUTION STANDARD PRODUCTION MODEL

| MODEL | ENGINE | | DRIVELINE | AXLE RATIO | UNLADEN KERB WEIGHT* (kg) | | | GROSS VEHICLE MASS (kg) | | | GTM ** (kg) |
|-------|--------|-----|-----------|------------|---------------------------|------|-------|-------------------------|------|-------|-------------|
| | kW | | | | FRONT | REAR | TOTAL | FRONT | REAR | TOTAL | |
| 350~ | 114 | 155 | RWD | 3.58 | 1306 | 645 | 1951 | 1641 | 1859 | 3500 | 5500 |
| 350 | 114 | 155 | RWD | 3.91 | 1300 | 645 | 1945 | 1636 | 1864 | 3500 | 6300 |
| 350~ | 114 | 155 | RWD | 3.91 | 1306 | 645 | 1951 | 1641 | 1859 | 3500 | 6300 |
| 350 | 92 | 125 | RWD | 3.58 | 1303 | 621 | 1924 | 1639 | 1851 | 3490 | 5500 |
| 350~ | 92 | 125 | RWD | 3.58 | 1309 | 621 | 1930 | 1645 | 1845 | 3490 | 5500 |
| 350 | 92 | 125 | RWD | 3.91 | 1303 | 621 | 1924 | 1639 | 1851 | 3490 | 6000 |
| 350~ | 92 | 125 | RWD | 3.91 | 1309 | 621 | 1930 | 1645 | 1845 | 3490 | 6000 |
| 350 | 114 | 155 | RWD | 3.58 | 1300 | 645 | 1945 | 1639 | 1911 | 3550 | 5500 |
| 350~ | 114 | 155 | RWD | 3.58 | 1306 | 645 | 1951 | 1644 | 1906 | 3550 | 5500 |
| 350 | 114 | 155 | RWD | 3.58 | 1300 | 645 | 1945 | 1635 | 1855 | 3490 | 5500 |
| 350~ | 114 | 155 | RWD | 3.58 | 1306 | 645 | 1951 | 1641 | 1849 | 3490 | 5500 |
| 350 | 114 | 155 | RWD | 3.91 | 1300 | 645 | 1945 | 1639 | 1911 | 3550 | 6300 |
| 350~ | 114 | 155 | RWD | 3.91 | 1306 | 645 | 1951 | 1644 | 1906 | 3550 | 6300 |
| 350 | 114 | 155 | RWD | 3.91 | 1300 | 645 | 1945 | 1635 | 1855 | 3490 | 6290 |
| 350~ | 114 | 155 | RWD | 3.91 | 1306 | 645 | 1951 | 1641 | 1849 | 3490 | 6290 |
| 460~ | 92 | 125 | RWD | 3.91 | 1315 | 652 | 1967 | 1649 | 1841 | 3490 | 6000 |
| 460~ | 114 | 155 | RWD | 3.91 | 1312 | 676 | 1988 | 1644 | 1846 | 3490 | 6490 |
| 460~ | 92 | 125 | RWD | 3.91 | 1315 | 652 | 1967 | 1652 | 1898 | 3550 | 6000 |
| 460~ | 114 | 155 | RWD | 3.91 | 1312 | 676 | 1988 | 1648 | 1902 | 3550 | 6500 |
| 460~ | 92 | 125 | RWD | 3.91 | 1315 | 652 | 1967 | 1649 | 1851 | 3500 | 6000 |
| 460~ | 114 | 155 | RWD | 3.91 | 1312 | 676 | 1988 | 1645 | 1855 | 3500 | 6500 |
| 460~ | 92 | 125 | RWD | 3.91 | 1341 | 665 | 2006 | 1743 | 2857 | 4600 | 6000 |
| 460~ | 114 | 155 | RWD | 3.91 | 1338 | 689 | 2027 | 1738 | 2862 | 4600 | 6500 |

Extended Frame Wheel Base

Low Roof - Single Rear Wheel

| | | | | | | | | | | | |
|------|-----|-----|-----|------|------|-----|------|------|------|------|------|
| 350 | 74 | 100 | RWD | 3.58 | 1282 | 631 | 1913 | 1555 | 1945 | 3500 | 5500 |
| 350~ | 74 | 100 | RWD | 3.58 | 1288 | 631 | 1919 | 1561 | 1939 | 3500 | 5500 |
| 350 | 74 | 100 | RWD | 3.91 | 1282 | 631 | 1913 | 1555 | 1945 | 3500 | 6000 |
| 350~ | 74 | 100 | RWD | 3.91 | 1288 | 631 | 1919 | 1561 | 1939 | 3500 | 6000 |
| 350 | 92 | 125 | RWD | 3.58 | 1282 | 631 | 1913 | 1555 | 1945 | 3500 | 5500 |
| 350~ | 92 | 125 | RWD | 3.58 | 1288 | 631 | 1919 | 1561 | 1939 | 3500 | 5500 |
| 350 | 92 | 125 | RWD | 3.91 | 1282 | 631 | 1913 | 1555 | 1945 | 3500 | 6000 |
| 350~ | 92 | 125 | RWD | 3.91 | 1288 | 631 | 1919 | 1561 | 1939 | 3500 | 6000 |
| 350 | 114 | 155 | RWD | 3.58 | 1279 | 654 | 1933 | 1552 | 1948 | 3500 | 5500 |
| 350~ | 114 | 155 | RWD | 3.58 | 1285 | 654 | 1939 | 1558 | 1942 | 3500 | 5500 |
| 350 | 114 | 155 | RWD | 3.91 | 1279 | 654 | 1933 | 1552 | 1948 | 3500 | 6300 |
| 350~ | 114 | 155 | RWD | 3.91 | 1285 | 654 | 1939 | 1558 | 1942 | 3500 | 6300 |
| 350 | 74 | 100 | RWD | 3.58 | 1282 | 631 | 1913 | 1555 | 1935 | 3490 | 5500 |
| 350~ | 74 | 100 | RWD | 3.58 | 1288 | 631 | 1919 | 1561 | 1929 | 3490 | 5500 |
| 350 | 74 | 100 | RWD | 3.91 | 1282 | 631 | 1913 | 1555 | 1935 | 3490 | 6000 |
| 350~ | 74 | 100 | RWD | 3.91 | 1288 | 631 | 1919 | 1561 | 1929 | 3490 | 6000 |
| 350 | 92 | 125 | RWD | 3.58 | 1282 | 631 | 1913 | 1555 | 1935 | 3490 | 5500 |
| 350~ | 92 | 125 | RWD | 3.58 | 1288 | 631 | 1919 | 1561 | 1929 | 3490 | 5500 |
| 350 | 92 | 125 | RWD | 3.91 | 1282 | 631 | 1913 | 1555 | 1935 | 3490 | 6000 |
| 350~ | 92 | 125 | RWD | 3.91 | 1288 | 631 | 1919 | 1561 | 1929 | 3490 | 6000 |
| 350 | 114 | 155 | AWD | 3.58 | 1279 | 654 | 1933 | 1552 | 1938 | 3490 | 5500 |
| 350~ | 114 | 155 | AWD | 3.58 | 1285 | 654 | 1939 | 1558 | 1932 | 3490 | 5500 |
| 350 | 114 | 155 | AWD | 3.58 | 1279 | 654 | 1933 | 1552 | 1998 | 3550 | 5500 |
| 350~ | 114 | 155 | AWD | 3.58 | 1285 | 654 | 1939 | 1558 | 1992 | 3550 | 5500 |
| 350 | 114 | 155 | AWD | 3.91 | 1279 | 654 | 1933 | 1552 | 1938 | 3490 | 6290 |
| 350~ | 114 | 155 | AWD | 3.91 | 1285 | 654 | 1939 | 1558 | 1932 | 3490 | 6290 |
| 350 | 114 | 155 | RWD | 3.91 | 1279 | 654 | 1933 | 1552 | 1998 | 3550 | 6300 |
| 350~ | 114 | 155 | RWD | 3.91 | 1285 | 654 | 1939 | 1558 | 1992 | 3550 | 6300 |
| 350 | 92 | 125 | RWD | 3.91 | 1346 | 642 | 1988 | 1595 | 1905 | 3500 | 6300 |
| 350~ | 92 | 125 | RWD | 3.91 | 1352 | 642 | 1994 | 1601 | 1899 | 3500 | 6300 |
| 350 | 92 | 125 | RWD | 3.91 | 1346 | 642 | 1988 | 1595 | 1895 | 3490 | 6290 |
| 350~ | 92 | 125 | RWD | 3.91 | 1352 | 642 | 1994 | 1601 | 1889 | 3490 | 6290 |
| 350 | 92 | 125 | RWD | 3.91 | 1346 | 642 | 1988 | 1595 | 1955 | 3550 | 6300 |
| 350~ | 92 | 125 | RWD | 3.91 | 1352 | 642 | 1994 | 1601 | 1949 | 3550 | 6300 |

Low Roof - Dual Rear Wheel

| | | | | | | | | | | | |
|------|----|-----|-----|------|------|-----|------|------|------|------|------|
| 350 | 74 | 100 | RWD | 3.58 | 1299 | 655 | 1954 | 1572 | 1928 | 3500 | 5500 |
| 350~ | 74 | 100 | RWD | 3.58 | 1304 | 655 | 1959 | 1577 | 1923 | 3500 | 5500 |
| 350 | 74 | 100 | RWD | 3.91 | 1299 | 655 | 1954 | 1572 | 1928 | 3500 | 6000 |
| 350~ | 74 | 100 | RWD | 3.91 | 1304 | 655 | 1959 | 1577 | 1923 | 3500 | 6000 |
| 350 | 92 | 125 | RWD | 3.58 | 1299 | 655 | 1954 | 1572 | 1928 | 3500 | 5500 |
| 350~ | 92 | 125 | RWD | 3.58 | 1304 | 655 | 1959 | 1577 | 1923 | 3500 | 5500 |
| 350 | 92 | 125 | RWD | 3.91 | 1299 | 655 | 1954 | 1572 | 1928 | 3500 | 6000 |

DOUBLE CHASSIS CAB

BRAKES CERTIFIED TO EEC REQUIREMENTS - UNLADEN WEIGHT DISTRIBUTION STANDARD PRODUCTION MODEL

| MODEL | ENGINE | | DRIVELINE | AXLE RATIO | UNLADEN KERB WEIGHT* (kg) | | | GROSS VEHICLE MASS (kg) | | | GTM ** (kg) |
|-------|--------|-----|-----------|------------|---------------------------|------|-------|-------------------------|------|-------|-------------|
| | kW | | | | FRONT | REAR | TOTAL | FRONT | REAR | TOTAL | |
| 350~ | 92 | 125 | RWD | 3.91 | 1304 | 655 | 1959 | 1577 | 1923 | 3500 | 6000 |
| 350 | 114 | 155 | RWD | 3.58 | 1296 | 679 | 1975 | 1569 | 1931 | 3500 | 5500 |
| 350~ | 114 | 155 | RWD | 3.58 | 1301 | 679 | 1980 | 1573 | 1927 | 3500 | 5500 |
| 350 | 114 | 155 | RWD | 3.91 | 1296 | 679 | 1975 | 1569 | 1931 | 3500 | 6300 |
| 350~ | 114 | 155 | RWD | 3.91 | 1301 | 679 | 1980 | 1573 | 1927 | 3500 | 6300 |
| 350 | 74 | 100 | RWD | 3.58 | 1299 | 655 | 1954 | 1572 | 1918 | 3490 | 5500 |
| 350~ | 74 | 100 | RWD | 3.58 | 1304 | 655 | 1959 | 1577 | 1913 | 3490 | 5500 |
| 350 | 74 | 100 | RWD | 3.91 | 1299 | 655 | 1954 | 1572 | 1918 | 3490 | 6000 |
| 350~ | 74 | 100 | RWD | 3.91 | 1304 | 655 | 1959 | 1577 | 1913 | 3490 | 6000 |
| 350 | 92 | 125 | RWD | 3.58 | 1299 | 655 | 1954 | 1572 | 1918 | 3490 | 5500 |
| 350~ | 92 | 125 | RWD | 3.58 | 1304 | 655 | 1959 | 1577 | 1913 | 3490 | 5500 |
| 350 | 92 | 125 | RWD | 3.91 | 1299 | 655 | 1954 | 1572 | 1918 | 3490 | 6000 |
| 350~ | 92 | 125 | RWD | 3.91 | 1304 | 655 | 1959 | 1577 | 1913 | 3490 | 6000 |
| 350 | 114 | 155 | RWD | 3.58 | 1296 | 679 | 1975 | 1569 | 1981 | 3550 | 5500 |
| 350~ | 114 | 155 | RWD | 3.58 | 1301 | 679 | 1980 | 1574 | 1976 | 3550 | 5500 |
| 350 | 114 | 155 | RWD | 3.58 | 1296 | 679 | 1975 | 1568 | 1922 | 3490 | 5500 |
| 350~ | 114 | 155 | RWD | 3.58 | 1301 | 679 | 1980 | 1573 | 1917 | 3490 | 5500 |
| 350 | 114 | 155 | RWD | 3.91 | 1296 | 679 | 1975 | 1569 | 1981 | 3550 | 6300 |
| 350~ | 114 | 155 | RWD | 3.91 | 1301 | 679 | 1980 | 1574 | 1976 | 3550 | 6300 |
| 350 | 114 | 155 | RWD | 3.91 | 1296 | 679 | 1975 | 1568 | 1922 | 3490 | 6290 |
| 350~ | 114 | 155 | RWD | 3.91 | 1301 | 679 | 1980 | 1573 | 1917 | 3490 | 6290 |
| 460~ | 92 | 125 | RWD | 3.91 | 1310 | 686 | 1996 | 1582 | 1908 | 3490 | 6000 |
| 460~ | 114 | 155 | RWD | 3.91 | 1307 | 710 | 2017 | 1579 | 1911 | 3490 | 6490 |
| 460~ | 92 | 125 | RWD | 3.91 | 1310 | 686 | 1996 | 1583 | 1967 | 3550 | 6000 |
| 460~ | 114 | 155 | RWD | 3.91 | 1307 | 710 | 2017 | 1580 | 1970 | 3550 | 6500 |
| 460~ | 92 | 125 | RWD | 3.91 | 1310 | 686 | 1996 | 1582 | 1918 | 3500 | 6000 |
| 460~ | 114 | 155 | RWD | 3.91 | 1307 | 710 | 2017 | 1579 | 1921 | 3500 | 6500 |
| 460~ | 92 | 125 | RWD | 3.91 | 1336 | 700 | 2036 | 1615 | 2985 | 4600 | 6000 |
| 460~ | 114 | 155 | RWD | 3.91 | 1333 | 724 | 2057 | 1612 | 2988 | 4600 | 6500 |
| 460~ | 114 | 155 | RWD | 3.91 | 1333 | 724 | 2057 | 1611 | 2879 | 4490 | 6500 |

Double Cab without floats.

* Unladen Kerb Weight (Mass in Running Order) - Includes driver (75kg), full fluids, spare wheel and 90% fuel (72ltrs)

** Gross Vehicle Train Mass

~ 1850 kg increased front axle plate

KOMBI

BRAKES CERTIFIED TO EEC REQUIREMENTS - UNLADEN WEIGHT DISTRIBUTION STANDARD PRODUCTION MODEL

| MODEL | ENGINE | | DRIVELINE | AXLE RATIO | UNLADEN KERB WEIGHT* (kg) | | | GROSS VEHICLE MASS (kg) | | | GTM** (kg) |
|--|--------|-----|-----------|------------|---------------------------|------|-------|-------------------------|------|-------|------------|
| | kW | PS | | | FRONT | REAR | TOTAL | FRONT | REAR | TOTAL | |
| Short Wheel Base | | | | | | | | | | | |
| Low Roof - Single Rear Wheel | | | | | | | | | | | |
| 280 | 74 | 100 | FWD | 4.36 | 1213 | 854 | 2067 | 1437 | 1388 | 2825 | 4825 |
| 280 | 92 | 125 | FWD | 4.36 | 1213 | 854 | 2067 | 1437 | 1388 | 2825 | 4825 |
| 280 | 103 | 140 | FWD | 4.36 | 1213 | 854 | 2067 | 1437 | 1388 | 2825 | 4825 |
| 300 | 74 | 100 | FWD | 4.36 | 1213 | 854 | 2067 | 1463 | 1562 | 3025 | 5025 |
| 300 | 92 | 125 | FWD | 4.36 | 1213 | 854 | 2067 | 1463 | 1562 | 3025 | 5025 |
| 300 | 103 | 140 | FWD | 4.36 | 1213 | 854 | 2067 | 1463 | 1562 | 3025 | 5025 |
| 330 | 92 | 125 | FWD | 4.93 | 1227 | 881 | 2108 | 1512 | 1813 | 3325 | 5325 |
| 330 | 103 | 140 | FWD | 4.93 | 1227 | 881 | 2108 | 1512 | 1813 | 3325 | 5325 |
| 300 | 74 | 100 | RWD | 3.58 | 1160 | 855 | 2015 | 1419 | 1606 | 3025 | 5025 |
| 300 | 74 | 100 | RWD | 3.91 | 1160 | 855 | 2015 | 1419 | 1606 | 3025 | 5025 |
| 300 | 92 | 125 | RWD | 3.31 | 1160 | 855 | 2015 | 1419 | 1606 | 3025 | 5025 |
| 300 | 92 | 125 | RWD | 3.91 | 1160 | 855 | 2015 | 1419 | 1606 | 3025 | 5025 |
| 330 | 74 | 100 | RWD | 3.58 | 1162 | 855 | 2017 | 1461 | 1864 | 3325 | 5325 |
| 330 | 74 | 100 | RWD | 3.91 | 1162 | 855 | 2017 | 1461 | 1864 | 3325 | 5325 |
| 330 | 92 | 125 | RWD | 3.31 | 1162 | 855 | 2017 | 1461 | 1864 | 3325 | 5325 |
| 330 | 92 | 125 | RWD | 3.91 | 1162 | 855 | 2017 | 1461 | 1864 | 3325 | 5325 |
| 300 | 92 | 125 | FWD | 4.93 | 1213 | 854 | 2067 | 1463 | 1562 | 3025 | 5025 |
| 300 | 74 | 100 | FWD | 4.36 | 1205 | 878 | 2083 | 1325 | 1555 | 2880 | 4880 |
| 300 | 92 | 125 | FWD | 4.36 | 1205 | 878 | 2083 | 1325 | 1555 | 2880 | 4880 |
| 300 | 103 | 140 | FWD | 4.36 | 1205 | 878 | 2083 | 1325 | 1555 | 2880 | 4880 |
| 300 | 74 | 100 | FWD | 4.36 | 1200 | 902 | 2102 | 1347 | 1533 | 2880 | 4880 |
| 300 | 92 | 125 | FWD | 4.36 | 1200 | 902 | 2102 | 1347 | 1533 | 2880 | 4880 |
| 300 | 103 | 140 | FWD | 4.36 | 1200 | 902 | 2102 | 1347 | 1533 | 2880 | 4880 |
| Medium Roof - Single Rear Wheel | | | | | | | | | | | |
| 280 | 74 | 100 | FWD | 4.36 | 1218 | 875 | 2093 | 1438 | 1387 | 2825 | 4825 |
| 280 | 92 | 125 | FWD | 4.36 | 1218 | 875 | 2093 | 1438 | 1387 | 2825 | 4825 |
| 280 | 103 | 140 | FWD | 4.36 | 1218 | 875 | 2093 | 1438 | 1387 | 2825 | 4825 |
| 300 | 74 | 100 | FWD | 4.36 | 1218 | 875 | 2093 | 1465 | 1560 | 3025 | 5025 |
| 300 | 92 | 125 | FWD | 4.36 | 1218 | 875 | 2093 | 1465 | 1560 | 3025 | 5025 |
| 300 | 103 | 140 | FWD | 4.36 | 1218 | 875 | 2093 | 1465 | 1560 | 3025 | 5025 |
| 330 | 92 | 125 | FWD | 4.93 | 1232 | 902 | 2134 | 1513 | 1812 | 3325 | 5325 |
| 330 | 103 | 140 | FWD | 4.93 | 1232 | 902 | 2134 | 1513 | 1812 | 3325 | 5325 |
| 300 | 74 | 100 | RWD | 3.58 | 1165 | 875 | 2040 | 1421 | 1604 | 3025 | 5025 |
| 300 | 74 | 100 | RWD | 3.91 | 1165 | 875 | 2040 | 1421 | 1604 | 3025 | 5025 |
| 300 | 92 | 125 | RWD | 3.31 | 1165 | 875 | 2040 | 1421 | 1604 | 3025 | 5025 |
| 300 | 92 | 125 | RWD | 3.91 | 1165 | 875 | 2040 | 1421 | 1604 | 3025 | 5025 |
| 330 | 74 | 100 | RWD | 3.58 | 1166 | 875 | 2041 | 1462 | 1863 | 3325 | 5325 |
| 330 | 74 | 100 | RWD | 3.91 | 1166 | 875 | 2041 | 1462 | 1863 | 3325 | 5325 |
| 330 | 92 | 125 | RWD | 3.31 | 1166 | 875 | 2041 | 1462 | 1863 | 3325 | 5325 |
| 330 | 92 | 125 | RWD | 3.91 | 1166 | 875 | 2041 | 1462 | 1863 | 3325 | 5325 |
| 300 | 74 | 100 | FWD | 4.36 | 1262 | 1121 | 2383 | 1395 | 1630 | 3025 | 5025 |
| 300 | 92 | 125 | FWD | 4.36 | 1262 | 1121 | 2383 | 1395 | 1630 | 3025 | 5025 |
| 300 | 103 | 140 | FWD | 4.36 | 1262 | 1121 | 2383 | 1395 | 1630 | 3025 | 5025 |
| Medium Wheel Base | | | | | | | | | | | |
| Low Roof - Single Rear Wheel | | | | | | | | | | | |
| 300 | 74 | 100 | FWD | 4.36 | 1246 | 770 | 2016 | 1513 | 1512 | 3025 | 5225 |
| 300 | 92 | 125 | FWD | 4.36 | 1246 | 770 | 2016 | 1513 | 1512 | 3025 | 5225 |
| 300 | 103 | 140 | FWD | 4.36 | 1246 | 770 | 2016 | 1513 | 1512 | 3025 | 5225 |
| 330 | 92 | 125 | FWD | 4.93 | 1260 | 797 | 2057 | 1497 | 1828 | 3325 | 5500 |
| 330 | 103 | 140 | FWD | 4.93 | 1260 | 797 | 2057 | 1497 | 1828 | 3325 | 5500 |
| 350 | 92 | 125 | FWD | 4.93 | 1260 | 797 | 2057 | 1477 | 2023 | 3500 | 5500 |
| 350 | 103 | 140 | FWD | 4.93 | 1260 | 797 | 2057 | 1477 | 2023 | 3500 | 5500 |
| 280 | 74 | 100 | FWD | 4.36 | 1246 | 771 | 2017 | 1528 | 1372 | 2900 | 5225 |
| 280 | 92 | 125 | FWD | 4.36 | 1246 | 771 | 2017 | 1528 | 1372 | 2900 | 5225 |
| 280 | 103 | 140 | FWD | 4.36 | 1246 | 771 | 2017 | 1528 | 1372 | 2900 | 5225 |
| Medium Roof - Single Rear Wheel | | | | | | | | | | | |
| 300 | 74 | 100 | FWD | 4.36 | 1252 | 791 | 2043 | 1522 | 1503 | 3025 | 5225 |
| 300 | 92 | 125 | FWD | 4.36 | 1252 | 791 | 2043 | 1522 | 1503 | 3025 | 5225 |
| 300 | 103 | 140 | FWD | 4.36 | 1252 | 791 | 2043 | 1522 | 1503 | 3025 | 5225 |
| 330 | 92 | 125 | FWD | 4.93 | 1266 | 817 | 2083 | 1506 | 1819 | 3325 | 5500 |
| 330 | 103 | 140 | FWD | 4.93 | 1266 | 817 | 2083 | 1506 | 1819 | 3325 | 5500 |
| 350 | 92 | 125 | FWD | 4.93 | 1266 | 817 | 2083 | 1486 | 2014 | 3500 | 5500 |
| 350 | 103 | 140 | FWD | 4.93 | 1266 | 817 | 2083 | 1486 | 2014 | 3500 | 5500 |

KOMBI

BRAKES CERTIFIED TO EEC REQUIREMENTS - UNLADEN WEIGHT DISTRIBUTION STANDARD PRODUCTION MODEL

| MODEL | ENGINE | | DRIVELINE | AXLE RATIO | UNLADEN KERB WEIGHT* (kg) | | | GROSS VEHICLE MASS (kg) | | | GTM** (kg) |
|--|--------|-----|-----------|------------|---------------------------|------|-------|-------------------------|------|-------|------------|
| | kW | PS | | | FRONT | REAR | TOTAL | FRONT | REAR | TOTAL | |
| 300 | 74 | 100 | RWD | 3.58 | 1209 | 871 | 2080 | 1518 | 1507 | 3025 | 5500 |
| 300 | 74 | 100 | RWD | 3.91 | 1209 | 871 | 2080 | 1518 | 1507 | 3025 | 5825 |
| 300 | 92 | 125 | RWD | 3.31 | 1209 | 871 | 2080 | 1518 | 1507 | 3025 | 5500 |
| 300 | 92 | 125 | RWD | 3.91 | 1209 | 871 | 2080 | 1518 | 1507 | 3025 | 5825 |
| 330 | 74 | 100 | RWD | 3.58 | 1211 | 871 | 2082 | 1486 | 1839 | 3325 | 5500 |
| 330 | 74 | 100 | RWD | 3.91 | 1211 | 871 | 2082 | 1486 | 1839 | 3325 | 6000 |
| 330 | 92 | 125 | RWD | 3.31 | 1211 | 871 | 2082 | 1486 | 1839 | 3325 | 5500 |
| 330 | 92 | 125 | RWD | 3.91 | 1211 | 871 | 2082 | 1486 | 1839 | 3325 | 6000 |
| 350 | 74 | 100 | RWD | 3.58 | 1211 | 871 | 2082 | 1493 | 2007 | 3500 | 5500 |
| 350 | 74 | 100 | RWD | 3.58 | 1217 | 871 | 2088 | 1500 | 2000 | 3500 | 5500 |
| 350 | 74 | 100 | RWD | 3.91 | 1211 | 871 | 2082 | 1493 | 2007 | 3500 | 6000 |
| 350 | 74 | 100 | RWD | 3.91 | 1217 | 871 | 2088 | 1500 | 2000 | 3500 | 6000 |
| 350 | 92 | 125 | RWD | 3.31 | 1211 | 871 | 2082 | 1493 | 2007 | 3500 | 5500 |
| 350 | 92 | 125 | RWD | 3.31 | 1217 | 871 | 2088 | 1500 | 2000 | 3500 | 5500 |
| 350 | 92 | 125 | RWD | 3.91 | 1211 | 871 | 2082 | 1493 | 2007 | 3500 | 6000 |
| 350 | 92 | 125 | RWD | 3.91 | 1217 | 871 | 2088 | 1500 | 2000 | 3500 | 6000 |
| 300 | 92 | 125 | FWD | 4.93 | 1252 | 791 | 2043 | 1522 | 1503 | 3025 | 3025 |
| 280 | 74 | 100 | FWD | 4.36 | 1252 | 790 | 2042 | 1537 | 1363 | 2900 | 5225 |
| 280 | 92 | 125 | FWD | 4.36 | 1252 | 790 | 2042 | 1537 | 1363 | 2900 | 5225 |
| 280 | 103 | 140 | FWD | 4.36 | 1252 | 790 | 2042 | 1537 | 1363 | 2900 | 5225 |
| High Roof - Single Rear Wheel | | | | | | | | | | | |
| 300 | 74 | 100 | FWD | 4.36 | 1256 | 810 | 2066 | 1529 | 1496 | 3025 | 5225 |
| 300 | 92 | 125 | FWD | 4.36 | 1256 | 810 | 2066 | 1529 | 1496 | 3025 | 5225 |
| 300 | 103 | 140 | FWD | 4.36 | 1256 | 810 | 2066 | 1529 | 1496 | 3025 | 5225 |
| 330 | 92 | 125 | FWD | 4.93 | 1270 | 836 | 2106 | 1513 | 1812 | 3325 | 5500 |
| 330 | 103 | 140 | FWD | 4.93 | 1270 | 836 | 2106 | 1513 | 1812 | 3325 | 5500 |
| 350 | 92 | 125 | FWD | 4.93 | 1270 | 836 | 2106 | 1492 | 2008 | 3500 | 5500 |
| 350 | 103 | 140 | FWD | 4.93 | 1270 | 836 | 2106 | 1492 | 2008 | 3500 | 5500 |
| 300 | 74 | 100 | RWD | 3.58 | 1213 | 889 | 2102 | 1525 | 1500 | 3025 | 5500 |
| 300 | 74 | 100 | RWD | 3.91 | 1213 | 889 | 2102 | 1525 | 1500 | 3025 | 5825 |
| 300 | 92 | 125 | RWD | 3.31 | 1213 | 889 | 2102 | 1525 | 1500 | 3025 | 5500 |
| 300 | 92 | 125 | RWD | 3.91 | 1213 | 889 | 2102 | 1525 | 1500 | 3025 | 5825 |
| 330 | 74 | 100 | RWD | 3.58 | 1215 | 889 | 2104 | 1492 | 1833 | 3325 | 5500 |
| 330 | 74 | 100 | RWD | 3.91 | 1215 | 889 | 2104 | 1492 | 1833 | 3325 | 6000 |
| 330 | 92 | 125 | RWD | 3.31 | 1215 | 889 | 2104 | 1492 | 1833 | 3325 | 5500 |
| 330 | 92 | 125 | RWD | 3.91 | 1215 | 889 | 2104 | 1492 | 1833 | 3325 | 6000 |
| 350 | 74 | 100 | RWD | 3.58 | 1215 | 889 | 2104 | 1500 | 2000 | 3500 | 5500 |
| 350~ | 74 | 100 | RWD | 3.58 | 1221 | 889 | 2110 | 1507 | 1993 | 3500 | 5500 |
| 350 | 74 | 100 | RWD | 3.91 | 1215 | 889 | 2104 | 1500 | 2000 | 3500 | 6000 |
| 350~ | 74 | 100 | RWD | 3.91 | 1221 | 889 | 2110 | 1507 | 1993 | 3500 | 6000 |
| 350 | 92 | 125 | RWD | 3.31 | 1215 | 889 | 2104 | 1500 | 2000 | 3500 | 5500 |
| 350~ | 92 | 125 | RWD | 3.31 | 1221 | 889 | 2110 | 1507 | 1993 | 3500 | 5500 |
| 350 | 92 | 125 | RWD | 3.91 | 1215 | 889 | 2104 | 1500 | 2000 | 3500 | 6000 |
| 350~ | 92 | 125 | RWD | 3.91 | 1221 | 889 | 2110 | 1507 | 1993 | 3500 | 6000 |
| 280 | 74 | 100 | FWD | 4.36 | 1256 | 809 | 2065 | 1543 | 1357 | 2900 | 5225 |
| 280 | 92 | 125 | FWD | 4.36 | 1256 | 809 | 2065 | 1543 | 1357 | 2900 | 5225 |
| 280 | 103 | 140 | FWD | 4.36 | 1256 | 809 | 2065 | 1543 | 1357 | 2900 | 5225 |
| Long Wheel Base | | | | | | | | | | | |
| Medium Roof - Single Rear Wheel | | | | | | | | | | | |
| 300 | 74 | 100 | FWD | 4.36 | 1263 | 807 | 2070 | 1601 | 1424 | 3025 | 5225 |
| 300 | 92 | 125 | FWD | 4.36 | 1263 | 807 | 2070 | 1601 | 1424 | 3025 | 5225 |
| 300 | 103 | 140 | FWD | 4.36 | 1263 | 807 | 2070 | 1601 | 1424 | 3025 | 5225 |
| 330 | 92 | 125 | FWD | 4.93 | 1277 | 833 | 2110 | 1604 | 1721 | 3325 | 5500 |
| 330 | 103 | 140 | FWD | 4.93 | 1277 | 833 | 2110 | 1604 | 1721 | 3325 | 5500 |
| 350 | 92 | 125 | FWD | 4.93 | 1277 | 833 | 2110 | 1597 | 1903 | 3500 | 5500 |
| 350 | 103 | 140 | FWD | 4.93 | 1277 | 833 | 2110 | 1597 | 1903 | 3500 | 5500 |
| 300 | 74 | 100 | RWD | 3.58 | 1235 | 874 | 2109 | 1609 | 1416 | 3025 | 5500 |
| 300 | 74 | 100 | RWD | 3.91 | 1235 | 874 | 2109 | 1609 | 1416 | 3025 | 5825 |
| 300 | 92 | 125 | RWD | 3.31 | 1235 | 874 | 2109 | 1609 | 1416 | 3025 | 5500 |
| 300 | 92 | 125 | RWD | 3.91 | 1235 | 874 | 2109 | 1609 | 1416 | 3025 | 5825 |
| 330 | 74 | 100 | RWD | 3.58 | 1237 | 874 | 2111 | 1599 | 1726 | 3325 | 5500 |
| 330 | 74 | 100 | RWD | 3.91 | 1237 | 874 | 2111 | 1599 | 1726 | 3325 | 6000 |
| 330 | 92 | 125 | RWD | 3.31 | 1237 | 874 | 2111 | 1599 | 1726 | 3325 | 5500 |
| 330 | 92 | 125 | RWD | 3.91 | 1237 | 874 | 2111 | 1599 | 1726 | 3325 | 6000 |
| 350 | 74 | 100 | RWD | 3.58 | 1237 | 874 | 2111 | 1617 | 1883 | 3500 | 5500 |
| 350~ | 74 | 100 | RWD | 3.58 | 1243 | 874 | 2117 | 1623 | 1877 | 3500 | 5500 |

KOMBI

BRAKES CERTIFIED TO EEC REQUIREMENTS - UNLADEN WEIGHT DISTRIBUTION STANDARD PRODUCTION MODEL

| MODEL | ENGINE | | DRIVELINE | AXLE RATIO | UNLADEN KERB WEIGHT* (kg) | | | GROSS VEHICLE MASS (kg) | | | GTM** (kg) |
|-------------------------------|--------|-----|-----------|------------|---------------------------|------|-------|-------------------------|------|-------|------------|
| | kW | PS | | | FRONT | REAR | TOTAL | FRONT | REAR | TOTAL | |
| 350 | 74 | 100 | RWD | 3.91 | 1237 | 874 | 2111 | 1617 | 1883 | 3500 | 6000 |
| 350~ | 74 | 100 | RWD | 3.91 | 1243 | 874 | 2117 | 1623 | 1877 | 3500 | 6000 |
| 350 | 92 | 125 | RWD | 3.31 | 1237 | 874 | 2111 | 1617 | 1883 | 3500 | 5500 |
| 350~ | 92 | 125 | RWD | 3.31 | 1243 | 874 | 2117 | 1623 | 1877 | 3500 | 5500 |
| 350 | 92 | 125 | RWD | 3.91 | 1237 | 874 | 2111 | 1617 | 1883 | 3500 | 6000 |
| 350~ | 92 | 125 | RWD | 3.91 | 1243 | 874 | 2117 | 1623 | 1877 | 3500 | 6000 |
| High Roof - Single Rear Wheel | | | | | | | | | | | |
| 300 | 74 | 100 | FWD | 4.36 | 1270 | 828 | 2098 | 1609 | 1416 | 3025 | 5225 |
| 300 | 92 | 125 | FWD | 4.36 | 1270 | 828 | 2098 | 1609 | 1416 | 3025 | 5225 |
| 300 | 103 | 140 | FWD | 4.36 | 1270 | 828 | 2098 | 1609 | 1416 | 3025 | 5225 |
| 330 | 92 | 125 | FWD | 4.93 | 1284 | 854 | 2138 | 1612 | 1713 | 3325 | 5500 |
| 330 | 103 | 140 | FWD | 4.93 | 1284 | 854 | 2138 | 1612 | 1713 | 3325 | 5500 |
| 350 | 92 | 125 | FWD | 4.93 | 1284 | 854 | 2138 | 1605 | 1895 | 3500 | 5500 |
| 350 | 103 | 140 | FWD | 4.93 | 1284 | 854 | 2138 | 1605 | 1895 | 3500 | 5500 |
| 300 | 74 | 100 | RWD | 3.58 | 1242 | 894 | 2136 | 1618 | 1407 | 3025 | 5500 |
| 300 | 74 | 100 | RWD | 3.91 | 1242 | 894 | 2136 | 1618 | 1407 | 3025 | 5825 |
| 300 | 92 | 125 | RWD | 3.31 | 1242 | 894 | 2136 | 1618 | 1407 | 3025 | 5500 |
| 300 | 92 | 125 | RWD | 3.91 | 1242 | 894 | 2136 | 1618 | 1407 | 3025 | 5825 |
| 330 | 74 | 100 | RWD | 3.58 | 1244 | 894 | 2138 | 1607 | 1718 | 3325 | 5500 |
| 330 | 74 | 100 | RWD | 3.91 | 1244 | 894 | 2138 | 1607 | 1718 | 3325 | 6000 |
| 330 | 92 | 125 | RWD | 3.31 | 1244 | 894 | 2138 | 1607 | 1718 | 3325 | 5500 |
| 330 | 92 | 125 | RWD | 3.91 | 1244 | 894 | 2138 | 1607 | 1718 | 3325 | 6000 |
| 350 | 74 | 100 | RWD | 3.58 | 1244 | 894 | 2138 | 1625 | 1875 | 3500 | 5500 |
| 350~ | 74 | 100 | RWD | 3.58 | 1250 | 894 | 2144 | 1631 | 1869 | 3500 | 5500 |
| 350 | 74 | 100 | RWD | 3.91 | 1244 | 894 | 2138 | 1625 | 1875 | 3500 | 6000 |
| 350~ | 74 | 100 | RWD | 3.91 | 1250 | 894 | 2144 | 1631 | 1869 | 3500 | 6000 |
| 350 | 92 | 125 | RWD | 3.31 | 1244 | 894 | 2138 | 1625 | 1875 | 3500 | 5500 |
| 350~ | 92 | 125 | RWD | 3.31 | 1250 | 894 | 2144 | 1631 | 1869 | 3500 | 5500 |
| 350 | 92 | 125 | RWD | 3.91 | 1244 | 894 | 2138 | 1625 | 1875 | 3500 | 6000 |
| 350~ | 92 | 125 | RWD | 3.91 | 1250 | 894 | 2144 | 1631 | 1869 | 3500 | 6000 |

* Unladen Kerb Weight (Mass in Running Order) - Includes driver (75kg), full fluids, spare wheel and 90% fuel (72ltrs)

** Gross Vehicle Train Mass

~ 1850 kg increased front axle plate

KOMBI VAN

BRAKES CERTIFIED TO EEC REQUIREMENTS - UNLADEN WEIGHT DISTRIBUTION STANDARD PRODUCTION MODEL

| MODEL | ENGINE | | DRIVELINE | AXLE RATIO | UNLADEN KERB WEIGHT* (kg) | | | GROSS VEHICLE MASS (kg) | | | GTM** (kg) |
|--|--------|-----|-----------|------------|---------------------------|------|-------|-------------------------|------|-------|------------|
| | KW | PS | | | FRONT | REAR | TOTAL | FRONT | REAR | TOTAL | |
| Short Wheel Base | | | | | | | | | | | |
| Low Roof - Single Rear Wheel | | | | | | | | | | | |
| 280 | 74 | 100 | FWD | 4.36 | 1226 | 789 | 2015 | 1437 | 1388 | 2825 | 4825 |
| 280 | 92 | 125 | FWD | 4.36 | 1226 | 789 | 2015 | 1437 | 1388 | 2825 | 4825 |
| 280 | 103 | 140 | FWD | 4.36 | 1226 | 789 | 2015 | 1437 | 1388 | 2825 | 4825 |
| 300 | 74 | 100 | FWD | 4.36 | 1226 | 789 | 2015 | 1464 | 1561 | 3025 | 5025 |
| 300 | 92 | 125 | FWD | 4.36 | 1226 | 789 | 2015 | 1464 | 1561 | 3025 | 5025 |
| 300 | 103 | 140 | FWD | 4.36 | 1226 | 789 | 2015 | 1464 | 1561 | 3025 | 5025 |
| 330 | 92 | 125 | FWD | 4.93 | 1241 | 816 | 2057 | 1513 | 1812 | 3325 | 5325 |
| 330 | 103 | 140 | FWD | 4.93 | 1241 | 816 | 2057 | 1513 | 1812 | 3325 | 5325 |
| 330 | 74 | 100 | RWD | 3.58 | 1161 | 856 | 2017 | 1461 | 1864 | 3325 | 5325 |
| 330 | 74 | 100 | RWD | 3.91 | 1161 | 856 | 2017 | 1461 | 1864 | 3325 | 5325 |
| 330 | 92 | 125 | RWD | 3.31 | 1161 | 856 | 2017 | 1461 | 1864 | 3325 | 5325 |
| 330 | 92 | 125 | RWD | 3.91 | 1161 | 856 | 2017 | 1461 | 1864 | 3325 | 5325 |
| Medium Roof - Single Rear Wheel | | | | | | | | | | | |
| 280 | 74 | 100 | FWD | 4.36 | 1231 | 810 | 2041 | 1438 | 1387 | 2825 | 4825 |
| 280 | 92 | 125 | FWD | 4.36 | 1231 | 810 | 2041 | 1438 | 1387 | 2825 | 4825 |
| 280 | 103 | 140 | FWD | 4.36 | 1231 | 810 | 2041 | 1438 | 1387 | 2825 | 4825 |
| 300 | 74 | 100 | FWD | 4.36 | 1231 | 810 | 2041 | 1465 | 1560 | 3025 | 5025 |
| 300 | 92 | 125 | FWD | 4.36 | 1231 | 810 | 2041 | 1465 | 1560 | 3025 | 5025 |
| 300 | 103 | 140 | FWD | 4.36 | 1231 | 810 | 2041 | 1465 | 1560 | 3025 | 5025 |
| 330 | 92 | 125 | FWD | 4.93 | 1246 | 837 | 2083 | 1514 | 1811 | 3325 | 5325 |
| 330 | 103 | 140 | FWD | 4.93 | 1246 | 837 | 2083 | 1514 | 1811 | 3325 | 5325 |
| 330 | 74 | 100 | RWD | 3.58 | 1165 | 876 | 2041 | 1462 | 1863 | 3325 | 5325 |
| 330 | 74 | 100 | RWD | 3.91 | 1165 | 876 | 2041 | 1462 | 1863 | 3325 | 5325 |
| 330 | 92 | 125 | RWD | 3.31 | 1165 | 876 | 2041 | 1462 | 1863 | 3325 | 5325 |
| 330 | 92 | 125 | RWD | 3.91 | 1165 | 876 | 2041 | 1462 | 1863 | 3325 | 5325 |
| Medium Wheel Base | | | | | | | | | | | |
| Low Roof - Single Rear Wheel | | | | | | | | | | | |
| 280 | 74 | 100 | FWD | 4.36 | 1248 | 774 | 2022 | 1524 | 1376 | 2900 | 5225 |
| 280 | 92 | 125 | FWD | 4.36 | 1248 | 774 | 2022 | 1524 | 1376 | 2900 | 5225 |
| 280 | 103 | 140 | FWD | 4.36 | 1248 | 774 | 2022 | 1524 | 1376 | 2900 | 5225 |
| 300 | 74 | 100 | FWD | 4.36 | 1249 | 772 | 2021 | 1510 | 1515 | 3025 | 5225 |
| 300 | 92 | 125 | FWD | 4.36 | 1249 | 772 | 2021 | 1510 | 1515 | 3025 | 5225 |
| 300 | 103 | 140 | FWD | 4.36 | 1249 | 772 | 2021 | 1510 | 1515 | 3025 | 5225 |
| 330 | 92 | 125 | FWD | 4.93 | 1263 | 799 | 2062 | 1494 | 1831 | 3325 | 5500 |
| 330 | 103 | 140 | FWD | 4.93 | 1263 | 799 | 2062 | 1494 | 1831 | 3325 | 5500 |
| 350 | 92 | 125 | FWD | 4.93 | 1263 | 799 | 2062 | 1474 | 2026 | 3500 | 5500 |
| 350 | 103 | 140 | FWD | 4.93 | 1263 | 799 | 2062 | 1474 | 2026 | 3500 | 5500 |
| Medium Roof - Single Rear Wheel | | | | | | | | | | | |
| 280 | 74 | 100 | FWD | 4.36 | 1254 | 793 | 2047 | 1533 | 1367 | 2900 | 5225 |
| 280 | 92 | 125 | FWD | 4.36 | 1254 | 793 | 2047 | 1533 | 1367 | 2900 | 5225 |
| 280 | 103 | 140 | FWD | 4.36 | 1254 | 793 | 2047 | 1533 | 1367 | 2900 | 5225 |
| 300 | 74 | 100 | FWD | 4.36 | 1255 | 793 | 2048 | 1519 | 1506 | 3025 | 5225 |
| 300 | 92 | 125 | FWD | 4.36 | 1255 | 793 | 2048 | 1519 | 1506 | 3025 | 5225 |
| 300 | 103 | 140 | FWD | 4.36 | 1255 | 793 | 2048 | 1519 | 1506 | 3025 | 5225 |
| 330 | 92 | 125 | FWD | 4.93 | 1269 | 819 | 2088 | 1503 | 1822 | 3325 | 5500 |
| 330 | 103 | 140 | FWD | 4.93 | 1269 | 819 | 2088 | 1503 | 1822 | 3325 | 5500 |
| 350 | 92 | 125 | FWD | 4.93 | 1269 | 819 | 2088 | 1483 | 2017 | 3500 | 5500 |
| 350 | 103 | 140 | FWD | 4.93 | 1269 | 819 | 2088 | 1483 | 2017 | 3500 | 5500 |
| 300 | 74 | 100 | RWD | 3.58 | 1212 | 873 | 2085 | 1516 | 1509 | 3025 | 5500 |
| 300 | 74 | 100 | RWD | 3.91 | 1212 | 873 | 2085 | 1516 | 1509 | 3025 | 5825 |
| 300 | 92 | 125 | RWD | 3.31 | 1212 | 873 | 2085 | 1516 | 1509 | 3025 | 5500 |
| 300 | 92 | 125 | RWD | 3.91 | 1212 | 873 | 2085 | 1516 | 1509 | 3025 | 5825 |
| 330 | 74 | 100 | RWD | 3.58 | 1214 | 873 | 2087 | 1483 | 1842 | 3325 | 5500 |
| 330 | 74 | 100 | RWD | 3.91 | 1214 | 873 | 2087 | 1483 | 1842 | 3325 | 6000 |
| 330 | 92 | 125 | RWD | 3.31 | 1214 | 873 | 2087 | 1483 | 1842 | 3325 | 5500 |
| 330 | 92 | 125 | RWD | 3.91 | 1214 | 873 | 2087 | 1483 | 1842 | 3325 | 6000 |
| 350 | 74 | 100 | RWD | 3.58 | 1214 | 873 | 2087 | 1491 | 2009 | 3500 | 5500 |
| 350~ | 74 | 100 | RWD | 3.58 | 1220 | 873 | 2093 | 1497 | 2003 | 3500 | 5500 |
| 350 | 74 | 100 | RWD | 3.91 | 1214 | 873 | 2087 | 1491 | 2009 | 3500 | 6000 |
| 350~ | 74 | 100 | RWD | 3.91 | 1220 | 873 | 2093 | 1497 | 2003 | 3500 | 6000 |
| 350 | 92 | 125 | RWD | 3.31 | 1214 | 873 | 2087 | 1491 | 2009 | 3500 | 5500 |
| 350~ | 92 | 125 | RWD | 3.31 | 1220 | 873 | 2093 | 1497 | 2003 | 3500 | 5500 |
| 350 | 92 | 125 | RWD | 3.91 | 1214 | 873 | 2087 | 1491 | 2009 | 3500 | 6000 |
| 350~ | 92 | 125 | RWD | 3.91 | 1220 | 873 | 2093 | 1497 | 2003 | 3500 | 6000 |
| High Roof - Single Rear Wheel | | | | | | | | | | | |

KOMBI VAN

BRAKES CERTIFIED TO EEC REQUIREMENTS - UNLADEN WEIGHT DISTRIBUTION STANDARD PRODUCTION MODEL

| MODEL | ENGINE | | DRIVELINE | AXLE RATIO | UNLADEN KERB WEIGHT* (kg) | | | GROSS VEHICLE MASS (kg) | | | GTM** (kg) |
|--|--------|-----|-----------|------------|---------------------------|------|-------|-------------------------|------|-------|------------|
| | KW | PS | | | FRONT | REAR | TOTAL | FRONT | REAR | TOTAL | |
| 280 | 74 | 100 | FWD | 4.36 | 1258 | 812 | 2070 | 1540 | 1360 | 2900 | 5225 |
| 280 | 92 | 125 | FWD | 4.36 | 1258 | 812 | 2070 | 1540 | 1360 | 2900 | 5225 |
| 280 | 103 | 140 | FWD | 4.36 | 1258 | 812 | 2070 | 1540 | 1360 | 2900 | 5225 |
| 300 | 74 | 100 | FWD | 4.36 | 1259 | 812 | 2071 | 1526 | 1499 | 3025 | 5225 |
| 300 | 92 | 125 | FWD | 4.36 | 1259 | 812 | 2071 | 1526 | 1499 | 3025 | 5225 |
| 300 | 103 | 140 | FWD | 4.36 | 1259 | 812 | 2071 | 1526 | 1499 | 3025 | 5225 |
| 330 | 92 | 125 | FWD | 4.93 | 1273 | 838 | 2111 | 1510 | 1815 | 3325 | 5500 |
| 330 | 103 | 140 | FWD | 4.93 | 1273 | 838 | 2111 | 1510 | 1815 | 3325 | 5500 |
| 350 | 92 | 125 | FWD | 4.93 | 1273 | 838 | 2111 | 1490 | 2010 | 3500 | 5500 |
| 350 | 103 | 140 | FWD | 4.93 | 1273 | 838 | 2111 | 1490 | 2010 | 3500 | 5500 |
| 300 | 74 | 100 | RWD | 3.58 | 1216 | 891 | 2107 | 1522 | 1503 | 3025 | 5500 |
| 300 | 74 | 100 | RWD | 3.91 | 1216 | 891 | 2107 | 1522 | 1503 | 3025 | 5825 |
| 300 | 92 | 125 | RWD | 3.31 | 1216 | 891 | 2107 | 1522 | 1503 | 3025 | 5500 |
| 300 | 92 | 125 | RWD | 3.91 | 1216 | 891 | 2107 | 1522 | 1503 | 3025 | 5825 |
| 330 | 74 | 100 | RWD | 3.58 | 1218 | 891 | 2109 | 1490 | 1835 | 3325 | 5500 |
| 330 | 74 | 100 | RWD | 3.91 | 1218 | 891 | 2109 | 1490 | 1835 | 3325 | 6000 |
| 330 | 92 | 125 | RWD | 3.31 | 1218 | 891 | 2109 | 1490 | 1835 | 3325 | 5500 |
| 330 | 92 | 125 | RWD | 3.91 | 1218 | 891 | 2109 | 1490 | 1835 | 3325 | 6000 |
| 350 | 74 | 100 | RWD | 3.58 | 1218 | 891 | 2109 | 1497 | 2003 | 3500 | 5500 |
| 350~ | 74 | 100 | RWD | 3.58 | 1224 | 891 | 2115 | 1504 | 1996 | 3500 | 5500 |
| 350 | 74 | 100 | RWD | 3.91 | 1218 | 891 | 2109 | 1497 | 2003 | 3500 | 6000 |
| 350~ | 74 | 100 | RWD | 3.91 | 1224 | 891 | 2115 | 1504 | 1996 | 3500 | 6000 |
| 350 | 92 | 125 | RWD | 3.31 | 1218 | 891 | 2109 | 1497 | 2003 | 3500 | 5500 |
| 350~ | 92 | 125 | RWD | 3.31 | 1224 | 891 | 2115 | 1504 | 1996 | 3500 | 5500 |
| 350 | 92 | 125 | RWD | 3.91 | 1218 | 891 | 2109 | 1497 | 2003 | 3500 | 6000 |
| 350~ | 92 | 125 | RWD | 3.91 | 1224 | 891 | 2115 | 1504 | 1996 | 3500 | 6000 |
| Long Wheel Base | | | | | | | | | | | |
| Medium Roof - Single Rear Wheel | | | | | | | | | | | |
| 300 | 74 | 100 | FWD | 4.36 | 1234 | 771 | 2005 | 1598 | 1427 | 3025 | 5225 |
| 300 | 92 | 125 | FWD | 4.36 | 1234 | 771 | 2005 | 1598 | 1427 | 3025 | 5225 |
| 300 | 103 | 140 | FWD | 4.36 | 1234 | 771 | 2005 | 1598 | 1427 | 3025 | 5225 |
| 330 | 92 | 125 | FWD | 4.93 | 1248 | 797 | 2045 | 1601 | 1724 | 3325 | 5500 |
| 330 | 103 | 140 | FWD | 4.93 | 1248 | 797 | 2045 | 1601 | 1724 | 3325 | 5500 |
| 350 | 92 | 125 | FWD | 4.93 | 1248 | 797 | 2045 | 1594 | 1906 | 3500 | 5500 |
| 350 | 103 | 140 | FWD | 4.93 | 1248 | 797 | 2045 | 1594 | 1906 | 3500 | 5500 |
| 300 | 74 | 100 | RWD | 3.58 | 1238 | 874 | 2112 | 1606 | 1419 | 3025 | 5500 |
| 300 | 74 | 100 | RWD | 3.91 | 1238 | 874 | 2112 | 1606 | 1419 | 3025 | 5825 |
| 300 | 92 | 125 | RWD | 3.31 | 1238 | 874 | 2112 | 1606 | 1419 | 3025 | 5500 |
| 300 | 92 | 125 | RWD | 3.91 | 1238 | 874 | 2112 | 1606 | 1419 | 3025 | 5825 |
| 330 | 74 | 100 | RWD | 3.58 | 1240 | 874 | 2114 | 1596 | 1729 | 3325 | 5500 |
| 330 | 74 | 100 | RWD | 3.91 | 1240 | 874 | 2114 | 1596 | 1729 | 3325 | 6000 |
| 330 | 92 | 125 | RWD | 3.31 | 1240 | 874 | 2114 | 1596 | 1729 | 3325 | 5500 |
| 330 | 92 | 125 | RWD | 3.91 | 1240 | 874 | 2114 | 1596 | 1729 | 3325 | 6000 |
| 350 | 74 | 100 | RWD | 3.58 | 1240 | 874 | 2114 | 1614 | 1886 | 3500 | 5500 |
| 350~ | 74 | 100 | RWD | 3.58 | 1246 | 874 | 2120 | 1620 | 1880 | 3500 | 5500 |
| 350 | 74 | 100 | RWD | 3.91 | 1240 | 874 | 2114 | 1614 | 1886 | 3500 | 6000 |
| 350~ | 74 | 100 | RWD | 3.91 | 1246 | 874 | 2120 | 1620 | 1880 | 3500 | 6000 |
| 350 | 92 | 125 | RWD | 3.31 | 1240 | 874 | 2114 | 1614 | 1886 | 3500 | 5500 |
| 350~ | 92 | 125 | RWD | 3.31 | 1246 | 874 | 2120 | 1620 | 1880 | 3500 | 5500 |
| 350 | 92 | 125 | RWD | 3.91 | 1240 | 874 | 2114 | 1614 | 1886 | 3500 | 6000 |
| 350~ | 92 | 125 | RWD | 3.91 | 1246 | 874 | 2120 | 1620 | 1880 | 3500 | 6000 |
| High Roof - Single Rear Wheel | | | | | | | | | | | |
| 300 | 74 | 100 | FWD | 4.36 | 1241 | 792 | 2033 | 1606 | 1419 | 3025 | 5225 |
| 300 | 92 | 125 | FWD | 4.36 | 1241 | 792 | 2033 | 1606 | 1419 | 3025 | 5225 |
| 300 | 103 | 140 | FWD | 4.36 | 1241 | 792 | 2033 | 1606 | 1419 | 3025 | 5225 |
| 330 | 92 | 125 | FWD | 4.93 | 1255 | 818 | 2073 | 1609 | 1716 | 3325 | 5500 |
| 330 | 103 | 140 | FWD | 4.93 | 1255 | 818 | 2073 | 1609 | 1716 | 3325 | 5500 |
| 350 | 92 | 125 | FWD | 4.93 | 1255 | 818 | 2073 | 1602 | 1898 | 3500 | 5500 |
| 350 | 103 | 140 | FWD | 4.93 | 1255 | 818 | 2073 | 1602 | 1898 | 3500 | 5500 |
| 300 | 74 | 100 | RWD | 3.58 | 1245 | 894 | 2139 | 1615 | 1410 | 3025 | 5500 |
| 300 | 74 | 100 | RWD | 3.91 | 1245 | 894 | 2139 | 1615 | 1410 | 3025 | 5825 |
| 300 | 92 | 125 | RWD | 3.31 | 1245 | 894 | 2139 | 1615 | 1410 | 3025 | 5500 |
| 300 | 92 | 125 | RWD | 3.91 | 1245 | 894 | 2139 | 1615 | 1410 | 3025 | 5825 |
| 330 | 74 | 100 | RWD | 3.58 | 1247 | 894 | 2141 | 1604 | 1721 | 3325 | 5500 |
| 330 | 74 | 100 | RWD | 3.91 | 1247 | 894 | 2141 | 1604 | 1721 | 3325 | 6000 |
| 330 | 92 | 125 | RWD | 3.31 | 1247 | 894 | 2141 | 1604 | 1721 | 3325 | 5500 |
| 330 | 92 | 125 | RWD | 3.91 | 1247 | 894 | 2141 | 1604 | 1721 | 3325 | 6000 |
| 350 | 74 | 100 | RWD | 3.58 | 1247 | 894 | 2141 | 1622 | 1878 | 3500 | 5500 |
| 350~ | 74 | 100 | RWD | 3.58 | 1253 | 894 | 2147 | 1628 | 1872 | 3500 | 5500 |

KOMBI VAN

BRAKES CERTIFIED TO EEC REQUIREMENTS - UNLADEN WEIGHT DISTRIBUTION STANDARD PRODUCTION MODEL

| MODEL | ENGINE | | DRIVELINE | AXLE RATIO | UNLADEN KERB WEIGHT* (kg) | | | GROSS VEHICLE MASS (kg) | | | GTM** (kg) |
|-------|--------|-----|-----------|------------|---------------------------|------|-------|-------------------------|------|-------|------------|
| | KW | PS | | | FRONT | REAR | TOTAL | FRONT | REAR | TOTAL | |
| 350 | 74 | 100 | RWD | 3.91 | 1247 | 894 | 2141 | 1622 | 1878 | 3500 | 6000 |
| 350~ | 74 | 100 | RWD | 3.91 | 1253 | 894 | 2147 | 1628 | 1872 | 3500 | 6000 |
| 350 | 92 | 125 | RWD | 3.31 | 1247 | 894 | 2141 | 1622 | 1878 | 3500 | 5500 |
| 350~ | 92 | 125 | RWD | 3.31 | 1253 | 894 | 2147 | 1628 | 1872 | 3500 | 5500 |
| 350 | 92 | 125 | RWD | 3.91 | 1247 | 894 | 2141 | 1622 | 1878 | 3500 | 6000 |
| 350~ | 92 | 125 | RWD | 3.91 | 1253 | 894 | 2147 | 1628 | 1872 | 3500 | 6000 |

* Unladen Kerb Weight (Mass in Running Order) - Includes driver (75kg), full fluids, spare wheel and 90% fuel (72ltrs)

** Gross Vehicle Train Mass

~ 1850 kg increased front axle plate

BUS

BRAKES CERTIFIED TO EEC REQUIREMENTS - UNLADEN WEIGHT DISTRIBUTION STANDARD PRODUCTION MODEL

| MODEL | SEAT | ENGINE | | DRIVELINE | AXLE RATIO | UNLADEN KERB WEIGHT* (kg) | | | GROSS VEHICLE MASS (kg) | | | GTM** (kg) |
|--|------|--------|-----|-----------|------------|---------------------------|------|-------|-------------------------|------|-------|------------|
| | | kW | PS | | | FRONT | REAR | TOTAL | FRONT | REAR | TOTAL | |
| Long Wheel Base | | | | | | | | | | | | |
| Medium Roof - Single Rear Wheel | | | | | | | | | | | | |
| 350 | 14 | 99 | 135 | RWD | 3.58 | 1300 | 1092 | 2392 | 1590 | 1910 | 3500 | 3500 |
| 350 | 15 | 99 | 135 | RWD | 3.58 | 1304 | 1099 | 2403 | 1610 | 1890 | 3500 | 3500 |
| 350 | 14 | 74 | 100 | RWD | 3.58 | 1312 | 1112 | 2424 | 1638 | 2062 | 3700 | 5500 |
| 350 | 14 | 74 | 100 | RWD | 3.91 | 1312 | 1112 | 2424 | 1638 | 2062 | 3700 | 6000 |
| 350 | 14 | 92 | 125 | RWD | 3.31 | 1312 | 1112 | 2424 | 1638 | 2062 | 3700 | 5500 |
| 350 | 14 | 92 | 125 | RWD | 3.58 | 1319 | 1114 | 2433 | 1643 | 2057 | 3700 | 5500 |
| 350 | 14 | 92 | 125 | RWD | 3.91 | 1312 | 1112 | 2424 | 1638 | 2062 | 3700 | 6000 |
| 350 | 14 | 114 | 155 | RWD | 3.31 | 1309 | 1136 | 2445 | 1630 | 2070 | 3700 | 5500 |
| 350 | 14 | 114 | 155 | RWD | 3.91 | 1309 | 1136 | 2445 | 1630 | 2070 | 3700 | 6300 |
| 350 | 14 | 147 | 200 | RWD | 3.58 | 1380 | 1137 | 2517 | 1686 | 2014 | 3700 | 6000 |
| 350 | 14 | 147 | 200 | RWD | 4.10 | 1380 | 1137 | 2517 | 1686 | 2014 | 3700 | 6300 |
| 350 | 15 | 74 | 100 | RWD | 3.58 | 1317 | 1119 | 2436 | 1659 | 2041 | 3700 | 5500 |
| 350 | 15 | 74 | 100 | RWD | 3.91 | 1317 | 1119 | 2436 | 1659 | 2041 | 3700 | 6000 |
| 350 | 15 | 92 | 125 | RWD | 3.31 | 1317 | 1119 | 2436 | 1659 | 2041 | 3700 | 5500 |
| 350 | 15 | 92 | 125 | RWD | 3.91 | 1317 | 1119 | 2436 | 1659 | 2041 | 3700 | 6000 |
| 350 | 15 | 114 | 155 | RWD | 3.31 | 1314 | 1143 | 2457 | 1651 | 2049 | 3700 | 5500 |
| 350 | 15 | 114 | 155 | RWD | 3.91 | 1314 | 1143 | 2457 | 1651 | 2049 | 3700 | 6300 |
| 350 | 15 | 147 | 200 | RWD | 3.58 | 1385 | 1144 | 2529 | 1707 | 1993 | 3700 | 6000 |
| 350 | 15 | 147 | 200 | RWD | 4.10 | 1385 | 1144 | 2529 | 1707 | 1993 | 3700 | 6300 |
| Extended Frame Wheel Base | | | | | | | | | | | | |
| Medium Roof - Dual Rear Wheel | | | | | | | | | | | | |
| 430 | 17 | 74 | 100 | RWD | 3.58 | 1277 | 1446 | 2723 | 1489 | 2611 | 4100 | 5500 |
| 430 | 17 | 74 | 100 | RWD | 3.91 | 1277 | 1446 | 2723 | 1489 | 2611 | 4100 | 6000 |
| 430 | 17 | 92 | 125 | RWD | 3.31 | 1277 | 1446 | 2723 | 1489 | 2611 | 4100 | 5500 |
| 430 | 17 | 92 | 125 | RWD | 3.91 | 1277 | 1446 | 2723 | 1489 | 2611 | 4100 | 6000 |
| 430 | 17 | 99 | 135 | RWD | 3.58 | 1290 | 1448 | 2738 | 1500 | 2600 | 4100 | 5500 |
| 430 | 17 | 114 | 155 | RWD | 3.31 | 1274 | 1453 | 2727 | 1486 | 2614 | 4100 | 5500 |
| 430 | 17 | 114 | 155 | RWD | 3.91 | 1274 | 1453 | 2727 | 1486 | 2614 | 4100 | 6500 |
| 430 | 17 | 147 | 200 | RWD | 3.58 | 1344 | 1454 | 2798 | 1547 | 2553 | 4100 | 6000 |
| 430 | 17 | 147 | 200 | RWD | 4.10 | 1338 | 1454 | 2792 | 1542 | 2558 | 4100 | 6500 |
| High Roof - Dual Rear Wheel | | | | | | | | | | | | |
| 430 | 17 | 74 | 100 | RWD | 3.58 | 1281 | 1469 | 2750 | 1490 | 2610 | 4100 | 5500 |
| 430 | 17 | 74 | 100 | RWD | 3.91 | 1281 | 1469 | 2750 | 1490 | 2610 | 4100 | 6000 |
| 430 | 17 | 92 | 125 | RWD | 3.31 | 1281 | 1469 | 2750 | 1490 | 2610 | 4100 | 5500 |
| 430 | 17 | 92 | 125 | RWD | 3.91 | 1281 | 1469 | 2750 | 1490 | 2610 | 4100 | 6000 |
| 430 | 17 | 99 | 135 | RWD | 3.58 | 1293 | 1471 | 2764 | 1500 | 2600 | 4100 | 5500 |
| 430 | 17 | 114 | 155 | RWD | 3.31 | 1278 | 1476 | 2754 | 1487 | 2613 | 4100 | 5500 |
| 430 | 17 | 114 | 155 | RWD | 3.91 | 1278 | 1476 | 2754 | 1487 | 2613 | 4100 | 6500 |
| 430 | 17 | 147 | 200 | RWD | 3.58 | 1348 | 1477 | 2825 | 1548 | 2552 | 4100 | 6000 |
| 430 | 17 | 147 | 200 | RWD | 4.10 | 1342 | 1477 | 2819 | 1543 | 2557 | 4100 | 6500 |

* Unladen Kerb Weight (Mass in Running Order) - Includes driver (75kg), full fluids, spare wheel and 90% fuel (72ltrs)

** Gross Vehicle Train Mass

| CAB VAN FLOOR | | | | | | | | | | |
|--------------------------|-----|-----------|------------|---------------------------|------|-------|-------------------------|------|-------|------------|
| ENGINE | | DRIVELINE | AXLE RATIO | UNLADEN KERB WEIGHT* (kg) | | | GROSS VEHICLE MASS (kg) | | | GTM** (kg) |
| kW | PS | | | FRONT | REAR | TOTAL | FRONT | REAR | TOTAL | |
| Medium Wheel Base | | | | | | | | | | |
| 74 | 100 | FWD | 4.93 | 1023 | 514 | 1537 | 1479 | 2021 | 3500 | 4500 |
| 92 | 125 | FWD | 4.93 | 1023 | 514 | 1537 | 1479 | 2021 | 3500 | 4500 |
| 103 | 140 | FWD | 4.93 | 1023 | 514 | 1537 | 1479 | 2021 | 3500 | 4500 |
| Long Wheel Base | | | | | | | | | | |
| 74 | 100 | FWD | 4.93 | 1065 | 568 | 1633 | 1576 | 1924 | 3500 | 4500 |
| 92 | 125 | FWD | 4.93 | 1065 | 568 | 1633 | 1576 | 1924 | 3500 | 4500 |
| 103 | 140 | FWD | 4.93 | 1065 | 568 | 1633 | 1576 | 1924 | 3500 | 4500 |

* Unladen Kerb Weight (Mass in Running Order) - Includes driver (75kg), full fluids, spare wheel and 90% fuel (72ltrs)

** Gross Vehicle Train Mass

| TRANSIT MOTORHOME CHASSIS | | | | | | | | | | |
|----------------------------|-----|-----------|------------|---------------------------|------|-------|-------------------------|------|-------|------------|
| ENGINE | | DRIVELINE | AXLE RATIO | UNLADEN KERB WEIGHT* (kg) | | | GROSS VEHICLE MASS (kg) | | | GTM** (kg) |
| kW | | | | FRONT | REAR | TOTAL | FRONT | REAR | TOTAL | |
| Medium Wheel Base | | | | | | | | | | |
| 92 | 125 | FWD | 4.93 | 1007 | 477 | 1484 | 1472 | 2027 | 3500 | 4500 |
| 103 | 140 | FWD | 4.93 | 1007 | 477 | 1484 | 1472 | 2027 | 3500 | 4500 |
| Long Wheel Base | | | | | | | | | | |
| 92 | 125 | FWD | 4.93 | 1045 | 523 | 1568 | 1571 | 1929 | 3500 | 4500 |
| 103 | 140 | FWD | 4.93 | 1045 | 523 | 1568 | 1571 | 1929 | 3500 | 4500 |
| Extended Wheel Base | | | | | | | | | | |
| 92 | 125 | FWD | 4.93 | 1046 | 570 | 1616 | 1355 | 2144 | 3500 | 4500 |
| 103 | 140 | FWD | 4.93 | 1046 | 570 | 1616 | 1355 | 2144 | 3500 | 4500 |

* Unladen Kerb Weight (Mass in Running Order) - Includes driver (75kg), full fluids, spare wheel and 90% fuel (72ltrs)

** Gross Vehicle Train Mass